PRIORITY DOC ENT
SUBMITTED OR TRANSMATTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)



27 DEC 2004



REC'D 3 0 JUL 2003
WIPO PCT

# Kongeriget Danmark

Patent application No.:

PA 2003 00639

Date of filing:

29 April 2003

Applicant: (Name and address)

Aarhus Universitet Nordre Ringgade 1 DK-8000 Aarhus C

Denmark

Arbejdsmiljøinstituttet Lersø Parkallé 105 DK-2100 København Ø

Denmark

Title: Cancer risk estimating method using sequence polymorphisms in a specific region of chromosome 19

IPC: -

The attached documents are exact copies of the filed application



Patent- og Varemærkestyrelsen Økonomi- og Erhvervsministeriet

24 July 2003

-lelle Schockinger Olesen Helle Schackinger-Olesen

PATENT- OG VAREMÆRKESTYRELSEN AVAILABLE COPY

10

15

20

25

30

P 687 DK03

1

Cancer risk estimating method using sequence polymorphisms in a specific region of chromosome 19

The present Invention provides methods and compositions for identifying human subjects with an increased risk of having or developing cancer. In particular, this invention relates to the identification and characterization of polymorphisms in the human chromosome 19q, the region r located approximately 19q13.2-3 correlated with increased risk of developing cancer and the responsiveness of a subject to various treatments for cancer.

Background

DNA polymorphisms provide an efficient way to study the association of genes and diseases by analysis of linkage and linkage disequilibrum. With the sequencing of the human genome a myriad of hitherto unknown genetic polymorphisms among people have been detected. Most common among these are the single nucleotide polymorphisms, also called SNPs, of which we now know several millions. Other examples are variable number of tandem repeat polymorphisms, insertions, deletions and block modifications. Tandem repeats often have multiple different alleles (variants), whereas the other groups of polymorphisms usually just have two alleles. Some of these genetic polymorphisms probably play a direct role in the biology of the individuals, including their risk of developing disease, but the virtue of the majority is that they can serve as markers for the surrounding DNA, and thus serve as leads during as search for a causative gene polymorphism, as substitutes in the evaluation of its role in health and disease, and as substitutes in the evaluation of the genetic constitution of individuals.

The association of an aliele of one sequence polymorphism with particular alleles of other sequence polymorphisms in the surrounding DNA has two origins, known in the genetic field as linkage and linkage disequilibrium, respectively. Linkage arises because large parts of chromosomes are passed unchanged from parents to offspring, so that minor regions of a chromosome tend to flow unchanged from one generation to the next and also to be similar in different branches of the same family. Linkage is gradually eroded by recombination occurring in the cells of the germ-

10

15

20

25

P 687 DK03

2

line, but typically operates over multiple generations and distances of a number of million bases in the DNA.

Linkage disequilibrium deals with whole populations and has its origin in the (distant) forefather in whose DNA a new sequence polymorphism arose. The immediate surroundings in the DNA of the forefather will tend to stay with the new allele for many generations. Recombination and changes in the composition of the population will again erode the association, but the new allele and the alleles of any other polymorphism nearby will often be partly associated among unrelated humans even today. A crude estimate suggests that alleles of sequence polymorphisms with distances less that 10000 bases in the DNA will have tended to stay together since modern man arose. Linkage disequilbrium in limited populations, for instance Europeans, often extends over longer distances. This can be the result of newer mutations, but can also be a consequence of one or more "bottlenecks" with small population sizes and considerable inbreeding in the history of the current population. Two obvious possibilities for "bottlenecks" in Europeans are the exodus from Africa and the repopulation of Europe after the last ice age.

Linkage disequilibrium is the results of many stochastic events and as such subject to statistical variation occasionally resulting in discontinuities, lack of a monotonic relationship between association and distance and differences between people of different ethnicity. Therefore, it is often advantageous to study more that one sequence polymorphism in a given region. This also allows for further definition of the genetic surroundings of the biologically relevant polymorphism by combining the associated alleles of the different markers into a socialled haplotype.

Humans in general carry two copies of each human chromosome in each cell. There are exceptions to this rule, not relevant to this application. We therefore speak about genotypes i.e. the combined analysis of both chromosomes at a given sequence polymorphism. The resulting genotypes of a person, analysed for instance on DNA from peripheral blood teukocytes, are inherently very stable over time. Therefore, this type of analysis can be performed any time in the life of a person and will be applicable to this person for his or her entire life. By the same token such genetic analyses are ideally suited to predict future risks of disease.

35

30

10

P 687 DK03

3

A variety of investigations suggest that many diseases in part are determined by the genetic constitution of the individual. One group of genes in particular has been associated with rare genetic predispositions to cancer. These are the genes involved in maintaining the integrity of a persons DNA, the so-called DNA repair genes. One set of such genes are the XP genes which participate in nucleotide excision repair, and, when mutated, give rise to a 1000 fold increased risk of getting skin cancer. For this reason we have previously investigated single nucleotide polymorphisms in one DNA repair gene XPD for association with risk of skin cancer in a cohort of Caucasian Americans, and found that one allele of the sequence polymorphism called XPDe6 was associated with a moderately increased risk of getting basal cell carchoma, the most common form of skin cancer. Later other groups have studied the association between sequence polymorphisms in this and other DNA repair genes and various forms of cancer. Some have reported positive results.

Very little is known about the function of the gene RAI. It was cloned because its protein product binds to and inhibits RelA of the transcription regulator NF-kappaB.

## Summary of the invention

The present invention relates in a first aspect to a group of nucleic acid sequences found to be associated with cancer. The invention further relates to transcriptional and translational products of said sequence. An allele in the r region can be identified as correlated with an increased risk of developing cancer, the prognosis of developed cancer, and responsiveness to cancer treatment on the basis of statistical analyses of the incidence of a particular allele in individuals diagnosed with cancer.

Thus, in a first aspect the invention relates to a method for estimating the cancer risk of an individual comprising

- providing a sample from said individual,
  - assessing in the genetic material including human genes in said sample a sequence polymorphism
- in a region corresponding to SEQ ID NO: 2, or a part thereof, or

4

- in a region complementary to SEQ ID NO: 2, or a part thereof, or
- In a transcription product from a sequence in a region corresponding to SEQ
   ID NO: 2, or a part thereof, or
- or translation product from a sequence in a region corresponding to SEQ ID
   NO: 2, or a part thereof,
- obtaining a sequence polymorphism response,
- estimating the cancer risk of said individual based on the sequence polymorphism response.

10

5

Preferably the invention relates to a method for estimating the cancer risk of an individual comprising

- providing a sample from said individual,

15

- assessing in the genetic material including human genes in said sample a sequence polymorphism
  - in a region corresponding to SEQ ID NO: 1, or a part thereof, or
- 20 in a region complementary to SEQ ID NO: 1, or a part thereof, or
  - in a transcription product from a sequence in a region corresponding to SEQ
     ID NO: 1, or a part thereof, or
  - or translation product from a sequence in a region corresponding to SEQ ID
     NO: 1, or a part thereof,
- 25 obtaining a sequence polymorphism response,
  - estimating the cancer risk of said individual based on the sequence polymorphism response.
- The estimation of the cancer risk of an individual can involve the comparison of the number and/or kind of polymorphic sequences identified with a predetermined cancer risk profile. Such a profile can be based on statistical data obtained for a relevant reference group of individuals.

5

The sequence of the r region is set forth as SEQ ID NO 1, originating from the cloning of human chromosome 19q published as part of the contig NT\_011109 in the database of human sequences established by National Center for Biotechnology Information and located on the internet at

5 http://www.ncbi.nlm.nih.gov/genome/guide/human/

The presence of an allele is determined by determining the nucleic acid sequence of all or part of the region according to standard molecular biology protocols well known in the art as described for example in Sambrook et al. (1989) and as set forth in the Examples provided herein or products of the nucleic acid sequences.

In particular, the nucleic acid molecules of the present Invention represent in a first aspect nucleic acid sequences forming part of the region r corresponding to position 1522-37752 of SEQ ID NO: 1, and preferably to certain nucleic acid sequences within the gene referred to herein as RAI. As demonstrated in the Examples presented below, the RAI gene is in particular associated with human cancer diseases.

Furthermore, the invention relates to a method for estimating the cancer prognosis of an individual comprising

20

10

15

- providing a sample from said individual,
- assessing in the genetic material including human genes in said sample a sequence polymorphism

25

- in a region corresponding to SEQ ID NO: 1 or SEQ ID NO: 2, or a part thereof, or
- in a region complementary to SEQ ID NO: 1 or SEQ ID NO: 2, or a part thereof, or

30 .

- In a transcription product from a sequence in a region corresponding to SEQ ID NO: 1 or SEQ ID NO: 2, or a part thereof, or
- or translation product from a sequence in a region corresponding to SEQ ID
   NO: 1 or SEQ ID NO: 2, or a part thereof,
- obtaining a sequence polymorphism response.

35

10

15

30



→ P

P 687 DK03

6

 estimating the cancer prognosis of said individual based on the sequence polymorphism response.

The estimation of the cancer prognosis of an Individual can involve the comparison of the number and/or kind of polymorphic sequences identified with a predetermined cancer prognosis profile. Such a profile can be based on statistical data obtained for a relevant reference group of individuals.

Additionally provided is a method of identifying a human subject as having an increased likelihood of responding to a treatment, comprising a) correlating the presence of an r region allele genotype with an increased likelihood of responding to treatment; and b) determining the r region allele genotype of the subject, whereby a subject having an r region allele genotype correlated with an increased likelihood of responding to treatment is identified as having an increased likelihood of responding to treatment.

Thus, the present invention also relates to method for estimating a treatment response of an individual suffering from cancer to a cancer treatment, comprising

- 20 . providing a sample from said individual,
  - assessing in the genetic material including human genes in said sample a sequence polymorphism
- 25 in a region corresponding to SEQ ID NO: 1 or SEQ ID NO: 2, or a part thereof or
  - In a region complementary to SEQ ID NO: 1 or SEQ ID NO: 2, or a part thereof, or
  - in a transcription product from a sequence in a region corresponding to SEQ
     ID NO: 1 or SEQ ID NO: 2, or a part thereof, or
  - or translation product from a sequence in a region corresponding to SEQ ID
     NO: 1 or SEQ ID NO: 2, or a part thereof,
  - obtaining a sequence polymorphism response,

10

15

20

25

30

35



P 687 DK03

7

estimating the individual's response to the cancer treatment based on the sequence polymorphism response.

The estimation of the individual's response to cancer treatment can involve the comparison of the number and/or kind of polymorphic sequences identified with a predetermined cancer treatment response profile. Such a profile can be based on statistical data obtained for a relevant reference group of individuals.

The invention also comprises primers or probes for use in the invention, as well as kits including these. The primers and/or probes are preferably capable of hybridising to SEQ ID NO:1 or SEQ ID NO:2, or a part thereor, in particularly the r region, or a part thereof, under stringent conditions.

Furthermore, the invention also relates to cloning vectors and expression vectors containing the nucleic acid molecules of the invention, as well as hosts which have been transformed with such nucleic acid molecules, including cells genetically engineered to contain the nucleic acid molecules of the invention, and/or cells genetically engineered to express the nucleic acid molecules of the invention. The nucleic acids are preferably isolated form the r region and preferably contain one or more sequence polymorphisms as described herein below in more detail. In addition to host cells and cell lines, hosts also include transgenic non-human animals (or progeny thereof).

In particular, the present invention is based on the discovery of the correlation with single nucleotide polymorphisms (SNPs) and/or tandem repeats in the r region and cancer. Thus, SNPs have been found in the r region as shown in table 1. However, the present invention is not limited to the SNPs shown in table 1, but does include any SNP in the region. Tandem repeats have been found in the r region as shown in table 2. However, the present invention is not limited to the tandem repeats shown in table 2, but does include any tandem repeat in the region.

The term human includes both a human having or suspected of having a cancer disease and an a-symptomatic human who may be tested for predisposition or susceptibility to cancer. At each position the human may be homozygous for an allele or the human may be a heterozygote.

# **Drawings**

P 687 DK03

Fig. 1 shows a subregion of chromosome 19q

5

Fig. 2 shows odds ratios and p-values for individual sequence variations in relation to risk of basal cell carcinoma

Fig. 3 shows odds p-values for association of different sequence variations with risk of basal cell carcinoma among psoriatic Danes

Fig. 4 shows regions S1, S2 and S3 of SEQ ID NO: 2.

# Detailed description of the invention

15

20

25

10

The present invention relates to a characterization of a person's present and/or future risk of getting certain forms of cancer. The characterization is based on the analysis of sequence polymorphisms in a region of chromosome 19q in the person.

A number of polymorphisms in the chromosomal region 19q13.2-3 have been identified and characterised. Surprisingly, the sequence polymorphisms with strongest association to disease appeared to be located outside XPD. More specifically, the sequences were located in a sub-region between XPD and ERCC1, and seemed to have a maximum in or around the gene RAI (See Example 1). For persons getting their skin cancer relatively early (before 50 years of age), it was found that predictions got better (Example 2) and when two sequence polymorphisms in RAI were combined, the prediction of early skin cancer got even better (Example 3). It was also possible to combine sequence polymorphisms in RAI with sequence polymorphisms outside the region and get highly positive results (Example 4).

30

The region of chromosome 19q, more precisely the region located in 19q13.2-3, with which the present invention is concerned, is depicted in Figure 1 as it is presently known together with the presently known or suspected genes. The arrows indicate the directions of transcription of the genes. The absolute chromosome positions

15

20

25



P 687 DK03

٠g

shown are from the particular build of NCBI's map of chromsome 19, and will probably change with time.

The region s stretches from the XPD gene to approximately the end of ERCC1 and includes the region r and is defined by SEQ ID NO: 2. In the present context the region s means SEQ ID NO: 2 and complementary sequence as well as transcriptional products and translational products thereof.

One preferred section of the region s is S1 as shown in Fig. 4, more preferred S2 as shown in Fig. 4, most preferred S3 as shown in Fig. 4.

The region r stretches from the beginning of, but not including the XPD gene, to approximately the end of ERCC1 and includes the genes RAI, LOC162978, and ASE-1. More specifically r is bounded by and includes the following two sequences: AGAACCCCCG CCCCTCCACC TCGTCTCAAA and TCCCTCCCCA GAGACTGCAC CAGCGCAGCC, and is defined by SEQ (D NO: 1.

In the present context the region r means SEQ ID NO: 1 and complementary sequence as well as transcriptional products and translational products thereof.

One preferred section of the region r stretches approximately from the end of RAI to the end of ASE-1 and includes the genes RAI, LOC162978, and ASE-1. More specifically, this section of r is bounded by and includes the following sequences: GAAGTGAGCC AAGATCACGC CACTGCACTC and GTGCCCACCT GGGCCACCAGA AAGGTGACAC. In the present context the region r means SEQ ID NO: 1 bases 1522-37752 and complementary sequence as well as transcriptional products and translational products thereof.

10

15

20

25

30

35

i

P 687 DK03

10

Finally, in the claims the gene RAI is defined as including transcribed sequences of the gene plus a 1500 base upstream promoter region. More specifically RAI is bounded by and includes the following sequences: CATAACCACA ATGATGAGCA TGTATTGAGT and ATGTTGTCCA GGCTGGTCTT GAACTCCTGA. In the present context this section of the region relates to SEQ ID NO: 1 bases 7761-22885 and complementary sequence as well as transcriptional products and translational products thereof.

Modifications to the human genome map are known to occur from time to time. It is therefore possible that the defining sequences quoted above will change slightly in future maps.

Fragments or parts of the region s or r as used herein relates to any fragment of at least 100 nucleic acid redues in length, or mutiples of 100 nucleic acid residues in length, starting from SEQ ID NO: 1 position 1, 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2600, 2700, 2800, 2900, 3000, and so forth, each fragment starting position having an increment of 100 nucleic acid residues. Multiples are preferably multiples of e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49 and 50.

For fragments starting at position 1, the length of said fragments will thus be e.g. 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2600, 2700, 2800, 2900, 3000, and so forth, using suitable multiplicators as listed herein above.

For fragments starting at position 100, the length of said fragments will thus be e.g. 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2600, 2700, 2800, 2900, 3000, and so forth, using suitable multiplicators as listed herein above.

For fragments starting at position 7700, the length of said fragments will thus be e.g. 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2600, 2700,



11

2800, 2900, 3000, 3500, 4000, 4500, 5000, 5500, 6000, 6500, 7000, 7500, 8000, 8500, 9000, 9500, 10000, 10500, 11000, 11500, 12000, 12500, 13000, 13500, 14000, 14500, 15000, and so forth, using suitable multiplicators such as e.g. the ones listed herein above.

5

15

20

25

30

35

The nucleic acid sequences according to the present invention makes it possible to estimate cancer risk in an individual by using sequence polymorphisms originating from a specific region of chromosome 19.

10 Estimation of cancer risks has a number of important applications:

(1) Individuals with reasons to suspect that they are at risk for getting cancer would be able to clarify their situation and, if possible, take protective action. Alternatively, anti-cancer campaigns, companies, hospitals or other institutions could offer a service to help people clarify their situation. It would for instance be possible to test persons, when they got their first basal cell carcinoma, which is often recurrent and also is a moderate predictor for other cancers. If the persons were in a high-risk group, one could then advice them about, or they could of their own accord choose, risk-reducing behaviour, such as avoidance of excessive sun-exposure, abstaining from smoking etc. About 5 percent of the Danish population will at some point in their life get a basal cell carcinoma.

(2) Anti-cancer campaigns, companies, hospitals or other institutions would be able to define relevant target subpopulations and focus information on risk-reducing behaviour on these persons. They might perhaps also be in a position to inform the remainder of the population that they need not worry. Lung cancer affects approximately 10-15 percent of smokers and thus approximately 5 percent of the population, somewhat varying from country to country. Malignant melanoma, a sun-induced, often lethal form of skin cancer, affects approximately 700 persons a year in Denmark or about 1 percent of the Danish population.

(3) The drugs used in cancer treatment are often carcinogenic themselves and individual responses to them vary considerably, both with respect to tolerance to the treatment and with respect to efficacy of the treatment. It is an obvious possibility that the region of chromosome 19 here dealt with, which contains DNA repair genes



12

known to modulate carcinogen responses, also modulates response to anti-cancer agents. Hence, analysis of the region may facilitate better choices of treatment for cancer, and/or help predict the future course of disease.

By sequence polymorphism is understood any single nucleotide, tandem repeat, insert, deletion or block polymorphism, which varies among humans, whether it is of biological importance or not.

# Position of sequence polymorphism in the region s and r

10

15

In one embodiment of the methods of the Invention, preferably the method for diagnosis as described herein, one or more single nucleotide polymorphism(s) at a predetermined position in the region r (SEQ ID NO:1) are identified and used for e.g. cancer risk profiling and/or cancer treatment response profiling. Presently preferred single nucleotide polymorphism(s) are listed in Tables 1a and 1b. However, the present Invention relates to any SNP in the r region.

## Table 1a

20	Identification in dbSNP <sup>1</sup>	Position in SEQ ID NO: 1	
	rs#3138378 A/G	137	
	rs#3138376 G/T	235	
	rs#209725 C/A	ambiguous location	
	rs#2377328 C/T	7199	
25	rs#6966 A/T	7887 (=RAle6)	
	rs#2017164 A/C	12115	
	rs#2017104 A/G	12190	
	rs#2070830 T/G	14575	
	rs#1970764 A/G	15798 (=RAIi1)	
30	rs#2226949 T/G	32035	
	rs#959457 C/T	32446	
	rs#2336218 C/A	32447	
	rs#766934 A/G	32481	
	rs#928911 C/T	32785	
35	rs#1005165 C/T	33974	



13

	rs#1005166 C/T	34119
	rs#967591 A/G	34858 (=ASE-1e1)
	rs#1046282 T/C	35596
	rs#2013521 A/T	36254
5	rs#735482 A/C	36928
	rs#762562 A/G	37267
	rs#2336919	ambiguous location
	rs#743571 C/G	37786

# 10 Table 1b

	identification in dbSNP <sup>1</sup>			Position in SEQ ID NO: 1
15	<del>20</del> #3047560	ataaaaaat	aaaaaaaa  -/AA) atagccgagc atggtggtgg	4795-6
	29\$5000150	tgttgtccaa	gctggCAGAG (A/G) tttttgtttg tttgtttgag	6908
	2894589665	CCAGGGCATA	CAACCAGCAC (T/A) TGATTTTCLG tgtgacctca	20613
	zs#4803814	cctgcttgct	tgetttetet (C/T) tetetette tttettett	25650
	rs#4803815	CLLGCLLGCL	TECEGLOLOL (C/T) totttottto tereterer	25654
20	ze#4572514		TGGCGGCTCA (C/T) TTGGATGAAC AGGGAGTGTG	28691
	rs#4802252	agecaccaça	CCIGGCCAAA (C/T) CAGCTATTCT GAAAGGCCCC	29686
	rs#4803816	GAGCCTATTG	TTGGAAAGTT (C/T) TGAGTCCAAG ATTCTATCTT	29815
	rs\$4802253	CCTARCCEAG	GGTTGCACTG (C/T) TCTGGAAGTC TAGATGGATG	29922
	r##4353560	GTAAGTGACL	ctttttttt (C/T) ttttggtaga gatttagtct	30439
25	ra#3212989		GACTG (C/T) GTCTTCTAGA GECTCAGTGT	36994
	rs#3212988	TGGCTGAGAC	TCAAC (C/T) GTCACCCCCT CCTCTGGCTC	37068
	rs#3212987	GTGTGACCTC	TCTCT (-/TTC) TTCTTCTTCT TCTTCTTGGT	37431-37433
	rs#3212986	GCTGCTGCTG		37660

dbSNP is the database over SNPs established by the National Center for Biotech nology Information and located on the Internet at <a href="http://www.ncbi.nlm.nih.gov/SNP/">http://www.ncbi.nlm.nih.gov/SNP/</a>.

In another embodiment of the invention preferably the method described herein is one in which the tandem repeat is at a position as described in Table 2:

14

## Table 2

# Identification in uniSTS<sup>2</sup>

5 D19S908

STS-W67936

D19S543

D19\$393

STS-R48186

10 GDB:181915

RH47033

GDB:190019

<sup>2</sup> UniSTS is a database of unique sequence tag sites established by National Center for Biotechnology Information and located on the internet at

15 http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=unists

In another embodiment of the invention, the method for diagnosis described herein is preferably one in which the sequence polymorphism is in region r. Testing for the presence of the RAI gene allele is especially preferred because, without wishing to be bound by theoretical considerations, of its association with increased risk of cancer (as explained herein).

In one embodiment of the methods of the invention, preferably the method for diagnosis as described herein, one or more single nucleotide polymorphism(s) at a predetermined position in the region s (SEQ ID NO:2) are identified and used for e.g. cancer risk profiling and/or cancer treatment response profiling. Presently preferred polymorphism(s) are the four base pair deletion shown in Fig. 4 corresponding to TGTC. However, the present invention relates to any polymorphism and SNP in the siregion.

30

20

25

The sequence polymorphism of the invention comprises at least one base difference, such as at least two base differences. As described above the sequence polymorphism comprises at least one single nucleotide polymorphism, such as at least two single nucleotide polymorphisms. Also, the sequence polymorphism comprises

15

at least one tandem repeat polymorphism, such as at least two tandem repeat polymorphisms.

Also, the sequence polymorphism may be a combination of single nucleotide polymorphism and tandem repeats.

The status of the individual may be determined by reference to allelic variation at one, two, three, four or more of the above loci.

# 10 Cell sample

5

The cell sample used in the present invention may be any suitable cell sample capable of providing the genetic material for use in the method. In a preferred embodiment, the cell sample is a blood sample, a tissue sample, a sample of secretion, semen, ovum, a washing of a body surface (e.g. a buccal swap), a clipping of a body surface (hairs, or nails), such as wherein the cell is selected from white blood cells and tumour tissue.

It will be appreciated that the test sample may equally be a nucleic acid sequence corresponding to the sequence in the test sample, that is to say that all or a part of the region in the sample nucleic acid may firstly be amplified using any convenient technique e.g. PCR, before use in the analysis of variation in the region.

# **Detection methods**

25

30

35

20

15

Detection may be conducted on the sequence of , SEQ ID NO: 1, SEQ ID NO: 2 or a complementary sequence as well as on translational (mRNA) and transcriptional products (polypeptides, proteins) therefrom.

It will be apparent to the person skilled in the art that there are a large number of analytical procedures which may be used to detect the presence or absence of variant nucleotides at one or more of positions mentioned herein in the r region. Mutations or polymorphisms within or flanking the <u>r region</u> can be detected by utilizing a number of techniques. Nucleic acid from any nucleated cell can be used as the starting point for such assay techniques, and may be isolated according to standard



10



P 687 DK03

16

nucleic acid preparation procedures that are well known to those of skill in the art. In general, the detection of allelic variation requires a mutation discrimination technique, optionally an amplification reaction and a signal generation system. Table 3 lists a number of mutation detection techniques, some based on the PCR. These may be used in combination with a number of signal generation systems, a selection of which is listed in Table 4. Further amplification techniques are listed in Table 5. Many current methods for the detection of allelic variation are reviewed by Nollau et al., Clin. Chem. 43, 1114-1120, 1997; and in standard textbooks, for example "Laboratory Protocols for Mutation Detection", Ed. by U. Landegren, Oxford University Press, 1996 and "PCR", 2.sup.nd Edition by Newton & Graham, BIOS Scientific Publishers Limited, 1997.

#### Table 3

Abbreviations:

	Appreviations:	
15	ALEX .TM.	Amplification refractory mutation system linear extension
	APEX	Arrayed primer extension
	ARMS .TM,	Amplification refractory mutation system
	b-DNA	Branched DNA
	CMC	Chemical mismatch cleavage
20	bp .	base pair
	COPS	Competitive oligonucleotide priming system
•	DGGE	Denaturing gradient gel electrophoresis
	FRET	Fluorescence resonance energy transfer
	LCR	Ligase chain reaction
25	MASDA	Multiple allele specific diagnostic assay
	NASBA	Nucleic acid sequence based amplification
	OLA	Oliganucleotide ligation assay
•	PCR	Polymerase chain reaction
	PTT	Protein truncation test
30	RFLP	Restriction fragment length polymorphism
	SDA	Strand displacement amplification
	SNP	Single nucleotide polymorphism
	SSCP	Single-strand conformation polymorphism analysis
	SSR	Self sustained replication
35	TGGE	Temperature gradient gel electrophoresis

17

Table 4 illustrates various mutation detection techniques capable of being used for SNP detection.

# 5 Table 4

General techniques: DNA sequencing, Sequencing by hybridisation, SNAPshot.

Scanning techniques: PJT\*, SSCP, DOGE, TGGE, Cleavase, Heteroduplex analysis, CMC, Enzymatic mismatch cleavage

Hybridisation Based techniques

Solid phase bybridisation: Dot blots, MASDA, Reverse dot blots, Oligonucleotide arrays (DNA Chips)

Solution phase hybridisation: Taqman.TM.—U.S. Pat. No. 5,210,015 & 5,487,972 (Hoffmann-La Roche), Molecular Beacons—Tyagi et al (1996), Nature Biotechnology, 14, 303; WO 95/13399 (Public Health Inst., New York), Lightcycler, optionally in combination with FRET.

Extension Based: ARMS.TM., ALEX.TM.—European Patent No. EP 332435 B1 (Zeneca Limited), COPS—Gibbs et al (1989), Nucleic Acids Research, 17, 2347.

25 Incorporation Based: Mini-sequencing, APEX

Restriction Enzyme Based: RFLP, Restriction site generating PCR

Ligation Based: OLA

30

20

Other: Invader assay

Various Signal Generation or Detection Systems is listed below:

- F

P 687 DK03

18

Fluorescence: FRET, Fluorescence quenching, Fluorescence polarisation—United Kingdom Patent No. 2228998 (Zeneca Limited)

Other: Chemiluminescence, Electrochemiluminescence, Raman, Radioactivity, Colorimetric, Hybridisation protection assay. Mass spectrometry

Table 5 illustrates examples of further amplification techniques.

10 Table 5

SSR, NASBA, LCR, SDA, b-DNA

Preferred mutation detection techniques include ARMS.TM., ALEX.TM., COPS,
Taqman, Molecular Beacons, RFLP, and restriction site based PCR and FRET techniques.

Particularly preferred methods include FRET; taqman, ARMS.TM. and RFLP based methods.

In a preferred embodiment, mutations or polymorphisms can be detected by using a microessay of nucleic acid sequences immobilized to a substrate or "gene chip" (see, e.g. Cronin, et al., 1996, Human Mutation 7:244-255).

Further, Improved methods for analyzing DNA polymorphisms, which can be utilized for the identification of region r specific mutations, have been described that capitalize on the presence of variable numbers of short, tandemly repeated DNA sequences between the restriction enzyme sites. For example, Weber (U.S. Pat. No. 5,075,217) describes a DNA marker based on length polymorphisms in blocks of (dC-dA)n-(dG-dT)n short tandem repeats. The average separation of (dC-dA)n-(dG-dT)n blocks is estimated to be 30,000-60,000 bp. Markers that are so closely spaced exhibit a high frequency co-inheritance, and are extremely useful in the identification of genetic mutations, such as, for example, mutations within the RAI gene, and the diagnosis of diseases and disorders related to RAI mutations.

35

20

25

30

19

Also, Caskey et al. (U.S. Pat. No. 5,364,759) describe a DNA profiling assay for detecting short tri and tetra nucleotide repeat sequences. The process includes extracting the DNA of interest, such as the RAI gene, amplifying the extracted DNA, and labelling the repeat sequences to form a genotypic map of the individual's DNA.

5

The level of RAI gene expression can also be assayed. For example, RNA from a cell type or tissue known, or suspected, to express the RAI gene, such as brain, may be isolated and tested utilizing hybridization or PCR techniques such as are described, above. The isolated cells can be derived from cell culture or from a patient. The analysis of cells taken from culture may be a necessary step in the assessment of cells to be used as part of a cell-based gene therapy technique or, alternatively, to test the effect of compounds on the expression of the RAI gene. Such analyses may reveal both quantitative and qualitative aspects of the expression pattern of the RAI gene, including activation or inactivation of RAI gene expression.

15

20

25

10

In one embodiment of such a detection scheme, a cDNA molecule is synthesized from an RNA molecule of interest (e.g., by reverse transcription of the RNA molecule Into cDNA). A sequence within the cDNA is then used as the template for a nucleic acid amplification reaction, such as a PCR amplification reaction, or the like. The nucleic acid reagents used as synthesis initiation reagents (e.g., primers) in the reverse transcription and nucleic acid amplification steps of this method are chosen from among the RAI gene nucleic acid reagents described above. The preferred lengths of such nucleic acid reagents are at least 9-30 nucleotides. For detection of the amplified product, the nucleic acid amplification may be performed using radioactively or non-radioactively labeled nucleotides. Alternatively, enough amplified product may be made such that the product may be visualized by standard ethicium bromide staining or by utilizing any other sultable nucleic acid staining method.

30

Additionally, it is possible to perform such RAI gene expression assays "in situ", i.e., directly upon tissue sections (fixed and/or frozen) of patient tissue obtained from biopsies or resections, such that no nucleic acid purification is necessary. Nucleic acid reagents such as those described above may be used as probes and/or primers for such in situ procedures (see, for example, Nuovo, G. J., 1992, "PCR In Situ Hybridization: Protocols And Applications", Raven Press, NY).

35

P 687 DX03

20

Alternatively, if a sufficient quantity of the appropriate cells can be obtained, standard Northern analysis can be performed to determine the level of mRNA expression of the RAI gene.

# 5 Activity of the gene

Another method for detecting sequence polymorphism is by analysing the activity of gene products resulting from the sequences. Accordingly, in one embodiment the detection uses the activity of the RAI gene product as compared to a reference in the method. In particular if the activity of the genes are decreased or increased by at least or about 50 %, such as at least or about 40%, for example at least or about 30%, such as at least or about 20%, for example at least or about 10%, such as at least or about 5%, such as at least or about 2%, it indicates a sequence polymorphism in the gene.

15

20

25

30

35

10

# Mutations outside the region

The present invention may combine the result of sequence polymorphism within the region r or s with sequence polymorphism outside the region in order to increase the probability of the correlation.

## **Primers**

The primer nucleotide sequences of the invention further include: (a) any nucleotide sequence that hybridizes to a nucleic acid molecule of the region r or its complementary sequence or RNA products under stringent conditions, e.g., hybridization to filter-bound DNA in 6x sodium chloride/sodium citrate (SSC) at about 45°C followed by one or more washes in 0.2x SSC/0.1% SDS at about 50-65°C, or (b) under highly stringent conditions, e.g., hybridization to filter-bound nucleic acid in 6x SSC at about 45°C followed by one or more washes in 0.1x SSC/0.2% SDS at about 68°C, or under other hybridization conditions which are apparent to those of skill in the art (see, for example, Ausubel F.M. et al., eds., 1989, Current Protocols in Molecular Biology, Vol. I, Green Publishing Associates, Inc., and John Wiley & sons, Inc., New York, at pp. 6:3.1-6.3.6 and 2.10.3). Preferably the nucleic acid molecule that hybridizes to the nucleotide sequence of (a) and (b), above, is one that comprises the

21

complement of a nucleic acid molecule of the region r or a complementary sequence or RNA product thereof. In a preferred embodiment, nucleic acid molecules comprising the nucleotide sequences of (a) and (b), comprises nucleic acid molecule of RAI or a complementary sequence or RNA product thereof.

5

Among the nucleic acid molecules of the invention are deoxyoligonucleotides ("oligos") which hybridize under highly stringent or stringent conditions to the nucleic acid molecules described above. In general, for probes between 14 and 70 nucleotides in length the melting temperature (TM) is calculated using the formula:

10 .

15

Tm(°C)=81.5+16.8(log [monovalent cations (molar)])+0.41(% G+C)-(500/N)

where N is the length of the probe. If the hybridization is carried out in a solution containing formamide, the melting temperature is calculated using the equation Tm(°C)=81.5+16.6(log[monovalent cations (molar)])+0.41(% G+C)-(0.61% formamide)-(500/N) where N is the length of the probe. In general, hybridization is carried out at about 20-25 degrees below Tm (for DNA-DNA hybrids) or 10-15 degrees below Tm (for RNA-DNA hybrids).

20

Exemplary highly stringent conditions may refer, e.g., to washing in 6x SSC/0.05% sodium pyrophosphate at 37°C (for about 14-base oligos), 48°C (for about 17-base oligos), 55°C (for about 20-base oligos), and 60°C (for about 23-base oligos).

25

Accordingly, the invention further provides nucleotide primers or probes which detect the riegion polymorphisms of the invention. The assessment may be conducted by means of at least one nucleic acid primer or probe, such as a primer or probe of DNA, RNA or a nucleic acid analogue such as peptide nucleic acid (PNA) or locked nucleic acid (LNA). The nucleotide primer or probe is preferably capable of hybridising to a subsequence of the region corresponding to SEQ ID NO: 1, or a part thereof, or a region complementary to SEQ ID NO:1.

30

According to one aspect of the present invention there is provided an allele-specific oligonucleotide probe capable of detecting a r region polymorphism at one or more of positions in the r region as defined by the positions in SEQ ID NO: 1.

35



P 687 DK03

22

The allele-specific oligonucleotide probe is preferably 5-50 nucleotides, more preferably about 5-35 nucleotides, more preferably about 5-30 nucleotides, more preferably at least 9 nucleotides.

The design of such probes will be apparent to the molecular biologist of ordinary skill. Such probes are of any convenient length such as up to 50 bases, up to 40 bases, more conveniently up to 30 bases in length, such as for example 8-25 or 8-15 bases in length. In general such probes will comprise base sequences entirely complementary to the corresponding wild type or variant locus in the region. However, if required one or more mismatches may be introduced, provided that the discriminatory power of the oligonucleotide probe is not unduly affected. The probes of the invention may carry one or more labels to facilitate detection.

In one embodiment, the primers and/or probes are capable of hybridizing to a subsequence selected from the group of subsequences below, wherein the polymorphism is denoted as for example T/C: .

- 1. GCTCTGAAAC TTACTAGCCC(A/G)GTATTTATGG AGAGGCATTT
- 2. GTGGTCAAAT TCTCATTCAT CGTGG (T/C) CCAGGCAAGC ACACTTCCTC
- 3. ACCCTGAGGT GAGCACCTGT TCCTT(C/T) TCCTTGCCCT TAGCCCA-GAG GTAGA
- 4. GGGCAGGGT TTGTGCCTCC AATGA (G/A) CACAAGCTCC CCCTGCCCCC CAACT
- 25 5. CCTGGCGGTG GCCGTCACCA GCTTT (T/C) GGGGGTGTTT GGGAAGCTGG
  - 6. CTCCAGCCCC ACTGTTCCCT (A/G) GGCCCTATTG GTCCCCCTGG
  - 7. ACAAGGAGGA GGCAGAAGTG AGGTT (G/C) AAACCCACTG CCCAATC-TTA
- 30 8. CCAACACGGT GAAACCCCGT CTGTA(T/C)TAAAAATACA AAAATTAGCC
  - 9. AATCCAGGAC CCCATAATCT TCCGT (C/T) ATCTAAAACA ATA-ATGGTGA
  - 10. CCCAAGGGG CGAGGGGAGG GTGAA (A/G)GGGTGGGACG GGGCAGCCG

10

15


20

25

30

35

**CAGCT** 



P 687 DK03

23 11. GAAGTGAGAA GGGGGCTGGG GGTCG (G/-) CGCTCGCTAG CGGGCGCGG 12. CGCACGCGCA GTATCCCGAT TGGCT (C/G)TGCCCTAGCG GATT-13. AACTCCTGGG TTCGATCAAT ACTCA (GACA/-) ATCTTGGCAG GCGCAGGAGG 14. GCTGGGATTA CAGGCTTGAG CCACC (A/G) CGCCCGGCCT **GCAAAGCCAT** 15. TTTTGTATCT TTAGTAGAGA CAGG (T/G) TTTCTCCATG TTGGTCAGGC 16. GCCTCAGCCT CCCGAGTAGC TGAGACT (C/A) CAGGTGCCCG CCAC-**CACGCC** 17. TGAAATTGTA GGTTGAGAGG CCAGGCG (C/T) GGTGCTCACG CCTGTAATTT 18. GTTTATAAAC:ATTAAACCAG (T/A) GCTGTGTGAA GGCACTTAAT 19. CCGTCTCTAT TAAAAATATA AAA (A/C) AATTTAGCCG GGTGTAGCGG 20. GGGAGGCTCG AGGCGGGC (A/G) GATTGCATGA GCTCAGGATT 21. TCCCAAGTTT CAGGGCCCAA (T/G) ATTCTCAAAT CACAGGATTC 22. TGCAGTGAGC TGAGATCGC (A/G) CCACTGCACT CCAGCCTGGG 23. TCTTAGGACG CATGGGGGT (T/G) GAGAGAACGG GGAGATAGAC . 24. CTGGGTTCTA GAACTACC (C/T) ATGCAAACCC AGCTGTTTCC 25. ATTCTGCCCT GGGTTCTAGA ACTACCT (C/A) TGCAAACCCA GCTGTTTCCC 26. GCTGTTTCCC ACCCCATAAG GCA (A/G) TAGGGGAGCC CACCTCCGCC 27. GACCTAGAAG ATCGGTCGAG A (C/T) AGCAGCTTGA GGCTGGCAGG 28. CTGGCCAGGA ATGCAGTCGG GTCAC (C/T) CTGTCTAGCC **ACCGTCTCGC** 29. GGGAGGAGTC GCCGATCAGG (C/T) CCCTTCCTGA AAGTCATCGA 30. GCAGCCCGGG CTACAGGGTT (A/G) CCTGAGGTGT GGGTCCCAGG 31. TAGAAATACT AACAAAGGGC (T/C) GTGGGTTTCT CCCCCTGCTT 32. ACAGGAGAGG GAAGGTTTTTTG (A/T) TTTTTTTTT GTTTTTTTT 33. GAAGAGGAAG AAGCCCAAAG GGA (A/C) AGAAACCTTC GAGCCA-GAAG .34. GCGCCTCAAC AGCCAGAAGG AGCG (A/G) AGCCTCAGGC CCAGG-

24

- 35. TTGAGACTCT CTGTTTGAT (A/G) CTTCACTCAG AAGGTGCTTC
- 36. AGGCCAGGCT CCTGCTGGCT G (C/G) GCTGGTGCAG TCTCTGGGGA
- 37. CCCCTATACC CTCAAGCAT (C/T) TATCCATTGA GTTACAAACA
- 38. ACCATCCCC GCCTTCCGTT (A/C) GTCCGGCCCC CGAGGCTAGC

5

10

In another embodiment, the primers and/or probes are capable of hybridizing to a subsequence selected from the group of subsequences below:

- 1. TGAAATTGTA GGTTGAGAGG CCAGGCG (C/T) GGTGCTCACG
  CCTGTAATTT
  - 2. GTTTATAAAC ATTAAACCAG (T/A) GCTGTGTGAA GGCACTTAAT
  - 3. CCGTCTCTAT TAAAAATATA AAA (A/C) AATTTAGCCG GGTGTAGCGG
  - 4. GGGAGGCTCG AGGCGGGC (A/G) GATTGCATGA GCTCAGGATT
  - 5. TCCCAAGTTT CAGGGCCCAA (T/G) ATTCTCAAAT CACAGGATTC
- 15 6. TGCAGTGAGC TGAGATCGC (A/G) CCACTGCACT CCAGCCTGGG
  - 7. TCTTAGGACG CATGGGGGT (T/G) GAGAGAACGG GGAGATAGAC
  - 8. CTGGGTFCTA GAACTACC (C/T) ATGCAAACCC AGCTGTTTCC
  - 9. ATTCTGCCCT GGGTTCTAGA ACTACCT (C/A) TGCAAACCCA GCTGTTTCCC

20

- 10. GCTGTTTCCC ACCCCATAAG GCA (A/G) TAGGGGAGCC CACCTCCGCC
- 11. GACCTAGAAG ATCGGTCGAG A (C/T) AGCAGCTTGA GGCTGGCAGG
- 12. CTGGCCAGGA ATGCAGTCGG GTCAC (C/T) CTGTCTAGCC ACCGTCTCGC

25

- 13. GGGAGGAGTC GCCGATCAGG (C/T) CCCTTCCTGA AAGTCATCGA
- 14. GCAGCCCGGG CTACAGGGTT (A/G) CCTGAGGTGT GGGTCCCAGG
- 15. TAGAAATACT AACAAAGGGC (T/C) GTGGGTTTCT CCCCCTGCTT
- 16. ACAGGAGAGG GAAGGTTTTTTG (A/T) TTTTTTTTT GTTTTTTTT
- 17. GAAGAGGAAG AAGCCCAAAG GGA (A/C) AGAAACCTTC GAGCCA-GAAG

30

18. GCGCCTCAAC AGCCAGAAGG AGCG (A/G) AGCCTCAGGC CCAGG-CAGCT

In yet another embodiment, the primers and/or probes are capable of hybridizing to a subsequence selected from the group of subsequences below



10

15

20

25

30

P 687 DK03

25

- 1. GTTTATAAAC ATTAAACCAG (T/A) GCTGTGTGAA GGCACTTAAT
- 2. CCGTCTCTAT TAAAAATATA AAA (A/C) AATTTAGCCG GGTGTAGCGG
- 3. GGGAGGCTCG AGGCGGGC (A/G) GATTGCATGA GCTCAGGATT
- 4. TCCCAAGTTT CAGGGCCCAA (T/G) ATTCTCAAAT CACAGGATTC
  - 5. TGCAGTGAGC TGAGATCGC (A/G) CCACTGCACT CCAGCCTGGG

It is preferred in one embodiment that at least one sequence polymorphism is assessed in a region corresponding to SEQ ID NO: 1 position 1521-37752 (r), including at least one sequence polymorphism assessed in a region corresponding to SEQ ID NO: 1 position 7760-22885.

In another embodiment, the methods of the invention relates to at least one sequence polymorphism is assessed in a region corresponding to SEQ ID NO: 1 position 34391-37683, ending with the coding region of ASE-1 (cagcctgtgtag), where tag is the stop codon.

In another embodiment, the method of the invention relates to at least one sequence polymorphism assessed in a region corresponding to the S1 as shown in Fig. 4.

In another embodiment, the method of the invention relates to at least one sequence polymorphism assessed in a region corresponding to the S2 as shown in Fig. 4.

In another embodiment, the method of the invention relates to at least one sequence polymorphism assessed in a region corresponding to the S3 as shown in Fig. 4. More particular the method of the invention relates to at least one sequence polymorphism being a deletion assessed in a region corresponding to the S3 as shown in Fig. 4, more particular a 4 basepair deletion in a region corresponding to the S3 as shown in Fig. 4, even more particular a deletion of TGTC in S3 as shown in Fig. 4.

In a preferred embodiment the primers or probes are selected from one or more of the following:

35 TGGCTAACACGGTGAAACC(SEQ ID NO:7)

26

GGAATCCAAAGATTCTATGATGG(SEQ ID NO:8)
GGGAGGCGGAGCTTGCAGTGA (SEQ ID NO:9)
CTGAGATCGCACCACTGCAC (SEQ ID NO:10)
GGTTTTCTGCTCTGCACACG (SEQ ID NO:11)
CCTTTCTCCTTCCACCACG (SEQ ID NO:12)

5 CCTTTCTCCTTCCACCAACG (SEQ ID NO:12)
CGGGCTACAGGGTTACCTGAG (SEQ ID NO:13)
TCTGCAACCTGGTGCGAGCAGC (SEQ ID NO:14)
CCTACCACCATCATCACATCC (SEQ ID NO:15)
GCCTTGCCAAAAATCATAACC (SEQ ID NO:16)

10 CCTCTCCCAATTAAGTGCCTTCACACAGC (SEQ ID NO:17)
AGCCAGGAGGTTGAGGCT (SEQ ID NO:18)
AGACAGCCCTGAATCAGCAC (SEQ ID NO:19)
GCAATGAGCCGAGATAGAA (SEQ ID NO:20)
TGGCTAGCCCATTACTCTA (SEQ ID NO:21)

15

According to another aspect of the present invention there is provided a diagnostic nucleic acid primer capable of detecting a r region polymorphism at one or more of positions in the r region as defined by the in SEQ ID NO: 1 or the s region as defined by SEQ ID NO: 2.

20

25

The primer or probe may be a diagnostic nucleic acid primer defined as an allele specific primer, used, generally together with a constant primer, in an amplification reaction such as a PCR reaction, which provides the discrimination between alleles through selective amplification of one allele at a particular sequence position. The diagnostic primer is preferably 5-50 nucleotides, more preferably about 5-35 nucleotides, more preferably at least 9 nucleotides.

In accordance with the present Invention diagnostic primers are provided, comprising the sequences set out below as well as derivatives thereof wherein about 6-8 of the nucleotides at the 3' terminus are identical to the sequences given below and wherein up to 10, such as up to 8, 6, 4, 2, or 1 of the remaining nucleotides may be varied without significantly affecting the properties of the diagnostic primer. Con-

veniently, the sequence of the diagnostic primer is as written below.

27

Furthermore, as described above at least two sets of primer(s) and/or probe(s) may be combined in the method thereby increasing the correlation probability. This second or other set of primer(s) and/or probe(s) may be a nucleotide or nucleotide analogues hybridising to a region within the region r or to a sequence different from the region r. Said sequence different from the region r is preferably a region in chromosome 19, preferably in chromosome 19q. In particular such second or other primer or probe may be selected from one or more of the sequences below, or the complementary strands:

5

10 GCCCCGTCCCAGGTA (SEQ ID NO:21) AGCCCCAAGACCCTTTCACT (SEQ ID NO:22) GTCCCATAGATAGGAGTGAAAG (SEQ ID NO:23) CCCTAGGACACAGGAGCACA (SEQ ID NO;24) 15 TTGTGCTTTCTCTGTGTCCA (SEQ ID NO:25) TATCAGAAAAGGCTGGAGGA (SEQ ID NO:26) GAGTGGCTGGGGAGTAGGA (SEQ ID NO:27) GCCAAGCAGAAGAGACAAA (SEQ ID NO:28) CCTCAGATGTCCTCTGCTCA (SEQ ID NO:29) 20 GCCACAGCCCCAGCAAGTAG (SEQ ID NO:30) AGGACCACAGGACACGCAGA (SEQ ID NO:31) CATAGAACAGTCCAGAACAC (SEQ ID NO:32) TTAGCTTGGCACGGCTGTCCAAGGA (SEQ ID NO:33) 'ACAGAATTCGCCCCGGCCTGGTACAC (SEQ ID NO:34) 25 TTGAAACTGGAACTCTGAGAAGG (SEQ ID NO:35) TGGTGGATGGTGTGAAGCA (SEQ ID NO:36)

CCTTTCTCCAACTTCTCTCCATTTCCACC (SEQ ID NO:37) GGGGATCATGTCGTCAATGGACT (SEQ ID NO:38) ATGCCCTGTAGGTTCAATGG (SEQ ID NO:39) 30 TGGAGGTCTTTAGGGGCTTG (SEQ ID NO:40) GGCTGGTCCCCGTCTTCTCCTTCC (SEQ ID NO:41)

TCTCTGTTGCCACTTCAGCCTC (SEQ ID NO:42) GTCCTGCCCTCAGCAAAGAGAA (SEQ ID NO:43) TTCTCCTGCGATTAAAGGCTGT (SEQ ID NO:44)

35 ATCCTGTCCCTACTGGCCATTC (SEQ ID NO:45)



P 687 DK03

28

TGTGGACGTGACAGTGAGAAAT (SEQ ID NO:46) TGGAGTGCTATGGCACGATCTCT (SEQ ID NO:47) CCATGGGCATCAAATTCCTGGGA (SEQ ID NO:48) CACACCTGGCTCATTTTTGTAT (SEQ ID NO:49) TCATCCAGGTTGTAGATGCCA (SEQ ID NO:50) AGGCTCAACAAGGAAAAATGC (SEQ ID NO:51) GCTAGACAGTCAAGGAGGGACG (SEQ ID NO:52) AAAGGGTGGGTGTGGGAGACATTGG (SEQ ID NO:53) AAACCAACCTAGGCACCCCAAA (SEQ:ID NO:54) CAGTGTCCAAAGAGCACC (SEQ ID NO:55) 10 CTACCCCTTTAGCGACC (SEQ ID NO:56) TCCTGCCCCAGAGCGTCACC (SEQ ID NO:57) GTACGGTCCACATAATTTTGGAGGA (SEQ ID NO:58) CGACGAACTTCTCTGAAGCGAA (SEQ ID NO:59) AGCGACACGGGCATCTGG (SEQ ID NO:60) 15 ATGAGCGTCCACCTCCTGAACC (SEQ ID NO:61) AGGCAGCATCGTCATCCCC (SEQ ID NO:62) TGCATAGCTAGGTCCTGC (SEQ ID NO:63) AACTGACRAAACTAGCTCTATGGGGTGGTGCCGCA (SEQ ID NO:64) CTGGCTCTGAAACTTACTAGCCC (SEQ ID NO:65) 20 GCTGGACTGTCACCGCATG (SEQ ID NO:66) GGAGCAGGGTTGGCGTG (SEQ ID NO:67) TGCCCTCCCAGAGGTAAGGCCT (SEQ ID NO:68) CCCTCCCGGAGGTAAGGCCTC (SEQ ID NO:69) GATCAAAGAGACAGACGAGC (SEQ ID NO:70)

GAAGCCCAGGAAATGC (SEQ ID NO:71)

GGACGCCCACCTGGCCAACC (SEQ ID NO:72) CGTGCTGCCCAACGAAGTG (SEQ ID NO:73)

· The primers and probes may be manufactured using any convenient method of 30 synthesis. Examples of such methods may be found in standard textbooks, for example "Protocols for Oligonucleotides and Analogues; Synthesis and Properties," Methods in Molecular Blology Series; Volume 20; Ed. Sudhir Agrawal, Humana ISBN: 0-89603-247-7; 1993; 1.sup.st Edition. If required the primer(s) and probe(s) may be labelled to facilitate detection. 35

10

15

0 FAI 3332

P 687 DK03

Kit

According to another aspect of the present invention, there is provided a diagnostic kit comprising at least one diagnostic primer of the invention and/or at least one allele-specific oligonucleotide primer of the invention.

29

The diagnostic kits may comprise appropriate packaging and instructions for use in the methods of the invention. Such kits may further comprise appropriate buffer(s) and polymerase(s) such as thermostable polymerases, for example tag polymerase.

Preferred kits can comprise means for amplifying the relevant sequence such as primers, polymerase, deoxynucleotides, buffer, metal ions; and/or means for discriminating the polymorphism, such as one or a set of probes hybridising to the polymorphic site, a sequence reaction covering the polymorphic site, an enzyme or an antibody; and/or a secondary amplification system, such as enzyme-conjugated antibodies, or fluorescent antibodies. The kit-of-parts preferably also comprises a detection system, such as a fluorometer, a film, an enzyme reagent or another highly sensitive detection device.

20

25

30

The methods described herein may be performed, for example, by utilizing prepackaged diagnostic kits. The invention therefore also encompasses kits for detectlng the presence of a polypeptide or nucleic acid of the invention in a biological
sample (i.e., a test sample). Such kits can be used, e.g., to determine if a subject is
suffering from or is at increased risk of developing a disorder associated with a disorder-causing allele, or aberrant expression or activity of a polypeptide of the invention. For example, the kit can comprise a labeled compound or agent capable of
detecting the polypeptide or mRNA or DNA or RAI gene sequences, e.g., encoding
the polypeptide in a biological sample. The kit can further comprise a means for determining the amount of the polypeptide or mRNA in the sample (e.g., an antibody
which binds the polypeptide or an oligonucleotide probe which binds to DNA or
mRNA encoding the polypeptide). Kits can also include instructions for observing
that the tested subject is suffering from or is at risk of developing a disorder associated with aberrant expression of the polypeptide if the amount of the polypeptide or



30

mRNA encoding the polypeptide is above or below a normal level, or if the DNA correlates with presence of an RAI allele that causes a disorder.

For antibody-based kits, the kit can comprise, for example: (1) a first antibody (e.g., attached to a solid support) which binds to a polypeptide of the invention; and, optionally, (2) a second, different antibody which binds to either the polypeptide or to the first antibody and is conjugated to a detectable agent.

# Identification of an allele as having implication for risk of cancer

10

15

20

25

30

5

An allele in the s or r region can be identified as correlated with an increased risk of developing cancer on the basis of statistical analyses of the incidence of a particular allele in two groups of individuals with and without cancer, respectively, according to the  $\chi^2$  test, which is well known in the art. Furthermore, an allele in the region can be identified as an allele correlated with prognosis of cancer on the basis of statistical analyses of the incidence of a particular allele in individuals demonstrating different prognostic characteristics.

# Identification of humans having increased likelihood of responding to treatment

It is further contemplated that the present invention provides a method for identifying a human subject as having an increased likelihood of responding positively to a cancer treatment, comprising determining the presence in the subject of a s or r region allele genotype correlated with an increased likelihood of positive response to treatment, whereby the presence of the genotype identifies the subject as having an increased likelihood of responding to cancer treatment.

The treatment mentioned herein may be any cancer treatment, such as conventional cancer treatment, for example X-ray, chemotherapeutics, surgical excision or combinations thereof.

10

15

20

30

P 687 DK03

31

# Protein Products of the Gene(s)

Gene products of the region s or r or peptide fragments thereof, can be prepared for a variety of uses. For example, such gene products, or peptide fragments thereof, can be used for the generation of antibodies, in diagnostic assays.

The gene products of the invention include, but are not limited to, human RAI gene products, and ASE-1 gene products. In the following the invention is described in relation to RAI gene product.

Gene product, sometimes referred to herein as an "protein" or "polypeptide", includes those gene products encoded by the RAI gene sequences shown as position 7821-21350 in SEQ ID NO: 1. Among gene product variants are gene products comprising amino acid residues encoded by the polymorphisms. Such gene product variants also include a variant of the RAI gene product.

In addition, RAI gene products may include proteins that represent functionally equivalent gene products. In preferred embodiments, such functionally equivalent RAI gene products are naturally occurring gene products. Functionally equivalent RAI gene products also include gene products that retain at least one of the biological activities of the RAI gene products described above, and/or which are recognized by and bind to antibodies (polyclonal or monoclonal) directed against RAI gene products.

## 25 Antibodies to Gene Products

Described herein are methods for the production of antibodies capable of specifically recognizing one or more gene product epitopes or epitopes of conserved variants or peptide fragments of the gene products. Furthermore, antibodies that specifically recognize mutant forms are encompassed by the invention. The terms "specifically bind" and "specifically recognize" refer to antibodies that bind to RAI gene product epitopes at a higher affinity than they bind to non-RAI (e.g., random) epitopes.

10

15

20

25

30

35



P 687 DK03

32

Such antibodies may include, but are not limited to, polyclonal antibodies, monoclonal antibodies (mAbs), humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab')<sub>2</sub> fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-id) antibodies, and epitope-binding fragments of any of the above, including the polyclonal and monoclonal antibodies described below. Such antibodies may be used, for example, in the detection of a gene product in an biological sample and may, therefore, be utilized as part of a diagnostic or prognostic technique whereby patients may be tested for abnormal levels of gene products, and/or for the presence of abnormal forms of such gene products. Such antibodies may also be utilized in conjunction with, for example, compound screening schemes, as described, below, for the evaluation of the effect of test compounds on gene product levels and/or activity.

For the production of antibodies against a gene product, various host animals may be immunized by injection with a RAI gene product, or a portion thereof. Such host animals may include, but are not limited to rabbits, mice, and rats, to name but a few. Various adjuvants may be used to increase the immunological response, depending on the host species, including but not limited to Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanin, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and Corynebacterium parvum.

Polyclonal antibodies are heterogeneous populations of antibody molecules derived from the sera of animals immunized with an antigen, such as a gene product, or an antigenic functional derivative thereof. For the production of polyclonal antibodies, host animals such as those described above, may be immunized by injection with gene product supplemented with adjuvants as also described above.

Monoclonal antibodies, which are homogeneous populations of antibodies to a particular antigen, may be obtained by any technique that provides for the production of antibody molecules by continuous cell lines in culture. These include, but are not limited to, the hybridoma technique of Kohler and Milstein, (1975, Nature 256:495-497; and U.S. Pat. No. 4,376,110), the human B-cell hybridoma technique (Kosbor et al., 1983, Immunology Today 4:72; Cole et al., 1983, Proc. Natl. Acad. Sci. U.S.A.

10

15

20

25

30

35



P 687 DK03

33

80:2026-2030), and the EBV-hybridoma technique (Cole et al., 1985, Monoclonal Antibodies And Cancer Therapy, Alan R. Liss, Inc., pp. 77-98). Such antibodies may be of any immunoglobulin class including IgG, IgM, IgE, IgA, IgD and any subclass thereof. The hybridoma producing the mAb of this invention may be cultivated in vitro or in vivo. Production of hIgh titers of mAbs in vivo makes this the presently preferred method of production.

In addition, techniques developed for the production of "chimeric antibodies" (Morrison, et al., 1984, Proc. Natl. Acad. Sci., 81:6851-6855; Neuberger, et al., 1984, Nature 312:604-608; Takeda, et al., 1985, Nature, 314:452-464) by splicing the genes from a mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity can be used. A chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived from a murine mAb and a human immunoglobulin constant region. (See, e.g., Cabilly et al., U.S. Pat. No. 4,816,567; and Boss et al., U.S. Pat. No. 4,816397, which are incorporated herein by reference in their entirety.)

In addition, techniques have been developed for the production of humanized antibodies. (See, e.g., Queen, U.S. Pat. No. 5,585,089, which is incorporated herein by reference in its entirety.) An immunoglobulin light or heavy chain variable region consists of a "framework" region interrupted by three hypervariable regions, referred to as complementarily determining regions (CDRs). The extent of the framework region and CDRs have been precisely defined (see, "Sequences of Proteins of Immunological Interest", Kabat, E. et al., U.S. Department of Health and Human Services (1983)). Briefly, humanized antibodies are antibody molecules from non-human species having one or more CDRs from the non-human species and a framework region from a human immunoglobulin molecule.

Alternatively, techniques described for the production of single chain antibodies (U.S. Pat. No. 4,946,778; Bird, 1988, Science 242:423-426; Huston, et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85:5879-5883; and Ward, et al., 1989, Nature 334:544-546) can be adapted to produce single chain antibodies against gene products. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide.

10

15

20

25

30

P 687 DK03

34

Antibody fragments that recognize specific epitopes may be generated by known techniques. For example, such fragments include but are not limited to: the  $F(ab')_2$  fragments, which can be produced by pepsin digestion of the antibody molecule and the Fab fragments, which can be generated by reducing the disulfide bridges of the  $F(ab')_2$  fragments. Alternatively, Fab expression libraries may be constructed (Huse, et al., 1989, Science 246:1275-1281) to allow rapid and easy identification of monocional Fab fragments with the desired specificity.

Immunoassays for gene products, conserved variants, or peptide fragments thereof will typically comprise incubating a sample, such as a biological fluid, a tissue extract, freshly harvested cells, or lysates of cells in the presence of a detectably labeled antibody capable of identifying gene product, conserved variants or peptide fragments thereof, and detecting the bound antibody by any of a number of techniques well-known in the art.

The biological sample may be brought in contact with and immobilized onto a solid phase support or carrier, such as nitrocellulose, that is capable of immobilizing cells, cell particles or soluble proteins. The support may then be washed with suitable buffers followed by treatment with the detectably labeled gene product specific antibody. The solid phase support may then be washed with the buffer a second time to remove unbound antibody. The amount of bound label on the solid support may then be detected by conventional means.

By "solid phase support or carrier" is intended any support capable of binding an antigen or an antibody. Well-known supports or carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon, amylases, natural and modified celluloses, polyacrylamides, gabbros, and magnetite. The nature of the carrier can be either soluble to some extent or insoluble for the purposes of the present invention. The support material may have virtually any possible structural configuration so long as the coupled molecule is capable of binding to an antigen or antibody. Thus, the support configuration may be spherical, as in a bead, or cylindrical, as in the inside surface of a test tube, or the external surface of a rod. Alternatively, the surface may be flat such as a sheet, test strip, etc. Preferred supports include polystyrene beads.

10

20

30

35

.

P 687 DK03

35

Those skilled in the art will know many other suitable carriers for binding antibody or antigen, or will be able to ascertain the same by use of routine experimentation.

One of the ways in which the RAI gene product-specific antibody can be detectably labeled is by linking the same to an enzyme, malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast alcohol dehydrogenase,  $\alpha$ -glycerophosphate, dehydrogenase, triose phosphate isomerase, horseradish peroxidase, alkaline phosphatase, asparaginase, glucose oxidase,  $\beta$ -galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase and acetylcholinesterase. The detection can be accomplished by colorimetric methods that employ a chromogenic substrate for the enzyme. Detection may also be accomplished by visual comparison of the extent of enzymatic reaction of a substrate in comparison with similarly prepared standards.

Detection may also be accomplished using any of a variety of other immunoassays. For example, by radioactively labeling the antibodies or antibody fragments, by labeling the antibody with a fluorescent compound. Among the most commonly used fluorescent labeling compounds are fluoresceln isothlocyanate, rhodamine, phycoerythin, phycocyanin, allophycocyanin, o-phthaldehyde and fluorescamine.

The antibody can also be detectably labeled using fluorescence emitting metals such as <sup>152</sup>Eu, or others of the lanthanide series or by coupling it to a chemiluminescent compound.

## 25 Diseases

Described herein are various applications of gene sequences, gene products, including peptide fragments and fusion proteins thereof, and of antibodies directed against gene products and peptide fragments thereof. Such applications include, for example, prognostic and diagnostic evaluation of cancer and the identification of subjects with a predisposition to such disorders, as described above.

The method according to the invention may be used in relation to any cancer form, such as, but not limited to, skin carcinoma including malignant melanoma, breast cancer, lung cancer, colon cancer and other cancers in the gastro-intestinal tract,

36

prostate cancer, lymphoma, leukemia, pancreas cancer, head and neck cancer, ovary cancer and other gynecological cancers. In particular the method is relevant for skin cancer, lung cancer, colon cancer and breast cancer, such as skin cancer and breast cancer, preferably wherein the skin cancer is basal cell carcinoma.

5

In particular, the method is relevant for early age cancer, such as early age breast cancer.

Gene nucleic acid sequences, described above, can be utilized for transferring re-

10

15

25

combinant nucleic acid sequences to cells and expressing sald sequences in recipient cells. Such techniques can be used, for example, in marking cells or for the treatment of cancer. Such treatment can be in the form of gene replacement therapy. Specifically, one or more copies of a normal RAI gene or a portion of the RAI gene that directs the production of an RAI gene product exhibiting normal RAI gene function, may be inserted into the appropriate cells within a patient, using vectors that include, but are not limited to, adenovirus, adeno-associated virus, and retrovirus vectors, in addition to other particles that introduce DNA into cells, such as lipo-

somes.

#### 20 Examples

The examples relate to prediction from sequence polymorphisms in the region s or r to cancer. Blood was collected before (example 6) or after (examples 1 through 5) the persons acquired cancer. However, the sampling time is considered immaterial, as DNA in a polycional blood sample is not expected to change over time.

The particular sequence polymorphisms analysed in these examples are listed in Table 6, together with their sources of information and their definition as sequences.



P 687 DK03

37

Table 6. The markers used, their sources of information, and their currently estimated positions on chromosome 19, as well as their position in figure 2.

Name	Source o	f Position in	GenBank Acces-	Chromosome	Position
	identification	sequence	sion	Position	in Figure
		•	Number of se-	(Mbases)	2
			quence		
XRCC1 e10	Ref. 1	28152	L34079	59.420	1
CKM e8	rs#8188	20076	AC005781	61.361	2
XPD e23	Ref. 1	35931	L47234	61.479	3
XPD e10	Ref. 1	23591	L47234	61.491	4
XPD e6	Ref. 1	22541	L47234	62.4923	5
XPD 14	rs#1618536	19244	L47234	61.4924	6
RAI e6	rs#6966	8786	L47234	61.506	7
RAI i1	rs#1970764	875	L47234	61.514	8
ASE1 e1	rs#967591	232125	NT_011242	61.534	9
ERCC1 e4	Ref. 1	19007	M63796	61.547	10
FOSB e4	rs#1049698	34621	M89651	61.601	11
SLC1A5 e8	rs#1060043	60620	AC008622	62.946	12
GLTSCR1 e1	rs#1035938	20775	AC010519	63.986	13
LIG1 e6	rs#20580	111	L27710	65.460	. 14

rs numbers were derived from the NCBI's database dbSNP.

Ref 1: Shen, M.R., Jones, I.M., and Mohrenweiser, H. (1998) Nonconservative amino acid substitution variants exist at polymorphic frequency in DNA repair genes in healthy humans. Cancer Res., 58: 604-8, 1998.

## **MATERIALS AND METHODS**

Study groups. The groups of Caucasian Americans with and without BCC have been described previously (Athas et al, Cancer Res. 51:5786-5793, 1991; Wei et al, Proc. Natl. Acad. Sci USA, 90: 1614-8, 1994). Briefly, the study was a clinic based case control study at the Johns Hopkins Hospital, which serves multiple participating dermatologists in Maryland. Cases were histo-pathologically confirmed primary BCCs and were diagnosed between 1987-1990. The controls were patients from the same physician practices and had a diagnosis of mild skin disorders. All participants were Caucasians living near Baltimore and were between 20 and 60 years of age.

10

15

20

25

30

35

P 687 DK03

38

The controls were frequency matched to the cases by age and sex. Cases and controls with any other forms of cancer were excluded. In the questionnaire, the study subjects were asked if they had any blood relatives with skin cancer, and were asked to specify the type of cancer. Study subjects with relatives with basal cell carcinoma and squamous cell carcinoma and 'skin cancer' were included in the group of subjects with a family of skin cancer. Subjects with relatives with melanoma were not included. At the clinic visit the subjects gave informed consent, were examined by dermatologists, completed a structured questionnaire and provided blood. DNAs from available frozen lymphocytes were purified using Puregene (Gentra Systems) and were genotyped. Initially, 71 cases and 118 controls were included in this study. However, the number of persons varied between analyses, as the supply of DNAs gradually was depleted. In case of the SNP RAI i1 only 133 persons could be genotyped reliably.

The groups of 20 psoriatic Danes with and 20 psoriatic Danes without BCC have been described previously (Dybdahl et al, Cancer Epidemiol. Biomarkers Prev., 8:77-81, 1999). Briefly, BCC subjects were identified from a population-based cohort of persons treated by Danish dermatologists in the year 1995, and fulfilled the following criteria (a) age in 1995 < 50 years; and (b) clinically verified diagnosis of psorlasis. The diagnosis of BCC was clinically and histologically confirmed. The controls consisting of psoriasis cases without BCC was selected from among patients treated In the year 1992-1995 for psoriasis by dermatologists who participated in the national cohort study 1995. The controls were matched by age and sex. The patients with psoriasis and BCC differed from the national cohort of BCC in that the average of first BCC was 38 year against 56 year in the cohort. A number of cases had had multiple BCCs. There was a tendency that cases had been treated for a longer time than the controls, and also that the treatments were more intense. This was to be expected as treatment of psoriasis involves a number of carcinogenic treatment modalities. DNAs from available frozen lymphocytes were purified using Puregene (Gentra Systems) and were genotyped.

Primers and probes. Table 7 includes the polymorphisms typed on Lightcycler<sup>TM</sup>, the primers used for the PCR reaction and the probes used for detection and typing of the PCR products. Table 8 lists the polymorphisms typed by conventional PCR-RFLP, and the primers and restriction enzymes used. Table 9 lists the polymorphisms



P 687 DK03

39

phisms typed by SNaPshot technology and the primers used. Table 10 lists the polymorphisms analyzed on a Taqman, and the primers and probes used. Hobolth DNA, Hillerød, Denmark or DNA Technology, Aarhus, Denmark, synthesized the primers in tables 7, 8, and 9. TIB Mol-Biol, Berlin, Germany, synthesized the Lightcycler probes. TAG-Copenhagen ApS (Tagc.com, Copenhagen, Denmark) synthesized the primers, and Applied Blosystem synthesized the fluorescent Taqman probes in table 10.

## Table 7. Design of primers and fluorogenic probes for LightCycler

#### ASE1 e1

Forward primer: 5'-GGTTTTCTGCTCTGCACACG Reverse primer: 5'-CCTTTCTCCTTCCACCAACG

Ahchor probe: 5'-TCTGCAACCTGGTGCGAGCAGC-Fluorescein Sensor probe: 5'-LCRed640-CGGGCTACAGGGTTACCTGAG-p

CKM e8

Forward primer: 5'-TTGAAACTGGAACTCTGAGAAGG

Reverse primer: 5'-TGGTGGATGGTGAAGCA

Anchar probe: 5'-LC Red 640-

CCTTTCTCCAACTTCTTCTCCATTTCCACC-p

Sensor probe: 5'-GGGGATCATGTCGTCAATGGACT-Fluorescein

ERCC1 e4

Forward primer: 5'-AGGACCACAGGACACGCAGA-3' Reverse primer: 5'-CATAGAACAGTCCAGAACAC-3'

Anchor probe: 5'-LCRed640-TGGCGACGTAATTCCCGACTATGTGCTG p-

3.

Sensor probe: 5'-CGCAACGTGCCCTGGGAAT-Fluorescein

FOSB e4

Forward primer: 5'-AGGCTCAACAAGGAAAAATGC Reverse primer: 5'-GCTAGACAGTCAAGGAGGACG

Anchor probe: 5'-LCRed 640-AAAGGGTGGGTGTGGGAGACATTGG-p

Sensor probe: 5'-AAACCAACCTAGGCACCCCAAA-Fluorescein

GLTSCR1 e1

Forward primer: 5'-CGACGAACTTCTCTGAAGCGAA
Reverse primer: 5'-AGCGACACGGGCATCTGG

Anchor probe: 5'-ATGAGCGTCCACCTCCTGAACC-fluorescein



40

Sensor probe: 5'-LCRed 640-AGGCAGCAGCATCGTCATCCCC-p

LIG1 e6

Forward primer: 5'-ATGCCCTGTAGGTTCAATGG Reverse primer: 5'-TGGAGGTCTTTAGGGGCTTG

Anchor probe: 5'-GGCTGGTCCCCGTCTTCCC-Fluorescein Sensor probe: 5'-LC Red 640-TCTCTGTTGCCACTTCAGCCTC-p

RAI 11

Forward primer: 5'-TGGCTAACACGGTGAAACC

Reverse primer: 5'-GGAATCCAAAGATTCTATGATGG

Anchor probe: 5'-GGGAGGCGGAGCTTGCAGTGA-Fiuorescein Sensor probe: 5'-LCRed 640-CTGAGATCGCACCACTGCAC-p

SLC1A5 e8

Forward primer: 5'-CAGTGTCCAAAGAGCACC Reverse primer: 5'-CTACCCCTTTAGCGACC

Anchor probe: 5'-LCRed 640-TCCTGCCCCAGAGCGTCACC-p
Sensor probe: 5'-GTACGGTCCACATAATTTTGGAGGA-Fluorescein

XPD e10

Forward primer: 5'-GATCAAAGAGACAGACGAGC

Reverse primer: 5'-GAAGCCCAGGAAATGC

Anchor probe: 5'-GGACGCCCACCTGGCCAACC-Fluorescein Sensor probe: 5'-LCRed640-CGTGCTGCCCAACGAAGTG-p



- i

P 687 DK03

41

Table 8. Primers and restriction enzymes used for typing of SNPs using PCR-RFLP

Gene exon	Primers	Enzyme	Digested
•	_		Fregments
XRCC1 exan10	TTGTGCTTTCTCTGTGTCCA	Mspl	240, 375bp (A)
	TATCAGAAAAGGCTGGAGGA		615bp (G)
ERCC1 exon4	AGGACCACAGGACACGCAGA	iGra8	157, 368bp (A);
	CATAGAACAGTCCAGAACAC		525bp (G)
XPD exon6 1.se	CACACCTGGCTCATTTTTGTA	T 751	
	TCATCCAGGTTGTAGATGCCA		
2.se	t TGGAGTGCTATGGCACGATC1	CT TTT	56, 114, 482 bp (A);
	CCATGGGCATCAAATTCCTGG	<b>SGA</b>	56, 596 bp (C)
XPD exan23 1.se	t GTCCTGCCCTCAGCAAAGAG	₩.	
•	TTCTCCTGCGATTAAAGGCTG	iT .	
	. ATCCTGTCCCTACTGGCCATT	C Pstl	66, 100, 158 (C);
	TGTGAACGTGACAGTGAGAAA	NT_	100, 224 (A)

Table 9. Design of primers and SNaPshot primers for SNaPshot typing on sequenator.

#### XRCC1 exon7

Forward primer: 5'-GTCCCATAGATAGGAGTGAAAG
Reverse primer: 5'-CCCTAGGACACAGGAGCACA
SNaPshot primer: 5'-TGCATAGCTAGGTCCTGC

### XRCC1 exon17

Forward primer: 5'-GCCAAGCAGAAGAGACAAA Reverse primer: 5'-GAGTGGCTGGGAGTAGGA

SNaPshot primer:

5'-AACTGACRAAACTAGCTCTATGGGGTGGTGCCGCA

## RAI exon6

Forward primer: 5'-CCTACCACCATCATCACATCC
Reverse primer: 5'-GCCTTGCCAAAAATCATAACC

SNaPshot primer: 5'-CCTCTCCCCAATTAAGTGCCTTCACACAGC

#### XPD intron4

Forward primer: 5'-CGCAAAAACTTGTGTATTCACC
Reverse primer: 5'-CCCATTTTTATCATCAGCAACC
SNaPshot primer: 5'-CTGGCTCTGAAACTTACTAGCCC

10

15

20

25



P 687 DK03

42

# Table 10. Design of primers and probes for Taqman.

#### XRCC1 exon10

Forward primer: 5'-GCT GGA CTG TCA CCG CAT G Reverse Primer: 5'-GGA GCA GGG TTG GCG TG

Probe (A): 5'Fam-TGC CCT CCC AGA GGT AAG GCC T -Tamra
Probe (G): 5'Vic - CCC TCC CGG AGG TAA GGC CTC -Tamra

Determination of polymorphisms by Lightcycler. Genotypes of the American persons for polymorphisms in ASE-1e1, CKMe8, ERCC1e4, FOSBe4, GLTSCR1e1, LIG1e6, RAIi1, SLC1A5e8 and XPDe10 and of the Danish persons for polymorphisms ASE-1e1, CKMe8, FOSBe4, LIG1e6 and SLC1A5e8 were detected using LightCycler<sup>TM</sup> (Roche Molecular Biochemicals, Mannheim, Germany). PCR was performed by rapid-cycling in a reaction volume of 20 μl with 0.5 μM of each primer, 0.045 μM of anchor and sensor probe, 3.5 mM MgCl<sub>2</sub> approximately 7 - 25 ng genomic DNA, and 2 μl LightCycler DNA Master Hybridization probe buffer (Roche Molecular Biochemicals, Cat. No 2158 825). This buffer contains Taq DNA polymerase, dNTP mix, and 10 mM MgCl<sub>2</sub> in some cases the reaction mixture also contained 5% DMSO. The temperature cycling consisted of denaturation at 95°C for 2 sec, followed by 46 cycles consisting of 2 sec at 95°C, 10 sec at 67°C, and 30 sec at 72°C. The last annealing period at 72°C was extended to 120 sec. The melting profile was determined by a temperature ramp from 50°C to 95°C with a rate of 0.1 degree/sec. For *RAI*/2 the melting profile was run 3 times, and the last curve was used.

PCR-RFLP analyses. Genotypes of the American persons for polymorphisms in XPDe8 and XPDe23 and of Danish psorlatics for polymorphisms in XRCC1e10, ERCC1e4, XPDe6, and XPDe23 were detected using PCR-RFLP technique (Shen et al see above; Dybdahl et al, see above; Vogel et al, Cancer Epidemiol. Blomarkers Prev., 8:77-81 (2001)). The reactions were performed as reported (Shen et al, see above; Dybdahl et al, see above; Vogel et al, Cancer Epidemiol. Blomarkers Prev., 8:77-81 (2001)).

Determination of polymorphisms by SNaPshot technique on sequenator. The polymorphisms in RAle6, XPDI4, XRCC1e7, and XRCC1e17 in the American persons were typed simultaneously on an ABI Prism 310 sequenator (Applied Biosystems,

10

15

20

25

30

P 687 DK03

43

Foster City, CA, USA) using SNaPshot technique (Lindblad-Toh et al, Nature Genetics, 24: 381-6, 2000.). The PCR reaction consisted of 1 µl of purified genomic DNA, 1 pmole of each primer (DNA Technology, Aarhus Denmark), 12.5 nmole of each dNTP (Bioline, London, UK), 100 nmole MgCl₂ (Bioline), 0.15 µl BIOTAQ™ DNA Polymerase (Bioline) in a total volume of 20 µl of water. The program consisted of 4 min at 96°C, followed by 25 cycles of 96°C for 30 sec, 60°C for 30 sec, and 72°C for 60 sec. The last cycle was followed by 72°C for 6 min. The primers and dNTPs were removed in reactions containing 2 U Shrimp Alkaline Phosphatase (SAP) (Roche), 2 U Exonuclease I (Biolabs, Denmark), and 9 µI PCR reaction in a total volume of 14 µl water. The reactions were incubated at 37°C for 60 min and 72°C for 15 min. The SNaPshot reactions contained 1 µl of SNaPshot Ready Reaction Mix (Applied Biosystems), 0,5 µl of each SNaPshot primers (XRCCe7-ss1; 4pmol/μl, XPDi5-cp1; 0,5pmol/μl, RAle7-cp1; 1pmol/μl; XRCCe17-ss1; 2pmol/μl), 2 μl of the purified PCR product, and 1.5 μl of buffer (200 mM Tris-HCl, 5 mM MgCl<sub>2</sub>, pH 9.0). The reactions were cycled 25 times: 96°C for 10s, 50°C for 5s, and 60°C for 30s. The primers and dNTPs were removed in a reaction containing 1 U SAP, 0.8 µl 10xSAP buffer, and 5 µl SNaPshot reaction in a total volume of 8 µl of water. Two µl purified product was added to 10 µl of concentrated deionized formamide (Amresco, Ohio, USA), incubated for 5 min at 95°C, and analyzed on the sequenator. The two markers in XRCC1, in exon 7 and exon 17, could not be reliably scored and thus were excluded from further consideration.

Determination of polymorphisms by real-time PCR using Taqman probes. The polymorphism in XRCC1e10 in the American persons was analysed using the ABI Prism 7700 sequence detection system (Applied Biosystems, Foster City, Ca, USA). PCR Primers and Taqman probes were designed using Primer Express v 1.0 (Applied Biosystems). The reactions were performed in MicroAmp optical tubes sealed with MicroAmp optical caps (Applied Biosystems) containing a 10 µl reaction volume: 1x Taqman buffer A, 2.5mM MgCl<sub>2</sub>, 200 µM each of dATP dCTP, dGTP, 400µM dUTP, 800nM each primer. 200nm each probe, 0,01U/µL AmpErase UNG, 0,025 U/µL AmpliTaq Gold Polymerase. Thermal cycler conditions were: Tubes were incubated at 50°C for 2 mln followed 10 min at 95°C. The incubation was succeeded by 45 cycles of 95°C for 15 sec and 64°C for 1 min.

10

15

20

P 687 DK03


44

### Example 1

DNA from humans from the American cohort of patients with basal cell carcinoma and controls, described in Materials and Methods, was typed with respect to a number of sequence polymorphisms located in and around the claimed region r. The resulting statistical p-values for association of occurrence of the individual sequence polymorphisms with the status of patients are depicted in Figure 2. Also depicted are the calculated odds ratios for association of sequence polymorphism and disease. For the calculation of the odds ratios the heterozygote genotypes were combined with the lesser group of homozygotes, and the ordering of the groups was chosen such that the odds ratio became more than or equal to 1. The results show that the sequence polymorphism RAII1 is strongly associated with disease in this cohort (p = 0.004). Bonferroni correction for the number of tests made indicates that a result less than 0.007 must be considered significant at a level of 0.05. Thus, even after correction for multiplicity of testing this result is significant.

The numbers next to the points in the curves are merely a help to identify the single sequence polymorphisms:

1, Xr1e10; 2, CKMe8; 3, XPDe23; 4, XPDe10; 5, XPDe6; 6, XPDi4; 7, RAle6; 8, RAli1; 9, ASE-1e3; 10, ERCC1e4; 11, FOSBe4; 12, SLC1A5e8; 13, GLTSCR1e1; 14, LIG1e6.



45

### Example 2

Those persons in Example 1 who got basal cell carcinoma before the age of 50 5. years were selected, and the results from analysis of RAII1 were compared with the status of the patients. There was a strong relationship between the occurrence of the individual genotypes of the sequence polymorphism and the status of the patients (Table 11; Odds ratio = 12.3;  $p(\chi^2) = 0.00014$ ).

10 Table 11. Occurrences of genotype for the sequence polymorphism RAI it in American cases with Basal cell carcinoma occurring before 50 years of age and in controis.

RAli1 genotypes	Number of cases	Number of controls	
	before 50 years of age	•	
AA	31	44	
AG	2	32	
GG	0	5	

15

20

## Example 3

The data of Example 2 were combined with results of genetyping the neighbouring sequence polymorphism RAIe6. There was a very strong association between the combined genotypes of RAII1 and RAIe6 and the status of the patients. Thus, almost all American cases occurring before the age of 50 yrs were homozygote for RAI i1<sup>A</sup> RAI e6<sup>A</sup>, while only approximately half of the controls were so (Table 12, Odds ratio = 12.8;  $p(\chi^2) = 0.00006$ ).



P 887 DX03

46

Table 12. Combined occurrences of different genotypes for the sequence polymorphisms RAli2 and RAle6 in American cases occurring before 50 years of age and in controls.

5

			RAII1		
	RAle6	AA	AG	GG	
BCC cases	AA	30	0	0	
	AT	, lo	<b>2</b> .	O	
	IΤ	0	0	0	
Controls	AA	42	10	1	
	AT	2	21	0	
	π	1	0	2	

## Example 4

The date of Example 2 were combined with results of genotyping the sequence polymorphism GLTSCR1e1 located outside the claimed region r. There was a very strong association between the combined genotypes of RAli1 and GLTSCR1e1 and the status of the patients. It was obvious to define "risk-genotypes" as having two As in RAli1 and at least one C in GLTSCR1e1. This corresponds to the assumptions that RAli1<sup>A</sup> is recessive, and GLTSCR1e1<sup>C</sup> is dominant. If one does so, one finds that 25 out of 25 cases have a "risk-genotype", while only 28 out of 62 controls have one (Table 13; Odds ratio > 30; p( $\chi^2$ ) = 0.0000002).



47

Table 13. Combined occurrences of genotypes for the sequence polymorphisms RAII1 and GLTSCR1e1 in American cases of basal cell carcinoma occurring before 50 years of age and in controls.

	,		RAli1	
	GLTSCR1e1	AA	AG	GG
BCC cases	CC	17	0	0
	СТ	8	0	0
	π	0	0	0
Controls	CC	15	18	3
	CT	13	7	0
	TT	3	3	0

5

#### Example 5

DNA from humans from the cohort of Danish psoriatics with basal cell carcinoma and controls, described in Materials and Methods, was typed with respect to a number of sequence polymorphisms located in and around the claimed region  $\mathbf{r}$ . The resulting statistical p-values for association of occurrence of the individual sequence polymorphisms with the status of patients are depicted in Figure 3. The results show that the sequence polymorphism ERCC1e4 is strongly associated with disease in this cohort ( $\mathbf{p} = 0.01$ ).

15

20

25

10

### Example 6

Blood samples were collected from a large number of Danish citizens and frozen. After a number of years the women who got breast cancer in the intervening period were identified, as well as a set of matching controls. DNAs were purified from the blood samples of these persons and a number of polymorphisms, namely RAIi1, ASE-1e3 and ERCC1e4, in the region of interest were typed. The polymorphisms were subsequently combined such that the high-risk group was homozygous for the high-risk alleles of all three polymorphisms: RAIi1<sup>AA</sup>ASE-1e3<sup>GG</sup>ERCC1e4<sup>AA</sup>. All other genotypes were combined into the low-risk group (Table 14; OR = 1.59;  $\rho(\chi^2)$  = 0.004).



. P 687 DK03

48

Table 14. Occurrence of a combined "high-risk" genotype RAII1<sup>AA</sup>ASE-1e3<sup>GG</sup>ERCC1e4<sup>AA</sup> as opposed to all other combinations of genotypes for the sequence polymorphisms RAII1, ASE-e3 and ERCC1e4 in Danish cases of breast cancer and controls.

5

	High -risk	Low-risk
Cases	120	85
Controls	277	312

The DNAs in these examples were purified from available frozen lymphocytes using Puregene (Gentra Systems). A variety of other ways of purifying DNA is available to the expert and would also be expected to lead to the wanted results.

-10

15

20

25

30

Analysis of sequence polymorphisms can be performed with a variety of techniques, some of which have been used in the examples of this application. Most often a number of techniques can produce the wanted result.

Similarly, the choice of primers and probes in a particular assay is to some extent free and other primers and probes might well produce similar results.

Finally, it is to be expected that assays for other sequence polymorphisms in the region of interest may produce roughly similar results. Our particular choice of sequence polymorphisms and assays used in the examples are thus not intended to limit our claims. Thus, at present about 30 SNPs within the region r are listed in NCBIs database dbSNP including rs#2070830, rs#2017104, rs#2017154 and rs#2377328, all within or very close to RAI. Other forms of polymorphisms such as the tandem repeat polymorphisms D19S543 and D19S393 are also known to occur in the region and can probably serve as markers in the present invention. Moreover, it is very likely that the region contains a number of as yet undiscovered polymorphisms. For instance, the sequence of the 5' half of RAI and its upstream promoter region is currently only a draft version and new polymorphisms of potential use for this invention are likely to be uncovered as more sequence reads of this segment are produced.



P 687 DK03

49

#### Sequence of the r region of chromosome 19

The following depicts the region r stretching from the beginning of, but not including the XPD gene, to approximately the end of ERCC1, and includes the genes RAI, LOC162978, and ASE-1. More specifically r is bounded by and includes the following two sequences: AGAACCCCCG CCCCTCCACC TCGTCTCAAA and TCCCTCCCCA GAGACTGCAC CAGCGCAGCC, and is defined by SEQ ID NO: 1 herein below:

10 ATAGTCTAACGGAGAATGACAGGGAAATTGGTGATCCTTTCTGGGCCCAAGAGTTA-GAAATGGCTTTGCAGGCCGGGCGCGCTGTCAAGCCTGTAATCCCAGCACTTTGG-GAGGCTGAGGCAGGTGGATCACCTGAGGTCGGGAGTTCAAGACCAGCCTGACCAA-CATGGAGAAAACCTGTCTCTACTAAAGATACAAAATTAGCCGGGCGTGCTGGCAAATG-15 CTTGTAATCCCAGCTACTCGGGAGGCTGAAGCAGGAGAATTGCTTGAACCTGGGAGG-CAGAGGTTGCAGTGAGCAGAGATGGCGCCCGTCGCACTCTAGCCTGGGCAACAAAG-CGAAACTCCATTTCAAATATTAATAATAATAACTAATAAATAAAACATAAATGCTAGCTT-TTGTTTGTTTCTCAACAAATAGCTATGTGGCATCTACCATGTGTCTGATCCTGTGCT-GGCCCTGGGAACAGAAAGGTGACCATGACAGCCTCAGCACCTGCCCTCAAAGAACA-20 GATTTTTTCCTTGAGACAGGGTCTTTCTCTGTCGCCAAGGCTGGAGTGCAGTGGCA-CAGTCACAGCTCACTGCAGCCTCCACCTCTTGGGCTCAAGCGATCCTCCCACCTCAG-CTTCCAGAGTAGCTGGGACCACAGGTGTGCACCACCAAGCCCAGCTAAGTTTTATTTT-TTAAATTTTTTAGAGACGAGGTCTCACCACGTTGCCCAGGCTGGTTAAACTCGCAG-GTTCAAGTGATCCTCTCCCCTCAGCCTTTCAAATTGTTGGGATTACAGGGGTGAGG-25 CACCAGGCCTGGCCTCAAAGAACAGATATTAAATATACAAATGAATATATGATTACAGC-CTGGAGTGGTCGTGCCTGTGGTTCCAACACTTTGGAAGGCCAAGGCGAGTA-CATTGCTTGAGCTCAGGAGCTAGAGACCAGCCTGGGCAACATGGTGAAAACCCGTC-TCTACAAAAATGCAAAAATTAGCTGGGCGTGGTGGCGTGCACCTGTAGTCCCAGA-TACTCAGGAGGCTGAGGTGGGAGAATCACCTGGGCCTGGGAGGCAGAGGTTGCAAT-30 GGGCAGTGATTGTGCCACTGCACTCCAGCCTGGGCAACAGGAGTGAAAACCTATCT-CAAATGTGTGTGTGTGTGTGTGTGTGTGTGCGCACGTGTATAATCACAAGTA-CAGTGGCTCATGCCTGTAATCCCAGCACTTTGGGAGGCCAAGGCAGATGGAT-CACGAGGTCAGGAGTTCAAGACCAGCCTGGTCAACATGGTGAAACCCTATCTCTAC 35 TACTCGGGAGGCTAAAGCAGGAGAATTGCTTGAACCCAGGAGGCAGAAGTGAGCCAA-GATCACGCCACTGCACTCCAGCCTGCGTGACAGAGCAAGACTCCGTCCCAGAAAAA-GAAAAAAAAAAAGACTTATTATGACAGGATGTCTACTGTCAACTGTGGGGTGTGAGT-GTTGGCCAAGTGATCAGAGAAGGCTTCGTGGAAGAAGCGAGGTTTGAGTAGAGCCA-40 GTGTTCCAGGGAGAGAGACCATCATACACAAAAGCTCTAGGCCAGAAGAAAGCT-GAGGCCTGTGAGTGCTGAAAGGAAGCCTGTGGGGGTGGAGCTCTGAGTTGAGCA CAGGGAGCAGACAAAGGGCAGCTGGAGGGGAAGGCAGGGGGCAGATCGCAAATCTCTT-TTTTAAATTAATTCTTAATTTATTTATTTTTGAGACAAGGTCTCACTCTTTCGCC CAGACTGGAGTACAGTGGCACAATCTCAGCGCACCGCAACCTCTGCCACCCAGGCT-45 CAAGCAATTCTCTGGCCTCAGCCTCCCTAGTAGCTGGGATTACAGGTGCGCACCAC-TACTGCCCAGCTAATTTTTATACTTTTAGTAGAAACGGGGTTTCACTATGTTGGCCAGG-CTGGCCTCAAACTCCTGACCTCAAAAGATCCACCCACTTCAGCCTCCCAAAGTGCTG-GGATTACAGGTGTGAGCCACCCTTCCCGGCTGTATTTTTGGAGACAGAGTCTTGCTCT-50 GTCCCAGCCTGGAGTATGGTGGTGAATTTGGCTCATTGCCACCTTGACCTCCAG-GGCTCAAGTGATCCTCCCACCTCAGCCTCCTGAGTAGCTGGGACTGCGGGTACACGA-CACCACGCCTGGTTAATTTTTTTAATTTTTTGTAGAGACGAGGGTATCTCACTATGTT-



50

GTCCAGGCTGGTTGAACTCCTGAGCTCAAGCAATTCTCCCACCTCAGCCTCC ATTITITATGTTTACTITTCTATCTCCTACAGGAAGAAAATATATTTTGTTATTGACAG-GGTCTCGCTATGTTGCCCAGGCTGGTATTGGGCTCAAGCCATCCTGTTCCCTCAGCC-5 TCCCAAAGTACTGGGATTACAAGCGTGAGCCTCTGCATCCAGCCCAGATCCAAAATCT-TTACTGTCACCTACAGAGTCCTCTGTAACTAGCTTACTGCTCATCATCCCCATACCAAC-CCACCTTACTGCTCTGATCTCCTCCTCTCTCTCCCCAGCTCATTTTGTTTCAGCTATG-CTGGTCTCCTTGCTGTCTCTAAAACATAACAAGCACATCCCATCTCAGGGCCTTTG-CACCAGCTATTTTGTCTGCCTGGAATGCTGTTTCCCCTGATAGCCATGTGGCTGACA-CACTCACCTCCCTCAGCTCTTTGCTCAATTGTCAACTTCTCGGCCCGGCATGGTGGCT-10 CACACCTGTAATCCTACCACTTTGGGAGGCTGAGGTGGGCAGATCACCTGAGATCAG-GAGTTCGAGACCAGCCTGGCCAAGATGGTGAAATCCCGTCTCTACTAAAAATACAAAA-ATTGGCAAAGCATGGTAGCACATACCAGTAATCCTAGCTACCCGGGAGGCTGAGG-CAGGAGAATTGCTGGAACCCGGGAGGCAGAGGCTGCAGTGAGCCAAGATCATGC-15 CACACTATATCCCCTTTCCCTGCTTTATTGTTCTTGAGAGCTCATTTAACCATGTGA-20 TCACGCCTGTAATCCCAGCACTTTGGGAGGCTGGAACAGGTGGATCATGTGAGGT-GAAGCAGGAGAATCGCTTGAACCTGGGAGGCAGAGGTTAACGCTGAGCCGAGATCG-CGCCATTGCACTCCAGCCTGGGCAACAAGAGTGAAACTCTGTCTCGAAAAAAA 25 CAAAAGTCAGCTCCATGGCAGGAGTGATGGCTCACGCCTATAATCCCAGCACTTTGT-GAGGCCGAGGCGGCCGATCACTTGAGGTCAGGAGTTGGAGACCAGCCTGGCCAA-CATGGTGAAACCTCATCTCTACTAAAAATACAAAAATTAGCCGGGCGTGGTGACACAT• GTCTGTAGTCCCAGCTACTTGGGAGGCTGAGGCTGGAGAATGGCTTGAACCTGG-GAGGTAGAGGTTGCAGTAAGCCAAGATCGCGCCATTGCTCTCCATCCTGGGCAACA 30 GAGAGAGAGAAAGGGAGAAAGAGAGAAAGGATGGAAGGACCCTGACAAGCACT-TCACTTCTGTTGCTCCAGCTGAAGTGCAGTGGTGAGAACATGGCTCAGTGCAGCCT-CAACTTCCCAGGCTTAAGTGATCCTGCCACCTCAGCCTCCTGAGTAGCTGGGACTG-TAGGTGTGCACCACCGTGCCTAGCTAATTTTTTGTATTTTTAGTAGAGACATGGTTCCG-CCACGTTGCCCAGGCTGGTCTTGAACTCCTGGGCTTAAGGGATCTGCCCGCCATGGC-35 CTCCCAAAGTGCTGGGATTACCAGCGTGAGCCACTGTACCCAGCCTGAGTATAGGTT-TCTGATAAATTTTAGGATCATATTGTTTGGACTGGGTAAGAATTTCCAGAACTCTAAT-40 TCACTCTTGTTGCCCAAGCTGGATTGCAGTGGCACGATCTTGGCTCACCACAACCTC-CGCCTCCCGGTTTCAAGTGATTCTCCTGCCTCAGCCTCCCCAGGAGCTGGGATTA-GACGGGGTTTCACCATGTTGGCCAGGOTGGTCTCGAACTCCTGACCTCAGGTGATC CACCTGCCTTGGCCTCCAAAGCGCTGGGATTACAGGCATGAGCCACTGTGCAAGGC-45 CTAGGCTGGTTTATAAAATTGCTAAACCAAGCAGAACATGAATTAAATACCAAGGAA-ATACTCTCCTAGATTGTCATGTTACATCAGCCAATACTAAAATTGTCAAGATACACAAT-TTGAATGAACTCCATGGTCCAAGTCGAATTATCTATGATATTACCCATCTAATAAACAG-CACTATGTCCCTTAATGGGAGAAAAAGTTGGAGAATTTAAGAGAATATCAATCCAAT-GTTGGTTGGGTGCAGTGAATCATGTCTATATTCCCAGCACTTTGGGAGGCCAAGG-50 CAGGAGGATCACTTGAGCCCAGGAATTCAAGGCCAGCCTCGGCAACACGGTGAGATC-TATAGTCCCAGCTACTTGGGAGGCTGAGGCGGGGGGTCATTTAAGCCTGGGACGTT-CACTAGAGGAAAAAAAACTAAAGTGGGGTTTGCGGGTAGTGGGAGGGCCCTTCCTG-CTAGGTTGCACTATGATCTCCAGGGAGGCTCCACGGGAGAATCATTTCCTTGTCTTTT-55 TCAGTTTCTAGAGCCAAATTCTTTGCATACCTTGCATTCCTTGGCTCGGAACCCCTTCC-CTAACCTTCAAAGCTGGCAGCTAGCCTCTGGCTCAAGTGTCACATGGCCTGTCTCT-GTCTTCCTATCCAATCTTCCTCTTATAAGAACATTGGAGCCAGGCATGGTGGCTGACG-

51

CCTGTAATCCCAGCACTTTGGGAGACCGAGGCAGGCGGATCACAAGGTCAGGAGT-CAAAAAGTAGCCGGGCATGGTGGCAGGTGCCTGTAATCCCAGCTACTTGAGAGGCT-GAGGCAGGAGAATCGCTTGAACCTGGGAGGCAGAGCTTGCAGTGAGCCGAGATAGT-5 ATAAAAATTATTTTGAGACAAAGTCTATTCTGTGGCAGAGGCTGGAATGCAGTGGCGT-10 TATTATATTTTTGTGACGGAGTTTCGCTCTTGTTGCCCGGGCTGGAGTGCAATGGTGC-TATCTCAGCTCACTGCAACCTCTGCCTCCTGGATTCCAGTGATTCTCCTGTCTCAGCT-TCCTGAGTAGCTGGGATTACAGGTACATGCCATCACGCCCAGCTAATTTTTGTATTTT-TAGTAGAGACGGGGTTTCATCATATTGGTCAGGCTGGTCTCGAACTCCTGACCTCAG-15 TGGAGTGCAGTAGCGTGATCTCGGTTTACTGCAACCTCCATCTCCCGGGTTCAAG-CGATTCTCCTTTCTCAGCCTCCCAAGTAGCTGGGACTACAGGTGCACACCACCACGG-CGGGCTAATTTTTGTATTTTTAGTAGACACCAGGTTTCACCATATTGGTCAGACTGGTC-TCAAACTCCTGACCTCAGGTGATCCATCTGCCTCAGCCTCCCAAATTGCTGGGATTA-20 CAAGCGTGAGCCACACCCTGGCTTAATTTTTTTATTTTTGATCGACACAGGGTCTCCC-GTAGCCCAGGCTGGAGTACAATGGTGCAATCTTGGCTCACCACAACTTCCGCCTCC-CGGGTTTAACAGATTCTCCTGCCTCAGCCTCCCAAGTAGCTGGAACTACAGGCACC-TACCACCACACCAGGCTAATTTTTGTGCTTTTTAGTAGAGATGAGGTTTCACCATGTT-25 GGCCAGGCTGGTCTTAAACTCCTGGCCTCCAGTGATCCACCCGCCTTGACCTCC-CAAAGTGCTGAAATTACAGGCGTGAGCACCGCGCCCTGGCCTCTCAACCTACAATTT-CAACACCCAAGGAAACAGCCCACCATGAGTGAGAACCAGCAGACAACAAACTA-TAGGATTAGCTGCCTCCAAACTTCAGGTGATAGATTATCAGGCATGTACTTGAAAC-TAAAGGACACAAAAGAAGAATCCGAAATATAAAATAAAGGATTGGACTTGTGTGAAAA-30 GAATCCCTTAGAAAGGGCTACTTTCAGGCTGGCCATGGTGGCTAATGGCCTGTAATC-CCAGCACTTTGGAAGGCCGAGGTGTGTGGATCACCTGAGGTCAAGAGTTCAAGAC-CAGCCTGGCCAACATGGTGAAACCCCGTCTCTACTGAAAATACAAAAATTAGCCAGGT-GGGGTGGCAGATGCCTQTAATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAATCGC-TTGAACTCAGGAGGCAGAGGTTGCAGTGAGCTGAGATTGCGCTATCGTGCCCCAGCC 35 TGGGCACTAGAGTGAGATCAAAAAAAAAAAAAAAAAAAGAAGAAGAAGAAGAAGGAAGGGC-TACTTTCAGACTGCCTTGCCAAAAATCATAACCACAATGATGAGCATGTATTGAGT-GAAAGTTTCTCTATTTTGTTTATAAACATTAAACCAGTGCTGTGTGAAGGCACTTAATT-40 CAAGACTGCTGGGAGAGATGGTGTCAGCAGTGACTCCCAGGAATATCCAGTGGTGTG-GTGGCCCATCCCAGGCCCGGCTGGCAGGTGGCTGGCTGCTGGGGGGATGTGAT-GATGGTGGTAGGCATGGGAGGCACTTTGGACGGGATCTGATTTGGCAAAAGGAAGTG-GTTTCCTGTCCCCAGTGATTTCCAGCCCTTCCCAGACCTCCCAAGGCTAAGGCAGAT-TACTAAATTTAAGGCTGGGGCCCTCCTTCTTCCCTGGACTTCCAGGAGAACAGAGAAC-45 CGGTGGCAAGGACCACCACCAGCAGGGTGAGGGGTGCAGATAAAGGCAGCAAAAAA-CAGAGGGAGAGGTCTGGAGGGAAGGCAGGAATGCTTGTTTCTGTCAGCCTCAGAAAC-CTCCTTCTATCCTGCTAGACTTTACTCCTTTGAGGCTTCACCCTGGGGAACAGCTGGG-GAGAGACAGGATCTTCAGACATCAGGAGCTCCCACCTCCTCATCCCACATGCAAATC-CGCTGCCTGTCTCTATCCTCCCACCCCTTCCTAAGGGGACCTCTCAGCACCTCC 50 CAAACTGCTCCAGAATCCAAGTTCTGTGTCACCTCCAAGAACCAGATGGAACCTTCCA-ATÇAGAGCCTCCACTGATGAAATGGAATATTTCCAGTGTCTCCTAACTGCCATAAGGA-GAAGCCCACCTCTCTAACACCTTGGTTGTCTTTTTGGGTCCCACCTCCATATT-TAAAAAATCTCCTCTCCGGGGCGGGGGGGGGGGGTCACACCTATAATCCCAGCAGT-TTGGGAGGCCGAGGTGGGTGGATGACCTGAGCTCAGGAGTTCAAGACAAGCCTGGT-55 CAACATGACGAGACCCTGTCTCTACTAAAAACACAAAAATTAGCTGGGCGTGGTGGT-GCATGCCCGTAATCCCAGCTACTTGGGAGGCTGAGGCAGGAGAATCACTTGAATCCG-GGAGGTGGAGGCTGCAGTGAGCCAAGATCGCGCCACTGCACTCCAGCCTGGG-




52

GAAAAAAAACCAAAATAAAAAAATCTCCCTTCTCAGGAATGTAACGGAATCTTCCTT-GCCTTCTCCCCTAACCCTAATAGAGAATTTTCCTCAGTTACACTGTAATTTTATTAATG-GATTTTCCTCATTCTGCCCAATGCAGTGTAATGAAAGCTTCCTCCATGTGTTATAT-5 TATTGTCACCCAGGCTGGAGTGCAGTGGCACCATCAGGGCTCACTGCAGGATCAATC-TCCCAGGCTTAAGCGATTCTCCTGTGTCAGCCTCCTGATGAGCTGGGATTACAGG CACCGCCACACACCCGGCTAACTTTTTTTTTTTTTTTTAGTAGAGATGGAGTTT-GGCCTCCCAAAGTGCTGGGATTACAGGTGTGAGCCACCTGGCCGGGCCCTCCACT-TCCTTCTTGTACATTGCTGAATCCCTGTGTCAGCCCTAGAGGTCCAGTCTTTTGCCCTC-10 TCCCAGCCTTAATCTACAATTCTGTAACCCACCACCATCATTAAAATGAGATTCTTCT-TTGTCGCTTCCCTTGGCTAAAATGGATTATTCTTTAACCTCTCCACCAATACAACCAGG-GATGATAATAAAAACATTGGATTGAGCAGAAACCAATCAAATAACTAGTAAGGCAGTAC-15 GGCACATGCCTGTAATCCCAGGACTTTGGGAGGCTGAGGCGGGCAGGTCACCTGAG-GTCAGGAGTTCAAGACCAGCCTGGCCAACGTGATGAAACCCTGTCTACACAAAATA-CAAAAAAAAAAAAAATTAGCCGTGCGTGGTGGCATGCGCCTGTCATCCCAGCTAC TCTGGAGGCCAAGGAGGAGGATCACTTGAGCCCGGGAGGCAGAGGTTGCAGTGAG-CCCACATCTTATCACTGCACTCCAGTCTGGGTGACAAAGCAAGACTCCATCTCAA ATAAATAAATACAAATTGGCCGGGTGCGGTGGCTCATGCCTGTAATCCCAGCACTTTG-20 GGAGACCAAGGCAGGTGGATCATTTGAGGTCAGTAGATCAAAACCAGCCTGGCCAA-CATGGTGAAACCCCGTCTCTACTAAAAATACAAAAAGTAGCCGGGCGTGGTGGTGGT-CGAGGTTGCAGTGAGCACAGATGGCGCCATTGCACTCCAGCCTGGGCGACAGAG 25 TACCCCGACATTACTATTAAATATAACGGACTTTTCGTCTCCTCCCCATGAGCAATA-ATGAGCTTTTCAGACCTCCCTCTCCCAATATAACGGTTTGTTCCTGTTGCCTCTTCTTT-TTCCTGTGGGATCCCCCTTTTCCCCAACCCCCAACTGTCGGGAGGTCCCCATGACTTC-30 TCCCCTGGGCTCACCCCGAAGTAGTTCCGCGGCACGTAGCCCTCCTGGCCGTGCAG-CGCGGCCACCACCAGTCGGTCTCCTCCGGCCCGTCCCTCCGCAGCACGGTGAC CGACTCGCCCTCGCGGAAGGACAGCTCGTCCCCGAACTCGGCGCTGTAGTCCCAGA-GAGCGTACACTGCCCCGCTGTTCATCAGCCCCATACTCTGCTCGACGTCTGAAACAT-GCCACGGAGGGAAGGTGAGAGCCTGGCCCAGGGGGTCCAGGAACAGGGGC 35 CACGTGGGGTCCAGGACAGACCCTGGAATTTGGCGCCTGTCCCAGCAACCACCTGAA-ATGTTGTGTGCCCATGGCTGTGGATGGGAACCGGAGCTGGAGTCAGATGCCGG-GACTGGCCGTCTTTGAGCGTTCGAGGAAACTGGGGGGAGGCATGCCAGTGGGCCACC-GACAGAGTCTCGCTCTGTCGCCCAGGCTGGAGTGCAGTGGCACGATCTCGGCTCAC-40 TGCAACCTCCGCCTCCCGGGTTCACACCATTCTCCTGCCTCAGCCTCCCGAGTAGCT-GGGACTACAGGCGCCCGCCACCCCTGGCTAATTTTTGGTATTTTTAGTAGAGT-CAGGGTTTCACCGTGTTAGCCAGGATGGTCTCGATCTCACCTTGTGATCCGCC CACATTGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCGCGCCCGGCCTTT-45 ATGGTGCGGTCTCACTGCAACCTCCGCCTCCGGAGTTCGAGCCATTCTCCTGCCT-CAGCCTTCCAAGTAGCTGGGATTACAGGTGTGCGCCACCATGCCTGGCCAATTTTTG TATCTTTAGTAGAGACGGGGTTTCACCATGTTGGTCAGGCTGGTATCAAACTCCTGAC-CTCAAGTGATCCACCGCCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGC-CACCTGGCCGGCCCTCATTTCCTTCTTGTACATTGCTGAATGCCCGTGTCAACCCTA-50 GAGGTCCAGTCTTTTGCCCTACCCTGGCGCTTAGCTTAAGTGGTACAGTCTCTAAG-GAAGATTCGCACCTTCCTTGAATGATAGGGTCCTTTAAGTTGGCTCATCTGCCTCTTTC-TTTTCTTTCTTTTCTTTTTGGAGACGGAGTCTTGCTCTGTCGCCCAGGCTG-GAGTGCAGTGGCGCGATTTCGGCTCACTGCAACCTCCGCCTCCTGGGTTCCAGCAAT-TCTCCTGCCTCAGCCTCCAAAGTAGCTGGGACTACAGGCCCACGCCGCTACACCCGG-55 CTAAATTGTTTTATATTTTTAATAGAGACGGGGTTTCACCGTGTTGCCCAGGCTGGTTT-GGAAATCCTGAGCTCATGCAATCCGCCCGCCTCGAGCCTCCCAAAGTGCTAGGATTA-CAAGGTCTCACTCTGCCACCCAGGCTGCGGGAGTGCAGTGGTGAGATCAAGCTTACT-



P 687 DK03

GCAGCCTCGAACTTCCAGATTCAAGCAATCCTCCTGCCTCAGCCTCCTCGATTCTT-TATGTTATTAAATATTTTGTAGGCCGGGCACAGTGGCTCACACCTATAATCACAG-CACTTTGGGAGGCCAAGGCAGGCGGATCCTCTGAGGTCAGGGGTTTGAGACCAGCC 5 TAGCGGGCCGTGGGCCCTTGCCTGTAATCCCAGTTACTCGGGAGCCTGAGGCAG-GAGAATCGCTTTCACCGAGGAGGCAGAGGTTGTAGTGGGCTATGGTGCCATTGCAC-ATAAATATTTCGTAGAGGTCAGGTGTGGTGGCTCACACCTGAATCTTAGCACTTTGG-GAGGCCAAGGTGGGCAGATTGCCTGAGCTCAAGAGTTCGGGACCAGCCTGGGCAA-10 CACTGCAAAACCCCTTCTGTACTAAAAATACAAAAAAATGAGTCGGGCATGGTGGT-GAGCACCTGTAGTCCCAGCTACTCAAGAGGCTGAGGCAGAGAATTGCTTGAATCCAG-GAGGTGGAGGTTGCAGTGAGCCGAGATTGAGCCACTGCACCCCAGCCTGGGTGA-CAGTGAGACTCTGTCTCAAAAATAATAATAAATAATATTTGTAGAGACAGGGGGTCTC TACAATGTCTTGTAGCCTGACCAGGCTCACCTTTCAAATATATAACCCTCTGTCTCACC-15 CATAAGTCCTAGGACCTGCCTCACTCCAACTCTCCGTGAAGTTCCTTGCCCACACCGA-GATACAACTGGCTCCTCCAGGTGTGAAATGACCCTGTGCACAATCCCCGTGGCACAG-CCTACTTCGCCCTGCCGTCGGGGAACCAGGTGATGTAGCCTGCCCCCTGGAGAGA-TAGGGTACAGCCTTGTGTCTTCCTACAAGCCCCTTTCTGGCAGCTGTAGCCTGCTCAC-CTGCCAGTGGTGGCAATGCCTCTCCCACAGTGGCAGAGCCCACCTGCCCAGAG-CCCTATGCCAGGTAGATGGCAGGGTTGAAACGTTCAGCTCCTCACCCTTGAAGATGT-20 GAAAGGTGAGCAGACCAATCTTCACAGCCACTCTCCTCCCCAAAGGTGTCCAGCTCG-CATAGCACAGCCTCCATGTCCCCTTTTCCCTTAGGAGGGCATAGTCCCCCCACCCC 25 GGCGCAGTCAGCATAACCCTCGCGGTAAGGGTCGCACTTCTCGAAGGCGGTGGCGC-CGTCGCTGAGCGTGGTGGCGAAGATTGCAGCGCCGTGCTGCACCAGCGCCATGCA-GATGACTGTGTCGTTGCACGACGCCGCGCAGTGCAAGGGTGTCCTAGGCGTGGGG GTGGGGGTTGCGGGGAACGATGCGTGAGAGGCTGCGCGTCCGCCCACGGGGGAC-CCAGCCCACCGCGCGGGTCGGGGCTCACCAGCCGTGGCTGTCGGGGGAGTTGA-30 CATTGGCACCCGCGGTGATGAGGAAATCCACGATAGAGTAGTTGGCGCCGCAGAT-GAGTGCACCGGGGGAGGGGGAAGACTCAGTCCCGCGGCTGGCATCTGCGATGCCC-CCGCCGTGCCCACCTCCCGCTCAGCAGCGCTCACCTCCTTCACCGCCTGCTGCAC-35 CACCTCCAGCTCCCGGTCAGCGCCGCGTCCAGGAGGAGCACCAGAGGGTTGAGG-CGCGCGCGGGGCCTTGCGCGGGGGGCCCGCCTTCCGCAGCACAGAGCGCATC-TCCTGGGGGACAGGGCGCAGAGGTCAGCGACTTGGAGGGATTGTTAGTATATCCAT-GATCTAGAGTAGGAAACAGAGGTCCAGGGACTTGTGGCACCCATCTAGACAGGGGTA-GAACTGGGATTCCCTCGGGATGGGGTGAGGGGGTGCCTTCGATCTCCTCCTAGAGCC-40 TCCAGTTCCCTGCCATAGACAGGGAATCCTGTGATTTGAGAATCTTGGGCCCTGAAAC-TTGGGAGAAAGCTGGGGGGCCATGGGATTGGTGGCAAAGTAATTCTATCAGTT-GTTAATAATGAATGCAATGAGACACACATGACAAAATGTTACCAGGAGTGTTCATTC-CGGATGTTTGGAATTTGAGCATTTTATTATTCCTTGTATTTTCCTTTTCTCTTTT-45 TTTTTTTTTTTGAGATGGAGTCTCGCTCTGTCACCCAGGCTGGAGTGCAGTG CAGTGGTGTGATCTCAGCTCACTGCACCCTCCATCCCCCAGGTTCAAGCAATTCTCCT-GCCTCAGCCTCCTGAGTAGCTAGGATTACAGGCATGCGCCACTATGCCTGGCTAATTT-TCATATTTTAGTAGAGACAGGGTTTTGTCATGTTGTCCAGGCTGGTCTCGAACTCCT-GACCTCAGGTGATCCACCCACCTCAGCCTCCCAAAGTGCTAGGATTACAGGTGTGAG-50 CCACTGTGCCCAGCCTCATGGGCTTTCTTATTTTTAATTTTCCTCCTGTAAGATTCATT-TATTCTGGGCTGGGCGAGGTGGCTCATGTCTGTAATCCTAGCACTTTGGGAGGCT-GAGGTGGGAGGATCACTTGAGCCCAGGAGTTCGAGAACAGCTTGGGCAATATAGTGA-GACCCAGTCTCTACAAAAAATAAAAAATTAGCCTGACATGGTGGCGCACACC CGTCGTCCCAGCTACTTGGGAGGCTGAGGCAGGAGGATTACTTGAATGGAAGAGAAG-GAGGCTTCAGTGAGCCATGATCATGCCACTGCACTCTAGCCTGGGCAACAGAGTGA-55 GACCCAGTCTCAAAAGAAAAAAAAATGCATTTATTTATTCCAAGTGTGTGAGTGCATAGCATTTGTGATTCTGGTCTTTGCTGTTTCCAGAGTTTCAGTGATTTTAAGATTCTGGAATT CAGAGATCCCAACAGCCACTGAATTCAAAATTCCCAGATGCTCAGTTATTTCAAGTTTC-



54

CAATATGTTGTGATTGCAGAAATGCTAGGCTGTGCTATTTCAAATTGCTGAGGGGC-CAGGACTTTGGAATCCAAAGATTCTATGATGGAGAACTTTAATATTTTTCTGTTAGAATT-TCTTTTTTTGTTGGTTTTTTTGAGACAGAGTCTCGCTCTGTCGCCCAGGCTGGAGTG-CAGTGGTGCGATCTCAGCTCACTGCAAGCTCCGCCTCCCGGGTTCAGGCCATTCTCC 5 TTGTATTTTAGTAAAGATGGGGTTTCACCGTGTTAGCCAGGAAGGTCTTGTTCTCCT-GACCTCGTGATCCGCCCACCTCGGCCTCCCAAAGTGCTGGGATTACAGGTGTGAGC-CATCATGCCTGACCTAGAATTTCATTTTAAAAGACTAGAAGGAAATGGCTGGGTGCG-GTGGCTCATGTGTGAATCTCAGCACTTTGGGAGGCTGAGGAGAGTGGATCACCT-GAGGTCAGGCAGGAGTTCAAGACCAGCCTGGCCAACGTGGTGAAACCCTGTCTCTAC-10 TAAAAATACAAAAATTAGGTGGCCGTGGTGGTGCACGCCTGTAATCCCAGCTACTCAG-GAGGCCGTGGCATGAGAATCACTTGAACCCAGGAGGCACAGTTATAGTGAGCTGA GATGGCACCATCGCACTCCAGCCTGGGTGACAGAGTGAGACTCCATCTCAAAAAAG-GAAAAAAAAAGAAAGACTAGAAGGAAATATTCAAAATGTTAATGATGGTTCCCTGT-15 GTGTTGGTGTATTTCTCTATAGTGGAATGTGTAAATTTAAAGTATAAATCTCAGCTGGG-CACAGTGGCTCATGCCTGGTTTGAGACCAGCCTGGACAACATAATGAGAACTGTCTC-**TACTGAAAATGTTAAATATTATCTGGGAGTGGTGGTGCATGCCTGTAGTCCCAGC** CATAGGGGAGGCTGAGGCATGAGGATCAATTGAGCCCAGTAGGTGGAGGCTGCAGT-GAGCCATGATCTTGCCACTGCACTCCAGCCTGGGCAACAGAGTGAGACTCTGTC-20 TCGATAATAACCCTCTATTACAACATATCAGTGCATGAATTTGTGATTTTATAATT-CAAAATATGAGCATCTTTAATTGTCAGATTTGGTGACTTCAAGAATCAGTAATAAT-CAGTCTATGATACTTATAATTATTTTTTTTTAAGAGAAGAGTTTCCTTTTATTT-TATTTTATTTGAGACAGAGTTTCTCTCTGTTGCCCAGGCTGGAGTGCAGTGGCGCA-25 TCCCGAGTAGCTGGGATTACAGGCATGCACCACCAGGCCCAGCTAATTTTTGTATTTT-TAGCAGAGACGGGGTTTCACCATGTTGGCGAGGCTAGTCTTGAACTCCTGACCT-CAAGTGATCCACCCGCCTCGGCCTCCCAAGGTGCTGGGATTACAGGCATGAGCCAC CGTGCCCAGCCTAACTTTATAATTCTAAGATCGTGTTCAAACCTTTAAATGCTCTAGGG-30 CTCTAAAATGTTACTATCCTAAGACGGTGACACTAGCGTTTGATTCTTACATTCTATGAT-TTTTTAAGTTTCTCTGTGGCCAGGACTCTGTGATTCTACAATGGGATGCTCAGCCATTT-CAACATGTTGTTATTCATCCCCTCTTGATTTCAAAATCCTGAGCCTCAAGGTTCCTTGC-CTTTACTTTCAGGAGGGCCTAGGAATAGGCATTTTGGGGGGGTCCACCTGACCCCTG-CTTCTCTGAGAAGTGATCTCTTCCCGCTGTCTACGCACACGGAGTGTTCAGGACTGT-TCCATGTGGCTACAACCCTCTTCCCAGTCAAGATGCAGGGACCAAGATCAGCAGGA-35 GACCATCCCCTGGTCCAATGGTGACAACAGTAAGAGCAGTTAACAGTTATGTGCCAGG TATTATGCTAAGCACTACATTAATGTATTTAATCTTGGCGGGGTGTGGTGGCTCACACC-TGTAATCCCAGCACTITGGGAGGCCAGGGCGGGCAGATCACTTGAGGTCAGGAGTT-CAAGACCAGCCTAGCCAACACAGTGAAAACCCCATCTCTACTAAAAATACAAAAATTAG-40 CCAAGCGTGGTGGCATATGCCTGTAATCCCAGCCACTTGGGAGACTGACGCAGGAGA-ATCACTTTAACCCAGGAGGTGGAGTCCAGCACCCAGCCGAGACTCACTTGTTTTTATT-TATTTATTTATTTTATTTTTATTTTTTTTGAGACGGAATCTTGCTCTGTCACC CAGGCTGGAGTGCAGTGGCGCGATCTCAGCTCACCACAAGCTCCGCCTCCCGGGCT-45 CCCCAGCTAATTTTTGTATTTTTAGTAGAGACGGGGTTTCACCGTGTTAGCCAGGATG-GTCTTATCTCCTGACTTCGTGATCCGCCCGCCTCGGCCTCCCAAAATGCTGGGATTA-CAGGCATGAACCACCACGCCCGGCCTATTTATTTATTTAGAGATGGAGTCTTGC-TCTGTCGCCCAGGCTGGAGTGCAGTGGGTGCAGTCTTGGCTCACTGCAACCTCCGCCT-TCCGGGTTTAAGCGATTCTCTTGCCTCAGCCTCCTGAGTAGCTGGGATTGGAATGA-50 GACCACCACTTCTCCTGTTGTCCTTCCCAGCTTCTCCCCCACCTCCCCTTTTCCCTAGT-TTATAAGACAGGAAAAAAAGGGAGAAAGCAAAACGCTGGAAAAAAACAGAAAGTACGA-TAAATAGCTAGATGACCTTGGCGCCACCATCTGGTCCTGGTGGTTAAAATAATAATA-ATAATATTAATCCCTGACCAAAACTACTGGTGTTATCTGTAAATTCCAGACATTGTAT-GAGAAAGCACTGTAAAACGTTTTGTTCTGTTAGCTGATGTCTGTAGCCCCCAGT-55 CACGTTCCTCACGCTTACTTGATCTATCGTGGCCCTTTCACGTGGACCCCTTAGCGTT-GTAAGCCCTTAAAAGTGCTAGGAATTTCTTTTTCGGGGAGCTCGGCTCTTAAGACGCT-GATGCTCCCGGCCGAATAAAAACCTCTTCCTTCATTAATCCGGTGTCTGAGGAGTTTT-GTCTGTGGCTCGTCCTGCTACAGAATTACAGGCACGCGCCACCGCTCCGGGCTAATT-

55

TTTGTATTTTTTAGTAGACAGGGGGTTTCACCATGTTGGTCAGGCTGGACTTGAACC-TCTGACCTCATGATCCACCCACCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGT-GAGCCACCGCGCCGGCCGAGACTCACTATTTTATAAGAGGAGAGAGCAAAGCCAG-GAACAGTGGCTCATGCCTCTAACTGCAGCAATTTGGGAGGCTGAGGCAGGTGGAT-CATTTGAAGTCAGGAGTTTGAGACCAGCCTGGCCAGCATGGTGAAACCTCATCTCTAC-5 TAAAAATACAAAAATTAGCCAGGAGTGGTGGCATACACTTATAATCCCAGCTACTTGG-GAAGCTAAAGCGGGAGGATGGCTTGAACCTGGGAGGCGGAGGTTGCAGTGAGC-CGAGGTCAAGCCACTGCACTCCAGCCTGAGTGATGGAGCAAGACTCTGCCTG-GAAAAAAAAAAAATAGAGGAGAGAGCAGAGCAGACACAÁGAGACACAGAGACAGA 10 GAGGGAGAGAGAGAGGGTGACTGCTTTGATTCAGGCAAGACTTCTCAGTCCCAGA-ATGAACCCACTGTTGTGCCAAGACTCAGTCATGTCCAGGTGTATGACTCGAGATTGCT-GAAGGAATGCCCGGGGGAGGGCACAGGCACAGGTTATTGGAGAGAAGGAGCAGA-TATCCTAAAGACTACATTTCCCAGCATCCCATTGCAATGAGGCTCCTGGCCAGTGG-15 GAGCAGGCAGAGTGATGTATGGAACTCCCAGGTTCTGCCTGAAACAGGAAAGGGCAC-TTTCTCTTCTTCTTCTCTCCTGGCTGGAGGGCAGACTTGGTGACAGCCATGTAG-TGGGTCCTGACTCCAGTGAGGTGCCTACAGTCCTGGGCTGCAAACTCTTGGACTTC-TACTCAAAAGAGGAGAAAACTTCGATCTCATCTAAGCCACTATATTTGGGGGGCTCT-20 TTGCTACAGCTCCTGGATTCATGTAGCAAACATACCCCGGTTTCCTCCTGTATTACT-TACCATGCTCTGCGGCTGCTCTGGTGGGCTGCTCTGGGACGGGGCCGGGGGTGGA GATGGGGGACAGCTCTGGCTCCGGCCCCCGGGCCCTGGCCCCCATGACGATG-GAAGAGGCGGCTGATGATCTGCTGGTACTGTTTCTTGTGGGTAGGGGGCAGGGCCA-25 CAGCAGGGGCCTGCTCCATGGAGCCCCTGCGTTTGAGGGGCCGGGGAATTTCCGC-CAACACCCGTGCCACCTCCAGCTCGGGCACCGACTGTGCCTCCGGTGGCAGTG-CTGGCTGCAGCCTCGTGGGGCTGAGAGGCCTTGCTACAGGGCCTTCATCCACATCG-CCAGCCTCCAGCACTGGTGTCAGCAGCCCCTCTATCTCCGGCTCAGGCTCCAGCTCG-GTGGGGGGTTTGGGGGGTCCTAGCCGGAACAAGAGCCCATCAGAGGACAGGTCCC-30 CAGGAGACACCCAACACTCCCTCTCCACAACTTCCAGGGCATACAACCAGCACATGAT-TTTCTGTGTGACCTCAGGGAAGTTCCTTGCCCTCTCTGGGCTACACTTTCCTTGGGCT-GTGAATAATATACAATTATGATGCCTCCCATTTATTGAGCAGTTAGTATGTGCCTGGCG-CTITACATGCCTACCTTATTGTAATCTCACCACTGCTTTGTGAGGTAGATACACTGC-CATCTCCACATTACCGAAAGGGAATCTGGGCCTCAGAGAGGGACAAGTCAGTTGCC-35 CAAAGCCATGCAGTTGGGACTTGAACTCAGTTCTGGCTGACTCTAGAATCTACTTC-TACCAACCGTGATAGATGTGATTTTCTGAGATCCTGAGAGTTTCCTCCTAACATCT-CAGGCAGAAAACTCCAGCAGGAAGTAGAATCCTGGTGTTTAATGATTTCTTCTCTGTCT-TACTCATTCTGACAGTAAAGCAGGTGGAAATAAAAATATGCATTATTGGCT-GATCTCTTGAGATCAGGAGTTTGAGACCAGCCTGGCCAACATGGTAAAACCCTGTCTC-40 GCCTGTAATCCCAGCTACTCGGAAGGCTGAGGCACAGGAATCGCTTGAACCCAG-GAGGCGGAGGTTGCAGTGAGCCGAGATTGCACCACTGCACCACTGCACTCCAGCCT-CACACACACATTATATATAGTGTATATATATTTTTATATAGTATGCATATACATATAA-45 ATAATACACACACACACACGGCTGAGCATGGTGGCTCATGCCTGTAATCCCAGCAC-TTTGGGAGGCTGAGGTGGGTGGATCACCTGAGGTCAGGGGTTCGAGACCAGCCTGG-CCAACATGGCAAAACCTCATCTCTACTAAAAACACAAAAAATTAGTTGGGTGTGGTG-GTGCATGCCTGTAACCCCAGCTACTTGGGAAGCTGAGGTAGGAGAATCGCTTGAACC-50 TGGGAGGTGTAGGATGCAGTGAGCTGAAACCTCACCACTGCATTCCAGCCTGGGCAA-GAAGAGTGAAACTCCATCTTGGCTGGGCACGGTGGTTCACGCCTGTAATCCCAGCAC-TTTGGGAGGCCGAGGTGGGCAGATCATGAGGTCAGGAGATCGAGACCATCCTGGC-TAACATGATGAAACCCCGTCTCTACTAAAAATACAAAAATTAGCTGGGGGTGGTGGTG GGCGCCTGTAGTCCCAGCCACTCGGGAGGCTGAGGCAGGAGAATGGCGTGAACCCG-55 ATAAACCCCAAAACACACAGACATACACATTATTTCATTGAATCCCCGTCACAATTCTA-TAGGGTAGATATTATTAATCTCTCTTCACAGACGGGAAACAGAGTTTCGGACAAGTAAT-



56

TTATCTTCAGTCACACAGCAAGTTAGCAGTGAAGAGAGACTCCAGCCCATCTGCT-TAACTCACTGATCTCACACCTCAAAATATTAATAAATTATTATAACTAATATGGTAGC TATTTATTTGAGACTGGGTCTCACTCTGTCACCCAGGCTGGAGTGCAGTGGCGCTAT-CACAGCTCACTGCAGCCTGGATCTCCCAGGCTTAAATGATCCTCCCACCTCAGCATCCTGAGTAGCTGGGACTACAGGCGCCCACTACCATGCCCGGCAGATTTTTTGTACTTT-5 TATTTTAGTAAAGTCTATTTTAGTTTCACTATGTTGCCCAGGCTGGTCTTGAACTCCAgagctcaagcaatcctgtctgcattagcccaccaaactgctaggattacaagggt-GAGCCACGGTGCCTGGCTAATATGGTAGCTATTGATAGCTTACTATGTATCAGATCC TATTTATTTATTTTTTGAGACAGAGTCTCACCTGTCACCTGTGCTGGAGTGCAGT-GGCATGATCTTGGCTCACTGCCACCTCCGCCTCCTTGGCTCAAGCTGAGTAGCTAG-10 GAGATGGGATTTCATCATGTTGTCCAGGCTGGTCTTGAACTCCTGACCTCAAGTGATC-TGCCCACCTCGGCCTCCCAAAGTGCTGGGATTACAGGTGTGAGCAACTGCACCTGGC-CCATCAGGTGCTGTTTTAAAGGCTTTATATGAATTTAATAACATATGTCAATAG 15 CGTCACCCAGGATGGACTGCAGTGGCGCAATCTCGGCTCACTGCAACCTCCACCTCC-CGGGTCCAAGTGATTCTCCTGCCTCAGCCTCCCAAGTAGCTGGGACTACAGGCGCC-CGCCACCATGCCTGGCTAATTTTTGTATTTTTAGTAGAGATGGGGTTTCATATTGGC-20 TGGGATTACAGGCATGAGCCACCGTGCCCGGCCCATTATTTCCCTTTTACACTCAA-GAAAATTGAGGCCCAGTGAGGTTAAGTGACTTGCCCAAGGTCACACAGCGTGGAAC-CAGGCAGTCTGGCTTCAGGGTCCACACTTAACCTTTGAGCTATCCCTGGCTCCTACC-CAAATTCCCAAACTCACCTGGCCTAGCTCTCTGCAGGGACAGTGCTTGTAAAGAGG-CATTTGGCTGTGATCTCCCCACCTCCCAGGGCTGGTCTGGTCCCCCTGCCATTTGTCC-TCCCTTCACCCAGTCCTCTAGGGCCCTCATTGCTGACTCACCTTCGTTCACAGGGGC-CATGTCTGTTGGGGATGCTGGGGGGCTGGGGTAGGGGTTTGGGGTTGGGTCTGGGG-25 CTGTGGGGGCAGCTGGGGCTGTGGTTGTGATTGTGGCTGGGGCTGTGGTTGTGGTT-GGGGCTGCAGCTTAGGCGGGGGGGTGCTGGGTGAAGAGGGGGGGCCCCAGGGAGCAT-GGCGCGCTGCCCGTGCTCCCAGAAGGCGTTCTGCAGCTTGAAGATCATGCT-GAGGGGGATGGGACGCTGGCGCGGGGCCCCGCGGGGCTGGAGGGGGGG 30 CATGGGGATGCGGCTGACGGGCTGCCAGCTGCGAGGCAAAGTGCCCGACGGCCC CGCGGAGCCCAGCGAGCGCCGGTAGCTGCCCGCGTCTGAACGCCGGTCGCTGGC-CAGAGGAGAGCCTTGTAATTGCGCGGCAGGGTGGCGCTAGTGAGGTTGTCCTGGG-GAAGAGGAAGGGAAAGGGGATCGGGTGAGAGAGGGAAGGTGGAGGGAAGG 35 TAAAGACAAAAGACGAGAAGGGAGGAGGTGAGGGAAGCCCTGGGAGTGAGGGA-GAAGAAAGGGTGAGGAAGGAGCAGAAACCCAGCACAGTGAAGGGAGAGCGTGG-GAACGGGCGCCGAGACCCAGATCGCAGCCCCGAGGGGGAGACTGGCCTTGACCC-CGCTCCCCCACCCCACTCCTCGACCTTCCCCAGGCCTCTCCCCAGGCGTCGCCTC-40 TGCAGGCTCGGCGAGGCAGGCCTTGCGAAGACGTCCAGGCCTGCGGGGCGGGAAT-CATTAGGGTCTGTGGGGCTGCCTCTCCTCCGGGTCCTCCATTCCCCGGGCCTCCAC-CACTCAC@TTCATAGCTCGCTGTCTGCGAAGGCTTCTTCTCGTACGCCACGTCCAGGT-CAGACTCGTTCCAGGCTTTCGGAGGCCGCCGGCGCAGCGTCAGGTCGTCTGGGGA-GAAGTTTCCAGGGAGGATGAGACGGGAGGGGTGGCGAGCCCCGGATCCTGCCCGCT-TTGACCCCGCGAGTCAAAGGCCCCGCGAGGGCCCCTGGGTTCACCTTGCGCGCG-CAGAGGCGGGGGGCGAATGCGCTGCCGCCGGAGCCTAGCAGGGAGCTCCCGAAGGCG-45 GACGCTGGCGCGTCGTAGGCTGTGGCAGGGGGGCGCGGTGACGGCCCACGCTCGG-GGAAGAAGGCCTGGGGCCCCTCCGCCAGGGGGGCTGCCGCGGGGGGAGCCTGCG-CGGCCCAGGAAGTCGAAAGGCGTGGGGGGGACCCTGCTGGCGGAGCGGGCCTGGCC-50 CGGGCCGCGGGGGGGGCGCCGAGGGAGCTGCCTGCGCCATCGAAGGCG-CGGGGCCGGGCGAGGTCGCGCGGTCCAGGCTGCCGTAGGCGTCCGGCTGCAGG TAGAGCGGGGTGCGCGGCGACGACGGCCGTCCCTTGGGGGACAGCGGGCTGTAGG-GGTGTAGGGTTGGGGCACTCTCTGATCGTCCGAACGGGGTGTCTGCGCCGTCGGT-GGCCGCCTTCCGGGGGGACCCTCGGCTGCCGAAGGGCTCAGGGATCGAGCTGGAG-55 CATTAGTGGAAGGGTTGGTGTGTGGGCGGGGGTGTCAAGAGAGATCACTGGAGGT-CAACCCAGAGGAGGCTGACCGGCCATGGAAATTCAGGCACAGAGAGCCCAGGTGAG-

TAGTGGTGGGGAGACAGCCCTGAATCAGCACTGTGGCTAGCCCATTACTCTATGT-

57

CACCTTATGCCACTTAGGTAAACACCTCTTTCCTTCTGAGGGTCCCTTTAGATGTC-TCTTTCTTTCTTTTCTATCTCGGCTCATTGCAGCCTCAACCTCCCTGGCTTAGT-5 GYGATCCTCCCACTTCAGCCTCCCAAGTAGCTGGGATTACAGGTATGCACCACCA-CACCTGGCTAACTTTTGTATTTTAGTAGAGACAGGGTTTCACCATGTTAGCCAGGCT-GGTCTTAAACTCCTGACCTCAAGTGATCCGCCTGTCTCTGAAAGTGTTGAGATTA-CAGGCGTGAACCACCGTGCCCAGCCAGATTTTTAAAAAATCATTTGTAGAGGCTGGTC-10 TCAAACTCTTAGTCTCAAGCAATTCTCTCACCTCGCCTTCCAAAGTGCTGGGATTC CAGGTCTGAGCCATCGCGCCTGGCCTGGTCCCCTTTTTTCAAGTTCCCTTGAAGAGC-CCACAACCTGCATAACTATATGGGGCAATTTTGCCTGAAATCCAGGCCTCTGGTCTG-GACTGTGGCGAGAGGCTGGCTTTGGAGATCAAGGTGGGAACCAGGCTTACCCTA-GAAGGGGTCCGGCCTGCGGGCCAGGAGGCGCGGGAGAGTCTGACCACAGCGAC. 15 TCCAGCTGCTTGGTCAGTTCATCCACCTTGGCCGCCGCCGTGTCCAGCTCCATCTGC TTCAGATCCATGTGTTTCATGGCCAGCGCTGGGAAGGTGGGAGTGGAGGTAAGGACC-TGGCCTCCTGGCAGGGGCCGGCCTCAGCACCCCTCGCCGCTGCCGAGGTCCCCG-CCTCGCCAGCCCCGCCCCTACTCCAGCTTACACTGGAAGTTCATGTCCAGAAAGTC-20 CATGGTGGGGAGGGAGCTGGCTAAGACCCCGCCCTCTAGACCCCGCCCT-GGAAGCCCTTTACCCTTTCACCTCCCAGCTGGGAAATGCCAACTCCTCCAAAGC-CAAGTCCATGCGCCACGGAGAAGTCCAAACCCAGTCTAAAACCTCCGGAATTCACTT-25 GAGTCTCGCTCTGCCCCAGGCGGGAGTGCAATGACGCGATCTTGGCTCACTG-CAACCTCCGCCTCCCGGGTTCAAGCAAATCTTCTGCCTAGCTGGGACTACAAGCGCG-TATCTATTGATCACCTACAATGTGCCGGTAAACATAGGATGGAATAACTATGAATTACT-GAATGTTTACTAGGGACCAGGACGCACTGTGCTAGATCCTGTTTTTGTTTTGTTTTTGA-30 GATGGTGTCTCGCATTTTCGCCCAGGCTGGAGTGCAGTGGCGCGATCTCGGCTCACT-GCAAGCTCCGCCTCCAGGGTTCATGCCAGTCTCCTGTCTCAGCCTCCCGAGTAGCTG-GGACTACAGGCGCCTGCCACCATGCCTGGCTAAATTTTTGTATTTTTAGTAGAGACGG-GGTTTCACCGTGTCAGCCAGGATGGTCTCGATCTCCTGACCGCGTGATCCATCTGCC-35 TCGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCGCGCCCGGCCCTTGTTT-TTGTTTTTTAATAATAATTCTGCTGTCTGCTGTGTACTAGAACCCATGCCTACTGCTTG-GGGTATAATGTAGTAAATGTAGTAAAAACAATATCCGCCGGGCGCGGTGGCTCACGC-CTGTAATTCCAGCACTTTGGGAGGCCAAGGAGGGCGGATCACGAGGTCAGGAGAG-CGAGACCATCCTGGCTAACATGGTGAAACCCCGTCTCTACTAAAAATACCAAAAAT-TAGCCAGGCGTGGTGATGGACGCCTGTAGTCCCAGCTACTCGGGAGGCTGAGGCAG 40 GAGAACGGCGTGAACCCGGGAGGTGGAGCTTGAACTGAGCGGAGATCGCGCCACTG-ATATGTTTAAAACAACAACAACAATAACCAGCCAGGCGCGGTGGTTCACTCCTGTAAC-CCGAGCACTTTGGGAGGCCGAGGTGGATCGCTTGAAGCCAGGAGACCAGCCT-45 GGCCAATATGGTGAAACCCCGTCTCTACAAAAAAATACAAAAGTTAGCTGGGCATGGT-GGCATGTGCCTGTAATCCCAGCTACTCAGGAGGCTGAGGCACAAGGCTCACTTGAAC-CTGGGAGGCACAGGTTGCAGTGAGCATAGATTGTGTCACTGCACTGCAGCTTGGGT-GACAGAGCGAGGCTCTATTTAAAAAAAAAAAAATTAATTGAGGGGCCACTCCCTTCTA-GAGTGGTGAGAAATGCCGTGCACCGAAAGCTTCATTTGATGGTCAAAACCACCCTAG-. 50 CAGGCAAGAAAGCATGGCTCAGAAACATATGTTCAAGGTCACCCTGCAAGAAGTCGG-TAGTAATCGGTTTCACACCCGCATCTAACTTATTCTGGGTCATCTCTACCAGATTAGAG GGGTCCTAGAGGGAÁGCGACTGCTCAGCTTCCCTTTCCCTAGGGTCCCCATTCAGTG-GAGGTCTGGCTCTCACTGACCCATTGTTAGCAAGAGGAACAGGGAGGTGGCCAGGG GTGGAGGGCAGCTGTGGT.CACTGGCCCAGTGGGAGGGAGCTAGGCCACTAGGAAC-55 CGGTCAGGCCAGCACCATCCCTATCCCCATGCTAGCCACCACCACCACCAGCTCTGC-CACCTCCCTGCTGCATCGACCACTTAGCTCTGGCAGTATAGGCAGCAGGGCAGGCTG-GGGCATGCTGATACCCGCCTCTGTCTGGGAAGTCGAAGGAACAGAACCTGTTCAGGC-

TGGCGGCTCATTTGGATGAACAGGGAGTGTGTGACCTTGGGCGTTGAGTCCTCTC-




58

TITTITGAGATAGGGTCTCGCTCTGTAACCCAGGCTACAATTGTGACTCACTACAGCC-TCTTGACCTCCCAGCTCAAGTGGTCCTCCCACCTCAGCCTCCTGAGTAGCTGAGACTA-TTTTTTGAGACGGAGTCTTGCTCTGTCGCCCAGGCTGGAGTTCAGTGGCGGGATC-5 TCGGCTCACTGCAAGCTCCGCCTCCCGGGTTCACGCCATTCTCCCGCCTCAGCCTCC-CAAGTAGCTGGGACTACAGGCGCCCGCCACTACGCCCGGCTAATTTTTGTATTTTAG-TAGAGAÇGGGTTTCACCATTTTAGCCGGGATGGTCTCGATCTCCTGACCTCATGATC-CGCCGCCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCGCGCCCGG-CCACCCAGCTAATTTTTTAAAAACATTTTGTACACTTTGGGAGGCTAAGGCGGGAG-10 GATCACGAGGTCAGGAGCTCGAGACCATCCTGGCTAACACAGGTGAAACCCTGTCTC-TACTCGGGAGGCTGAGGCAGGAGAATGGTGTGAACCAGGGAGGCGGAGCTTTCAGT-GAGÇCGAGATCGCGCCACTGCACTCCAGCCTCGGAGACAGAGCGAGACTCCGTCC-CAAAAAAAAAAAAAAAAAAATTTGTAGAGACAGATCAAGTCTCACTTTGTTGCTCAGG-15 CTGGTTTTGAACTCCTGGGCTCAAGCAATCCTCCCGCCTCAGCCTCCCAAAGTGCT-GAGATTACAGGCATGAGCCACCACACCTGGCCAAATCAGCTATTCTGAAAGGCCCCTT-TAATCTCTATGAGCCCCAGACTTTCAAACTGTAAGGACCTTAGGACTGTAACTAAAGT-TCTACAGAGCCTAAACCCCTCAGCTAAAGAGCCTATTGTTGGAAAGTTCTGAGTCCAA-GATTCTATCTTTGGAACATTCTAGAATTCTCCAATTTGTCTAACCCAGAATTCTGAGTCT-20 GTATAGTGCAGCTGGTAAAAGCATGAGTAAGAAGTCAGACTTCAAAAATTCAAATCT-GAGGGCCGGGCATGGTAGCTTCTGCCTGTAATCCTTGCACTTTGGGAGGCCGAGGG GGGAGGATCACTTGAGGCCAGGAGTTCAAGACCAACATGGCCAACACAATGAGACCC-CATTTCTTAAAAAAAATTAAAATAAAATCATCAAATCTGGCAGCACCACCGTCCAACCC-25 TGACCACAGTACCTCAGTCTCGTAATCCGTAAAATGGGGATGAAAGTTCACCTCATAG-GACTACTGTAAGAATCCACCTGGTCAGAAGGTGCAGGAAGAATTCAGAGCTCTGAGA-ATTGAGGCCTCAGGAAGAGAGACTACAGGAATAAAAACTCGGGCATTTAGAATTTCA-GAGATACACAAACAATACTTTGTTAACTGTTAAAATAGATAAATGAGCAAGTCTGTG-30 TCTCGCGCCTGTGGTTAGGCTGGTCTCGAACTCCTAGCCTCATGGGATCCTCCCCGG-CTCGATCTCCCAAAGTATTGGGATTACAGGCGTGAGCACGGCGCCATGATCCCCAA-ATTTCCAAGATTCTCAGATTCCATACTGACATTCTCTGGCTCTCAGGAAATGCCAACCC TGGGTGTGGGGCTGTCGCGGGGACAGGCGGTGGGGACGTCGGAGCCACCAGGGGG-CGGTCACGCCCGGACCCCCGCCAGGAGGGCGGACTGCGCCTGAGCTCAGGCCCGG-35 GGAATGCGCAGCGGGCCGGGCAGGTGCTGTACATCCCGGGGCAAGGGAGCTGGG-CCGGGCGGGTACAAGGGCGGGGCGCGGGGGGGCGGGCCGTGTGTCTGTTCC-CAGGCCTCTGCCCCTGACCTCTGCCTCCGAGTCCTCTCCCATGTGCTCCCCTCTAGC-TCTAGCTCCGAGCTCTCCCGCGGGCTCTGGGCCAGCCGCAGGTACTCTCCCCTGGG-CTCCTCTCCCGCTCCACCCCTGGCTCTCCTTCCCTGGCCTCCTCTGCACCCCAGC-40 CAGGTTCTTTAGGGCTAAGGATCCTGTGGACTTCCTGGAGGAGTCATCTTCAGTAG-GAACCGGGTCAGAGACCAGACTGAGCTGGGAACACCCAGGCTGGACTCCTACAGC-CCTGTCGGGTCACACTGAATCTGGAGAGGCTCCACTGTCTCTGGGACTCGGTTTCC TCCTTTGTGGACGTCTATGGAATGGGCTAGGGCCTTTCTTGCTCTAAGCCTCTACTTG GGCTTGTTATTTAGCTTCTCTGTGCCTGTTTCCTCATGTGGACCATGGGAAGAATTA-45 ATACCTTCGCCTCAAAGGGGTATGAGGATTGAGTGACATAATTTATAAGCCGTGATTA-GAACAATGCAGTGCGCGAAATAAAGTTCACACATACAGGATTCATAATTACCAGAT-GTCCTTGGCTGTTCATTATAATAACACAGGGTCTGGCAACAGAGTGAGGGGTCCAGAC-TCAATGTAATTTTTTTTCCCCTAAAAGGGCCCTTTCAACTCTTTCTGAGATCATACAAG-CCCTGAGTTTTGACACCCAGGGTCTCAACTTCCTGAGCCCTTGCCTCTCAGAGTCC-50 TAAATITCCCCTGTACATTCCTGAGTCTGGCCAGTGATCACCCTCAGTCACTTAGG CAGGGTGTGGGCAATATCCACTCTCCAGCCTCCGTTTCTCCACTCGTAATGAG GAGTCCTTCCCTGGGGTCAGCAAACCTTATTCAAAGGGAGACCTCTCAGTCACCCAA-55 TACACCCAGAGCCCTGTTTTGGCAACCACGGTTATTATTTTTAATTTCATTTCAGGT-TATCATCAAATGCCCTTCAAGCCCAGACATTGGGAAACACTCCTCTCATCAGATGC-TCGCCTCCCCATTCTGTTTTTAATCCCCCTTCTTAGGACGCATGGGGGTTGAGA-



59

GAACGGGGAGATAGACAGAGGGAGGTGCCTGGTCCTGCCCTCCCCCGCCTCAAG-GACAGACAGACACCTCCAGAATTAGCCTCTGTCCCTTCTTATCTCCCACAATACCC-CAGGTCAGACAGATGGGCGTGGAGGTGACATTTCTCACCTCAGGGTCAGGGCAAG-CGTCCCCAGAGAGCTGCAGAAGAAGGAGGAGGCAGAATCCTGACCCTACAAACTC-5 TACTGCCTGTGTGAGCTCCAAGCCTCAGTTTACCCCTTCCTCCGTGTAATGGTTAA-ATGCCCGGCTATGCAAACCTCCCAGAATCCAATAGCCGCTTTCCGGAATTCTGCCCT-GGGTTCTAGAACTACCTCTGCAAACCCAGCTGTTTCCCACCCCATAAGGCAATAGGG-GAGCCCACCTCCGCCAGGGGGTGCCCTAGGGCGGATGTCCCTTCTCTGGTTAGG-10 CAGGTCTGACGCCCAGGTTAATGACATGTTGGGTTCGCTCAGCGGCACAGAGGAG-GTTGGAGATCTGCCTCGGTGTTTTCTCTCCTACCCCGCCCCCATCCCCGAGC CGAAAAGTCGGGGGAGAGCCGGGACACAGCCTCCGGAGGGACCCCGGGTACCT-GTCCTGCTCCACTTCAGGAACCCAGGCTCCACTATCCCTGCCCCACCCTTAATTCTGC TCAGAGACCTAGAAGATCGGTCGAGACAGCAGCTTGAGGCTGGCAGGGTGGTCACC-15 CATTCCACCTTGAGCCCCACCAGTCTGAGCCTCTCATTTCTGACCAAGACTCGGGGAT-TCGAACCCCTATACTACCCAAAGACTCGGCTTCCTAGAGCCCCCCAGTTCGAGGGAC-TCAGGAATTCCAGCTCCAACGTCTCCCCGGGATGAAGGGGTAGAATCCCTCCATTC-CAAGAATTCAGGCATCCGAACCCGCTTTCCTTCCCTCCAGTAAAACAGGCAACGGAGT-TTCCTTCTAAGGATCCAGGTGTCGGCGCGCCCCAAATTCCGCCCTGGGACCTGG 20 CGTCCGAGTCCCCCAATCCTCCCAGGGACGCGGGTGTTGGGCTTTTTCAGGGCC-TCTGGTCCCCAGGAGGGTGAAACTCACGGATCCGGGCAGATCCTGGCACCTGGGGG-GAGGGGGAGCCAAGGTCGCCTCGAGCACCTTGGGACTTGTAGTCCCGGAGGGACAG-25 TCAGGCGCACTATCCCCTTTCCTGATCAGTATCCCCCAGGGTCTCTGAGCCCGAATC TCCCCGTCGATAAAAAGCGCGGGGTTGGATCTTCAAAGGATGTCCCAGCAAGAGTT-30 CAAAATCTTAGTTTGGACTACAACCCCCAGCAGCCTCCGCGACCGCCCTCGGGCGAC-TCTTTGCCTCGGGTCCTGTGGGAATTGTAGTCCTGGAGCCCGCAGGGCTGCACCC-CGGTGTCTCTCCCCCACGCGAAGGAAACCGTCTGGAGATCCTGGATAGGGGAAA-CATTTCCCCTTCCCCTTGACCCTCCCTCCGCTCTGGAAAGCCTCTCCCACCTGGGGA-GAAGGGTGCCCCAATTCTGGAGTAGGATCCTAAATCTTGGCAGAGGGGGGCGG 35 GAAGTGGCGCTGACACACTGGCCAGGAATGCAGTCGGGTCACCCTGTCTAGCCAC-CGTCTCGCGGCTCCAACCGCGCCCAACGCGGGGCGCCCCAGTGGGAAGG-GAAGTGGGTCCCCCAAATCTGTCCCCGTGCCGCTGTTTACACGCTCCCTGG-GGCAGGGAGGAGTCGCCGATCAGGTCCCTTCCTGAAAGTCATCGAGGTTTCCCACG-CATGAGACTAAACCCCGAGGGCATCTACAAGTCCCATTTGATCCACAAACGCTACAC 40 CGTGCCCAGCACCACTCCACGCGTGTGGGGCTCCTGGGTCCGAGGCTCCGCCC TCGAGAACCACAAGCTCCTCCCCCTATGTTTCCCGCTCCCCGGAGTCCAGAAGCCC CGCCCTGGCTGGAACTTCACGCCCTCCGGACGGATTGCCCCTATTTCTCCATTTTCC-CGCTTCTCCCAGTCAAGTTCTGAACTTGTGAGGCATCTGGGCCTCCCCAGAAGACATT-TAACACAGAAAGCACAGCCCTACTAACTAGTATTCTTACCTGTCTCTTCAAGAATTTCA-45 GACCAATCGACCGTCCTGTCTCTTTAAGGCTTAGGAAGAGCAGTGTGGCTGCCCCTT-GACCCGACGGGCCTCTGACTCCAGCAATACAGCGAATCAGCGGCTTTCGGGAATA-CCAGTTTTTCCTGCAGATCGGGAGTCGAGCAATGCCTACCCCGCGCTCCCGCAC 50 CAGTTGGGCGCTCCCGGATGATGCCCTACCCCTTTGGATCCACGTGGTCTGCAACCT-GGTGCGAGCAGCCCGGGCTACAGGGTTGCCTGAGGTGTGGGTCCCAGGATGGAG GAGCCCAGGCCGCGCTGAGGGTGCGGGTTGACGGGGTGCGAGGGTGCGTTG GTGGAAGGAGAAAGGGCGTCCGAGAGGGTTCGGCCGGAAAAGGAGGCGTACCTG-CAAGCAGGACTTGCGAAGAGCGTGCATTCCCAGTGGGCGAACGGGAATTCGAACG-55 GAGAGAGGGTTATCTTGTGGGGGGCTACCCGTGGAGAGCAAGGCGCCCCCAGGG-GTTGGATCGGTGAAATTGAGGTCGCCCCTGGGGAACAGGTGGGCAGAAAGGA-GAAACCAGGTTGAGGGGACTGGAGTGCTCACGAGGTTAAGACCAATGGACCGA-TAGGCGCGCCCTGCAAGATTGGACCGGCAAGGAGGTGTCAGTCGACCCCATTTCCCC-



60


TTCTGCTGCAGATGCTGCTCGGTTCTCTTGTCCCCCCAACTTTACCGCGAAGCCCC CAGCCTCAGAGTCCCCTCGTTTCTCCTTGGAGGCGCTGACGGGTCCAGATACGGAGC TGTGGCTTATTCAGGCCCCTGCAGACTTTGCCCCAGAATGGTGAGTGGTCTTGTT-GACGGAAAAGAGGGTCCCGGTCCAGACCCCAAGAGCGGGTTCTTGAATTTGTCACAG-5 TACTCCTTTACAGAGTAGAGTGTCCTCAGAAAGCAGGGGGAGAAACCCACAGCCCT-TTGTTAGTATTTCTACTTATAAGAAACTATAAGGAACTATAGTTAAACTTGGAGTGTG-CAGATAAGCTCACTAAAGGTAGGGGCTATTGGTGTTATCCACGACCATTAATCCTG-CAACCTAAGCTTGCTCATTTATGTTATATTTAAGTAATGGGGGCTGCATTCTTAGGA-10 CATTTGGACATTCTGCAGGCTTGGTGGAACATGTTCTGTATGGCCATAAATATTCTGTA-ATTATAATTGGTGGTCAGCCTGGGATGTGGTTATTTTCAGGCCATAAGCATGAACCTT-GTAAGTGCCTAGCTACTCACTTTAAGATGGAGTCACTCTAGTCATGTTTTATTAAAAAC-CAGAGGCCAGCCAGGCGCAGTGGCTGGTGCCTGTAATCCCATCCTTTGGGAGGC CGAGGCGAGCAGATCACTTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATAGT-15 GAAATTGTCTCTACTAAAAATACAAAAATTGGCTGGGCGTGGTGGCAGGTGCCTGTA-ATCCCAGCTACTTGAGAGGCTGAGGCAGGAGAATCGCTTGAACCCAGGAGGTGGA-CATTGCAGTGAGCCGAGATCATGCCACTGCACTCCAGCCTAGGCAACAGAGCAAGAC TCTCTCAAAAAAAAAAAAAAAAAAAATCAAAAAACCTTCCCTCTCCTGTTCCACTTAAG-20 CTCCCAGATCGTCAAGGGCAAATTGGCAGGCAAGCGGCACCGCTATCGAGTCCTCAG-CAGCTGTCCCCAAGCTGGAGAAGCGACCCTGCTGGCCCCCTCAACGGAGGCAGGAG-GTGGACTCACCTGTGCCTCAGCCCCCCAGGGCACCCTAAGGATCCTTGAGGGTCCC-CAGCAATCCCTGTCAGGGAGCCCTCTGCAGCCATCCCAGCAAGTCCCCCACCACA-GATCCCTCCTGGCCTGAGGCCTCGGTTCTGTGCCTTTGGGGGCAACCCACCAGTCA-25 CAGGGCCTAGGTCAGCCTTGGCCCCCAACCTGCTCACCTCAGGGAAGAAGAAAAG-GAGATGCAGGTGACAGAGGCCCCAGTCACTCAGGAGGCAGTGAATGGGCACGGGGC-CCTGGAGGTGGACATGGCTTTGGGGTCGCCAGAAATGGATGTGCGGAAGAAGAA GAAGAAAAAAATCAGCAGCTGAAAGAACCAGAGGCAGCAGGGCCTGTGGGGACA GAGCCCACAGTGGAGACACTGGAGCCTCTGGGAGTGCTGTTCCCGTCCACCACCAA-30 GAAGAGGAAGAAGCCCAAAGGGAAAGAAACCTTCGAGCCAGAAGACAAGACAGT-GAAGCAGGAACAGATTAACACTGAGCCTCTAGAAGACACAGTCCTGTCCCCGAC-CAAAAAGAGAAAAGGGCAAAAGGGGACGGAAGGGATGGAGCCAGAGGAGGGGGGT-GACAGYTGAGTCTCAGCCACAGGTGAAGGTGGAGCCACTGGAGGAAGCCATCCCTCT-GCCCCCTACGAAGAAGAGAAAAAGAAAAGGGACAGATGGCAATGATGGAGCCAG-35 GGACGGAGGCGATGGAGCCAGTGGAGCCGGAGATGAAGCCTCTGGAGTCCCCAGG-GGGGACCATGGCGCCTCAACAGCCAGAAGGAGCGAAGCCTCAGGCCAGGCAGCTC-TGGCAGCTCCCAAAAAGAAGACGAAGAAAAAAAAACAGCAAGATGCCACAGTGGAGC-CAGAGACAGAGGTGGGGGCCTGAGCTGCCGGATGACCTTGAGCCTCAGGCAGC-40 GGCAACTCCGGGATCCACCAAGAAGAGGAAGAAGCAGAGTCAGGAAAGCCGGATGC-CAGAGACAGTGCCCCAAGAGGAGATGCCAGGGCCGCCACTGAATTCAGAGTCTGGG-GTGTAGTCTGCCCCGGGAAACTGAGGAACTAAAGAAAGCTGAAGGTGCCCACCTG 45

### Sequence of the s region of chromosome 19

The following depicts the region s as described above.

50 More specifically s is bounded by and includes the following two sequences: GGCGCCGGCCGGACTGTGCAG and CCAGAGACTGCAC-CAGCGCAGCCCAGCTTGAGCAAGATAGCG, and is defined by SEQ ID NO: 2 herein below:

GGCCACCAGAAGGTGACACCCCCAGAATCCCTCCCCAGAGACTGCACCAGCGCAGCC



+ P

P 687 DK03

61

TATTACGAGACCATTGGCTAACCTGCCCGTCAATCCGCTAGGGCAGAGCAATC GGGATACTGCGCGTGCGCACGGAAAAGCGAGGGCGGCTGACTCTCGGGT 5 GAGGCGGTGCGGGAGGCGTCACTGAGGATCGTCGAGGGCC AATCAAAA GAAAACATGGAAGGGAAAGAGCCGAGAGACTCGATCTCACTAGAA TTTGGTCCTCCTGCGCCTGCCAAGATTGTCTGA GTATTGATCGAACCCAGGAGTTCGAGATCAGCTTGAGCAAGATAGCG 10 AGTCTAACGGAGAATGACAGGGAAATTGGTGATCCTTTCTGGGCCCAAGAGTTAGAA-ATGGCTTTGCAGGCCGGGCGCGGTGGCTCAAGCCTGTAATCCCAGCACTTTGG-GAGGCTGAGGCAGGTGGATCACCTGAGGTCGGGAGTTCAAGACCAGCCTGACCAA-CATGGAGAAAACCTGTCTCTACTAAAGATACAAAATTAGCCGGGCGTGCTGGCAAATG-CTTGTAATCCCAGCTACTCGGGAGGCTGAAGCAGGAGAATTGCTTGAACCTGGGAGG-15 CAGAGGTTGCAGTGAGCAGAGATGGCGCCGTCGCACTCTAGCCTGGGCAACAAAG-CGAAACTCCATTTCAAATATTAATAATAATAACTAATAAATAAAACATAAATGCTAGCTT-TTGTTTGTTTCTTCAACAAATAGCTATGTGGCATCTACCATGTGTCTGATCCTGTGCT-GGCCCCTGGGAACAGAAAGGTGACCATGACAGCCTCAGCACCTGCCCTCAAAGAACA-GATTTTTTCCTTGAGACAGGGTCTTTCTCTGTCGCCAAGGCTGGAGTGCAGTGGCA-20 CAGTCACAGCTCACTGCAGCCTCCACCTCTTGGGCTCAAGCGATCCTCCCACCTCAG-CTTCCAGAGTAGCTGGGACCACAGGTGTGCACCACCAAGCCCAGCTAAGTTTTATTTT-TTAAATTTTTTTAGAGACGAGGTCTCACCACGTTGCCCAGGCTGGTTAAACTCGCAG-GTTCAAGTGATCCTCTCCCCTCAGCCTTTCAAATTGTTGGGATTACAGGGGTGAGG-CACCAGGCCTGGCCTCAAAGAACAGATATTAAATATACAAATGAATATATGATTACAGC-25 CTGGAGTGGTGGCTGTGGTTCCAACACTTTGGAAGGCCAAGGCGAGTA-CATTGCTTGAGCTCAGGAGCTAGAGACCAGCCTGGGCAACATGGTGAAAACCCGTC-TCTACAAAAATGCAAAAATTAGCTGGGCGTGGTGGCGTGCACCTGTAGTCCCAGA-TACTCAGGAGGCTGAGGTGGGAGAATCACCTGGGCCTGGGAGGCAGAGGTTGCAAT-GGGCAGTGATTGTGCCACTGCACTCCAGCCTGGGCAACAGGAGTGAAAACCTATCT-30 CAAATGTGTGTGTGTGTGTGTGTGTGTGTGCGCACGTGTATAATCACAAGTA-CAGTGGCTCATGCCTGTAATCCCAGCACTTTGGGAGGCCAAGGCAGATGGAT-CACGAGGTCAGGAGTTCAAGACCAGCCTGGTCAACATGGTGAAACCCTATCTCTAC... 35 TACTCGGGAGGCTAAAGCAGGAGAATTGCTTGAACCCAGGAGGCAGAAGTGAGCCAA-GATCACGCCACTGCACTCCAGCCTGCGTGACAGAGCAAGACTCCGTCCCAGAAAAA-GAAAAAAAAAAAGACTTATTATGACAGGATGTCTACTGTCAACTGTGGGGTGTGAGT-GTTGGCCAAGTGATCAGAGAAGGCTTCGTGGAAGAAGCGAGGTTTGAGTAGAGCCA-40 GTGTTCCAGGGAGAGAGACCATCATACACAAAAGCTCTAGGCCAGAAGAAAGCT-

GAGGCCTGTGAGTGCTGAAAGGAAGCCTGTGGGGGTGGAGCTCTGAGTTGAGCA-



62

CAGGGAGCAGAAAGGGCAGCTGGAGGGGAAGGCAGGGGCAGATCGAAATCTCTT-TTTTAAATTAATTAATTTATTTATTTTTGAGACAAGGTCTCACTCTTTCGCC-CAGACTGGAGTACAGTGGCACAATCTCAGCGCACCGCAACCTCTGCCACCCAGGCT-CAAGCAATTCTCTGGCCTCAGCCTCCCTAGTAGCTGGGATTACAGGTGCGCACCAC-5 TACTGCCCAGCTAATTTTTATACTTTTAGTAGAAACGGGGTTTCACTATGTTGGCCAGG-CTGGCCTCAAACTCCTGACCTCAAAAGATCCACCCACTTCAGCCTCCCAAAGTGCTG-GGATTACAGGTGTGAGCCACCCTTCCCGGCTGTATTTTTGGAGACAGAGTCTTGCTCT-GTCCCAGCCTGGAGTATGGTGTGTGAATTTGGCTCATTGCCACCTTGACCTCCAG-GGCTCAAGTGATCCTCCCACCTCAGCCTCCTGAGTAGCTGGGACTGCGGGTACACGA-10 CACCACGCCTGGTTAATTTTTTTAATTTTTTGTAGAGACGAGGGTATCTCACTATGTT-GTCCAGGCTGGACTCCTGAGCTCAAGCAATTCTCCCACCTCAGCCTCC-ATTITITATGTTTACTTTTCTATCTCCTACAGGAAGAAATATATTTTGTTATTGACAG-GGTCTCGCTATGTTGCCCAGGCTGGTATTGGGCTCAAGCCATCCTGTTCCCTCAGCC-TCCCAAAGTACTGGGATTACAAGCGTGAGCCTCTGCATCCAGCCCAGATCCAAAATCT-15 TTACTGTCACCTACAGAGTCCTCTGTAACTAGCTTACTGCTCATCATCCCCATACCAAC-CCACCTTACTGCTCTGATCTCCTCTCTCTCCCCCAGCTCATTTTGTTTCAGCTATG-CTGGTCTCCTTGCTGTCTCTAAAACATAACAAGCACATCCCATCTCAGGGCCTTTG-CACCAGCTATTTTGTCTGCCTGGAATGCTGTTTCCCCTGATAGCCATGTGGCTGACA-20 CACTCACCTCCCTCAGCTCTTTGCTCAACTTGTCAACTTCTCGGCCCGGCATGGTGGCT-CACACCTGTAATCCTACCACTTTGGGAGGCTGAGGTGGGCAGATCACCTGAGATCAG-GAGTTCGAGACCAGCCTGGCCAAGATGGTGAAATCCCGTCTCTACTAAAAATACAAAA-ATTGGCAAAGCATGGTAGCACATACCAGTAATCCTAGCTACCCGGGAGGCTGAGG-CAGGAGAATTGCTGGAACCCGGGAGGCAGAGGCTGCAGTGAGCCAAGATCATGC-25 CACACTATATCCCCTTTCCCTGCTTTATTGTTCTTGAGAGCTCATTTAACCATGTGA-. 30 TCACGCCTGTAATCCCAGCACTTTGGGAGGCTGGAACAGGTGGATCATGTGAGGT-CAGGAGTTCCAGACCAGCCTGACCAACACGGTGAAACCTCATCTCTATTAAAAATG-CAAAAATTAGCTGGGTGTGGTGTCGCATGCCTGTAATCCCAACTACTCAGAAGGCT-GAAGCAGGAGAATCGCTTGAACCTGGGAGGCAGAGGTTAACGCTGAGCCGAGATCG-CGCCATTGCACTCCAGCCTGGGCAACAAGAGTGAAACTCTGTCTCGAAAAAAA. 35 CAAAAGTCAGCTCCATGGCAGGAGTGATGGCTCACGCCTATAATCCCAGCACTTTGT-GAGGCCGAGGCGGGCGGATCACTTGAGGTCAGGAGTTGGAGACCAGCCTGGCCAA-CATGGTGAAACCTCATCTCTACTAAAAATACAAAAATTAGCCGGGCGTGGTGACACAT-GTCTGTAGTCCCAGCTACTTGGGAGGCTGAGGCTGGAGAATGGCTTGAACCTGG-GAGGTAGAGGTTGCAGTAAGCCAAGATCGCGCCATTGCTCCCATCCTGGGCAACA-

10

15

20

25

30

35



P 687 DK03

63

GAGAGAGAGAAAGGGAGAAAGAGAGAAAGGATGGAAGGACCCTGACAAGCACT-TCACTTCTGTTGCTCCAGCTGAAGTGCAGTGGTGAGAACATGGCTCAGTGCAGCCT-CAACTTCCCAGGCTTAAGTGATCCTGCCACCTCAGCCTCCTGAGTAGCTGGGACTG-TAGGTGTGCACCACCGTGCCTAGCTAATTTTTTGTATTTTTAGTAGAGACATGGTTCCG-CCACGTTGCCCAGGCTGGTCTTGAACTCCTGGGCTTAAGGGATCTGCCCGCCATGGC-CTCCCAAAGTGCTGGGATTACCAGCGTGAGCCACTGTACCCAGCCTGAGTATAGGTT-TCTGATAAATTTTAGGATCATATTGTTTGGACTGGGTAAGAATTTCCAGAACTCTAAT-TCACTCTTGTTGCCCAAGCTGGATTGCAGTGGCACGATCTTGGCTCACCACAACCTC-CGCCTCCCGGTTTCAAGTGATTCTCCTGCCTCAGCCTCCCCAGGAGCTGGGATTA-GACGGGGTTTCACCATGTTGGCCAGGCTGGTCTCGAACTCCTGACCTCAGGTGATC-CACCTGCCTTGGCCTCCCAAAGCGCTGGGATTACAGGCATGAGCCACTGTGCAAGGC-CTAGGCTGGTTTATAAAATTGCTAAACCAAGCAGAACATGAATTAAATACCAAGGAA-ATACTCTCCTAGATTGTCATGTTACATCAGCCAATACTAAAATTGTCAAGATACACAAT-TTGAATGAACTCCATGGTCCAAGTCGAATTATCTATGATATTACCCATCTAATAAACAG-CACTATGTCCCTTAATGGGAGAAAAGTTGGAGAATTTAAGAGAATATCAATCCAAT-GTTGGTTGGGTGCAGTGAATCATGTCTATATTCCCAGCACTTTGGGAGGCCAAGG-CAGGAGGATCACTTGAGCCCAGGAATTCAAGGCCAGCCTCGGCAACACGGTGAGATC-TATAGTCCCAGCTACTTGGGAGGCTGAGGCGGGAGGATCATTTAAGCCTGGGACGTT-CACTAGAGGAAAAAAAACTAAAGTGGGGTTTGCGGGTAGTGGGAGGGCCCTTCCTG-CTAGGTTGCACTATGATCTCCAGGGAGGCTCCACGGGAGAATCATTTCCTTGTCTTTT-TCAGTTTCTAGAGCCAAATTCTTTGCATACCTTGCATTCCTTGGCTCGGAACCCCTTCC-CTAACCTTCAAAGCTGGCAGCTAGCCTCTGGCTCAAGTGTCACATGGCCTGTCTCT-GTCTTCCTATCCAATCTTCCTCTTATAAGAACATTGGAGCCAGGCATGGTGGCTGACG-CCTGTAATCCCAGCACTTTGGGAGACCGAGGCAGGCGGATCACAAGGTCAGGAGT-CAAAAAGTAGCCGGGCATGGTGGCAGGTGCCTGTAATCCCAGCTACTTGAGAGGCT-GAGGCAGGAGAATCGCTTGAACCTGGGAGGCAGAGCTTGCAGTGAGCCGAGATAGT-ATAAAAATTATTTTGAGACAAAGTCTATTCTGTGGCAGAGGCTGGAATGCAGTGGCGT-GATCACAGCTTACTGCAGCTTCTACCTCCTGAGCTCAAGCGATCCTTCCACCTTGGCT-TATTATATTTTTGTGACGGAGTTTCGCTCTTGTTGCCCGGGCTGGAGTGCAATGGTGC-



P 687 DK03

64

TATCTCAGCTCACTGCAACCTCTGCCTCCTGGATTCCAGTGATTCTCCTGTCTCAGCT-TCCTGAGTAGCTGGGATTACAGGTACATGCCATCACGCCCAGCTAATTTTTGTATTTT-TAGTAGAGACGGGGTTTCATCATATTGGTCAGGCTGGTCTCGAACTCCTGACCTCAG-GTGATCCACCTGCCTTGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGGCACCACG-5 CCCGGCAATTTTTTTTTTTTTTTTTTCAGACAGAGTCTTGCTCTGTCACCCAGGC-TGGAGTGCAGTAGCGTGATCTCGGTTTACTGCAACCTCCATCTCCCGGGTTCAAG-CGATTCTCCTTTCTCAGCCTCCCAAGTAGCTGGGACTACAGGTGCACACCACCACGG-CGGGCTAATTTTTGTATTTTTAGTAGACACCAGGTTTCACCATATTGGTCAGACTGGTC-TCAAACTCCTGACCTCAGGTGATCCATCTGCCTCAGCCTCCCAAATTGCTGGGATTA-10 CAAGCGTGAGCCACACCTGGCTTAATTTTTTATTTTTGATCGACACAGGGTCTCCC-GTAGCCCAGGCTGGAGTACAATGGTGCAATCTTGGCTCACCACAACTTCCGCCTCC-CGGGTTTAACAGATTCTCCTGCCTCAGCCTCCCAAGTAGCTGGAACTACAGGCACC-TACCACCACACCAGGCTAATTITTGTGCTTTTAGTAGAGATGAGGTTTCACCATGTT-15 GGCCAGGCTGGTCTTAAACTCCTGGCCTCCAGTGATCCACCCGCCTTGACCTCC-CAAAGTGCTGAAATTACAGGCGTGAGCACCGCGCCTGGCCTCCAACCTACAATTT-TAGGATTAGCTGCCTCCAAACTTCAGGTGATAGATTATCAGGCATGTACTTGAAAC-TAAAGGACACAAAAGAAGAATCCGAAATATAAAATAAAGGATTGGACTTGTGTGAAAA-20 GAATCCCTTAGAAAGGGCTACTTTCAGGCTGGCCATGGTGGCTAATGGCCTGTAATC-CCAGCACTTTGGAAGGCCGAGGTGTGTGGATCACCTGAGGTCAAGAGTTCAAGAC-CAGCCTGGCCAACATGGTGAAACCCCGTCTCTACTGAAAATACAAAAATTAGCCAGGT-GGGGTGGCAGATGCCTGTAATCCCAGCTACTCGGGAGGGCTGAGGCAGGAGAATCGC-TTGAACTCAGGAGGCAGAGGTTGCAGTGAGATTGCGCTATCGTGCCCAGCC-25 TACTTTCAGACTGCCTTGCCAAAAATCATAACCACAATGATGAGCATGTATTGAGT-GAAAGTTTCTCTATTTTGTTTATAAACATTAAACCAGTGCTGTGAAGGCACTTAATT-CAAGACTGCTGGGAGAGATGGTGTCAGCAGTGACTCCCAGGAATATCCAGTGGTGTG-30 GATGGTGGTAGGCATGGGAGGCACTTTGGACGGGATCTGATTTGGCAAAAGGAAGTG-GTTTCCTGTCCCCAGTGATTTCCAGCCCTTCCCAGACCTCCCAAGGCTAAGGCAGAT-TACTAAATTTAAGGCTGGGGCCCTCCTTCTTCCCTGGACTTCCAGGAGAACAGAGAAC-CGGTGGCAAGGACCACCAGCAGGGGGTGAGGGGTGCAGATAAAGGCAGCAAAAAA-CAGAGGGAGAGGTCTGGAGGGAAGGCAGGAATGCTTGTTTCTGTCAGCCTCAGAAAC-CTCCTTCTATCCTGCTAGACTTTACTCCTTTGAGGCTTCACCCTGGGGAACAGCTGGG-GAGAGACAGGATCTTCAGACATCAGGAGCTCCCACCTCCTCATCCCACATGCAAATC-CGCTGCCTGTCTCTATCCTCCCACCCCTTCCTAAGGGGACCTCTCAGCACCTCC-

10

15

20

25

30

35



P 687 DK03

65

CAAACTGCTCCAGAATCCAAGTTCTGTGTCACCTCCAAGAACCAGATGGAACCTTCCA-ATCAGAGCCTCCACTGATGAAATGGAATATTTCCAGTGTCTCCTAACTGCCATAAGGA-GAAGCCCACCTCTCTCAACACCTTGGTTGTCTTTTTGGGTCCCACCTCCATATT-TAAAAAATCTCCTCTCAGGGCCGGGAGCAGTGGGTCACACCTATAATCCCAGCAGT-TTGGGAGGCCGAGGTGGGTGGATGACCTGAGCTCAGGAGTTCAAGACAAGCCTGGT-CAACATGACGAGACCCTGTCTCTACTAAAAACACAAAAAATTAGCTGGGCGTGGTGGT-GCATGCCCGTAATCCCAGCTACTTGGGAGGCTGAGGCAGGAGAATCACTTGAATCCG-GGAGGTGGAGGCTGCAGTGAGCCAAGATCGCGCCACTGCACTCCAGCCTGGG-GAAAAAAAAACCAAAATAAAAAAATCTCCCTTCTCAGGAATGTAACGGAATCTTCCTT- . GCCTTCTCCCCTAAGCCTAATAGAGAATTTTCCTCAGTTACACTGTAATTTTATTAATG-GATTTTTCCTCATTCTGCCCAATGCAGTGTAATGAAAGCTTCCTCTCCATCTGTTATAT-TATTGTCACCCAGGCTGGAGTGCAGTGGCACCATCAGGGCTCACTGCAGGATCAATC-TCCCAGGCTTAAGCGATTCTCCTGTGTCAGCCTCCTGATGAGCTGGGATTACAGG-CACCCGCCACCACCCGGCTAACTTTTTTTTTTTGTATTTTAGTAGAGATGGAGTTT-GGCCTCCCAAAGTGCTGGGATTACAGGTGTGAGCCACCTGGCCGGGCCCTCCACT-TCCTTCTTGTACATTGCTGAATCCCTGTGTCAGCCCTAGAGGTCCAGTCTTTTGCCCTC-TCCCAGCCTTAATCTACAATTCTGTAACCCACCACCATCATTAAAATGAGATTCTTCT-TTGTCGCTTCCCTTGGCTAAAATGGATTATTCTTTAACCTCTCCACCAATACAACCAGG-GATGATAATAAAAACATTGGATTGAGCAGAAACCAATCAAATAACTAGTAAGGCAGTAC-GGCACATGCCTGTAATCCCAGGACTTTGGGAGGCTGAGGCGGGCAGGTCACCTGAG-GTCAGGAGTTCAAGACCAGCCTGGCCAACGTGATGAAACCCTGTCTACACAAAATA-CAAAAAAAAAAAAATTAGCCGTGCGTGGCATGCGCCTGTCATCCCAGCTAC-TCTGGAGGCCAAGGAGGAGGATCACTTGAGCCCGGGAGGCAGAGGTTGCAGTGAG-CCCACATCTTATCACTGCACTCCAGTCTGGGTGACAAAGCAAGACTCCATCTCAA-ATAAATAAATACAAATTGGCCGGGTGCGGTGGCTCATGCCTGTAATCCCAGCACTTTG-GGAGACCAAGGCAGGTGGATCATTTGAGGTCAGTAGATCAAAACCAGCCTGGCCAA-CATGGTGAAACCCCGTCTCTACTAAAAATACAAAAAGTAGCCGGGCGTGGTGGTGGT GGGCGCCTGTAATCCCAGGCAGGAGAACTGGTTGAGCCCGGGTGGGGGGGCC-CGAGGTTGCAGTGAGCACAGATGGCGCCATTGCACTCCAGCCTGGGCGACAGAG-ATTTAAAAATAAAAGGGCTTTTCCTCACCTACTCACCTAACTATAAGGGACCCT-TACCCCGACATTACTATTAAATATAACGGACTTTTCGTCTCCCCCATGAGCAATA-ATGAGCTTTTCAGACCTCCCCCCCCCCCCAATATAACGGTTTGTTCCTGTTGCCTCTTCTTT-TTCCTGTGGGATCCCCCTTTTCCCCAACCCCCAACTGTCGGGAGGTCCCCATGACTTC-TCCCCTGGGCTCACCCCGAAGTAGTTCCGCGGCACGTAGCCCTCCTGGCCGTGCAG-

10

15

20

25

30

35

P 687 DK03

66

CGCGGCCCACCACCAGTCGGTCTCCTCCGGCCCGTCCCTCCGCAGCACGGTGAC CGACTCGCCCTCGCGGAAGGACAGCTCGTCCCCGAACTCGGCGCTGTAGTCCCAGA-GAGCGTACACTGCCCCGCTGTTCATCAGCCCCATACTCTGCTCGACGTCTGAAACAT-GCCACGGAGGGAAGGTGAGAGCCTGGCCCAGGGGGTCCAGGAACAGGGGC-CACGTGGGGTCCAGGACAGCCCTGGAATTTGGCGCCTGTCCCAGCAACCACCTGAA-ATGTTGTGTGCCCATGGCTGTGGATGGGAACCGGAGCTGGAGTCAGATGCCGG-GACTGGCCGTCTTTGAGCGTTCGAGGAAACTGGGGGGAGGCATGCCAGTGGGCCACC-**GACAGAGTCTCGCTCTGTCGCCCAGGCTGGAGTGCAGTGGCACGATCTCGGCTCAC** TGCAACCTCCGCCTCCCGGGTTCACACCATTCTCCTGCCTCAGCCTCCCGAGTAGCT-GGGACTACAGGCGCCGCCACCACGCCTGGCTAATTTTTGGTATTTTTAGTAGAGT-CAGGGTTTCACCGTGTTAGCCAGGATGGTCTCGATCTCCTGACCTTGTGATCCGCC-CACATTGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCGCGCCCGGCCTTT-ATGGTGCGGTCTCACTGCAACCTCCGCCTCCGGAGTTCGAGCCATTCTCCTGCCT-CAGCCTTCCAAGTAGCTGGGATTACAGGTGTGCGCCACCATGCCTGGCCAATTTTTG-TATCTTTAGTAGAGACGGGGTTTCACCATGTTGGTCAGGCTGGTATCAAACTCCTGAC-CTCAAGTGATCCACCGCCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGC-CACCTGGCCCGGCCCTCATTTCCTTCTTGTACATTGCTGAATGCCCGTGTCAACCCTA-GAGGTCCAGTCTTTTGCCCTACCCTGGCGCTTAGCTTAAGTGGTACAGTCTCTAAG-GAAGATTCGCACCTTCCTTGAATGATAGGGTCCTTTAAGTTGGCTCATCTGCCTCTTTC-TTTTCTTTCTTTTCTTTTTGGAGACGGAGTCTTGCTCTGTCGCCCAGGCTG-GAGTGCAGTGGCGCGATTTCGGCTCACTGCAACCTCCGCCTCCTGGGTTCCAGCAAT-TCTCCTGCCTCAGCCTCCAAAGTAGCTGGGACTACAGGCCCACGCCGCTACACCCGG-CTAAATTGTTTTATATTTTTAATAGAGACGGGGTTTCACCGTGTTGCCCAGGCTGGTTT-GGAAATCCTGAGCTCATGCAATCCGCCCGCCTCGAGCCTCCCAAAGTGCTAGGATTA-CAAGGTCTCACTCTGCCACCCAGGCTGCGGGAGTGCAGTGGTGAGATCAAGCTTACT-GCAGCCTCGAACTTCCAGATTCAAGCAATCCTCCTGCCTCAGCCTCCTCGATTCTT-TATGTTATTATTAAATATTTTGTAGGCCGGGCACAGTGGCTCACACCTATAATCACAG-CACTTTGGGAGGCCAAGGCAGGCGGATCCTCTGAGGTCAGGGGTTTGAGACCAGCC-TAGCGGGCCGTGGGCCCTTGCCTGTAATCCCAGTTACTCGGGAGCCTGAGGCAG-GAGAATCGCTTTCACCGAGGAGGCAGAGGTTGTAGTGGGCTATGGTGCCATTGCAC-ATAAATATTTCGTAGAGGTCAGGTGTGGTGGCTCACACCTGAATCTTAGCACTTTGG-GAGGCCAAGGTGGGCAGATTGCCTGAGCTCAAGAGTTCGGGACCAGCCTGGGCAA-CACTGCAAAACCCCTTCTGTACTAAAAATACAAAAAATGAGTCGGGCATGGTGGT-

GAGCACCTGTAGTCCCAGCTACTCAAGAGGCTGAGGCAGAGAATTGCTTGAATCCAG-

10

15

20

25

30

35



P 687 DK03

67

GAGGTGGAGGTTGCAGTGAGCCGAGATTGAGCCACTGCACTCCAGCCTGGGTGA-CAGTGAGACTCTGTCTCAAAAATAATAATAAATAATATTTGTAGAGACAGGGGGTCTC-TACAATGTCTTGTAGCCTGACCAGGCTCACCTTTCAAATATATAACCCTCTGTCTCACC-CATAAGTCCTAGGACCTGCCTCACTCCAACTCTCCGTGAAGTTCCTTGCCCACACCGA-GATACAACTGGCTCCTCCAGGTGTGAAATGACCCTGTGCACAATCCCCGTGGCACAG-CCTACTTCGCCCTGCCCGTCGGGGAACCAGGTGATGTAGCCTGCCCCCTGGAGAGA-TAGGGTACAGCCTTGTGTCTTCCTACAAGCCCCTTTCTGGCAGCTGTAGCCTGCTCAC-CTGCCAGTGGTGTGGCAATGCCTCTCCCACAAGTGGCAGAGCCCACCTGCCCAGAG-CCCTATGCCAGGTAGATGGCAGGGTTGAAACGTTCAGCTCCTCACCCTTGAAGATGT-GAAAGGTGAGCAGACCAATCTTCACAGCCACTCTCCTCCCCAAAGGTGTCCAGCTCG-CATAGCACAGCCTCCATGTCCCCTTTTCCCTTAGGAGGGCATAGTCCCCCCACCCC CAGCCCCATACCCTTCTCCCTAGTAGGGGGTAGTTGCTCCCCTCCCCGCTCCTG-GGCGCAGTCAGCATAACCCTCGCGGTAAGGGTCGCACTTCTCGAAGGCGGTGGCGC CGTCGCTGAGCGTGGCGAAGATTGCAGCGCCGTGCTGCACCAGCGCCATGCA-GATGACTGTGTCGTTGCACGACGCCGCGCAGTGCAAGGGTGTCCTAGGCGTGGGG CATTGGCACCCGCGGTGATGAGGAAATCCACGATAGAGTAGTTGGCGCCGCAGAT-GAGTGCACCGGGGGAGGGGGAAGACTCAGTCCCGCGGCTGGCATCTGCGATGCCC-CCGCCGTGCCCACCTCCCGCTCAGCAGCGCTCACCTCCTTCACCGCCTGCTGCAC-CACCTCCAGCTCCCGGTCAGCGCCGCGTCCAGGAGGAGCACCAGAGGGTTGAGG-CGCGCGCGGGGGGCCTTGCGCGGGGGGGCCCGCCTTCCGCAGCACAGAGCGCATC-TCCTGGGGGACAGGGCGAGAGGTCAGCGACTTGGAGGGATTGTTAGTATATCCAT-GATCTAGAGTAGGAAACAGAGGTCCAGGGACTTGTGGCACCCATCTAGACAGGGGTA-GAACTGGGATTCCCTCGGGATGGGGTGAGGGGGGTGCCTTCGATCTCCTCCTAGAGCC-TCCAGTTCCCTGCCATAGACAGGGAATCCTGTGATTTGAGAATCTTGGGCCCTGAAAC-TTGGGAGAAAGCTGGGGGGCCATGGGATTGGTGGCAAAGTAATTCTATCAGTT-GTTAATAATGAATGCAATGAGACACACATGACAAAATGTTACCAGGAGTGTTCATTC-CGGATGTTTGGAATTTGAGCATTTTATTATTCCTTGTATTTTCCTTTTCTCTTT-TTTTTTTTTTTTGAGATGGAGTCTCGCTCTGTCACCCAGGCTGGAGTGCAGTG-CAGTGGTGTGATCTCAGCTCACTGCACCCTCCATCCCCCAGGTTCAAGCAATTCTCCT-GCCTCAGCCTCCTGAGTAGCTAGGATTACAGGCATGCGCCACTATGCCTGGCTAATTT-TCATATTTTTAGTAGAGACAGGGTTTTGTCATGTTGTCCAGGCTGGTCTCGAACTCCT-GACCTCAGGTGATCCACCCACCTCAGCCTCCCAAAGTGCTAGGATTACAGGTGTGAG-CCACTGTGCCCAGCCTCATGGGCTTTCTTATTTTTAATTTTCCTCCTGTAAGATTCATT-

10


15

20

25

30

35



P 687 DK03

68

TATTCTGGGCTGGGCGAGGTGGCTCATGTCTGTAATCCTAGCACTTTGGGAGGCT-GAGGTGGGAGGATCACTTGAGCCCAGGAGTTCGAGAACAGCTTGGGCAATATAGTGA-GACCCAGTCTCTACAAAAAATAAAAAATTAGCCTGACATGGTGGCGCACACC-CGTCGTCCCAGCTACTTGGGAGGCTGAGGCAGGAGGATTACTTGAATGGAAGAGAAG. GAGGCTTCAGTGAGCCATGATCATGCCACTGCACTCTAGCCTGGGCAACAGAGTGA-GACCCAGTCTCAAAAGAAAAAAAAATGCATTTATTTATTCCAAGTGTGTGAGTGCATAG-CATTTGTGATTCTGGTCTTTGCTGTTTCCAGAGTTTCAGTGATTTTAAGATTCTGGAATT-CAGAGATCCCAACAGCCACTGAATTCAAAATTCCCAGATGCTCAGTTATTTCAAGTTTC-CAATATGTTGTGATTGCAGAAATGCTAGGCTGTGCTATTTCAAATTGCTGAGGGGC-CAGGACTTTGGAATCCAAAGATTCTATGATGGAGAACTTTAATATTTTTCTGTTAGAATT-TCTTTTTTTGTTGGTTTTTTTGAGACAGAGTCTCGCTCTGTCGCCCAGGCTGGAGTG-CAGTGGTGCGATCTCAGCTCACTGCAAGCTCCGGCGTTCAGGCCATTCTCC TTGTATTTTAGTAAAGATGGGGTTTCACCGTGTTAGCCAGGAAGGTCTTGTTCTCCT-**GACCTCGTGATCCGCCCACCTCGGCCTCCCAAAGTGCTGGGATTACAGGTGTGAGC** CATCATGCCTGACCTAGAATTTCATTTTAAAAGACTAGAAGGAAATGGCTGGGTGCG-GTGGCTCATGTGTAATCTCAGCACTTTGGGAGGCTGAGGAGAGTGGATCACCT-GAGGTCAGGCAGGAGTTCAAGACCAGCCTGGCCAACGTGGTGAAACCCTGTCTCTAC-TAAAAATACAAAAATTAGGTGGCCGTGGTGGTGCACGCCTGTAATCCCAGCTACTCAG-GAGGCCGTGGCATGAGAATCACTTGAACCCAGGAGGCACAGTTATAGTGAGCTGA-GATGGCACCATCGCACTCCAGCCTGGGTGACAGAGTGAGACTCCATCTCAAAAAAG-GAAAAAAAAAGAAGACTAGAAGGAAATATTCAAAATGTTAATGATGGTTCCCTGT-GAGTGGTGTGATTTTGTCCTCTTTCTTCTATTTTTATTTTCCCCAAGCTCTCTATG-GTGTTGGTGTATTTCTCTATAGTGGAATGTGTAAATTTAAAGTATAAATCTCAGCTGGG-CACAGTGGCTCATGCCTGGTTTGAGACCAGCCTGGACAACATAATGAGAACTGTCTC-TACTGAAAATGTTAAATATTATCTGGGAGTGGTGGTGCATGCCTGTAGTCCCAGC-CATAGGGGAGGCTGAGGCATGAGGATCAATTGAGCCCAGTAGGTGGAGGCTGCAGT-GAGCCATGATCTTGCCACTGCACTCCAGCCTGGGCAACAGAGTGAGACTCTGTC-TCGATAATAATAACCCTCTATTACAACATATCAGTGCATGAATTTGTGATTTTATAATT-CAAAATATGAGCATCTTTAATTGTCAGATTTGGTGACTTCAAGAATCAGTAATAAT-CAGTCTATGATACTAACTTTATAATTATTTTTTTAAGAGAAGAGTTTCCTTTTATTT-TATTTATTTGAGACAGAGTTTCTCTCTGTTGCCCAGGCTGGAGTGCAGTGGCGCA-TCCCGAGTAGCTGGGATTACAGGCATGCACCACCAGGCCCAGCTAATTTTTGTATTTT-TAGCAGAGACGGGGTTTCACCATGTTGGCGAGGCTAGTCTTGAACTCCTGACCT-CAAGTGATCCACCCGCCTCGGCCTCCCAAGGTGCTGGGATTACAGGCATGAGCCAC-CGTGCCCAGCCTAACTTTATAATTCTAAGATCGTGTTCAAACCTTTAAATGCTCTAGGG-CTCTAAAATGTTACTATCCTAAGACGGTGACACTAGCGTTTGATTCTTACATTCTATGAT-TTTTTAAGTTTCTCTGTGGCCAGGACTCTGTGATTCTACAATGGGATGCTCAGCCATTT-

10

15

20

25

30

35



P 687 DK03

69

CAACATGTTGTTATTCATCCCCTCTTGATTCAAAATCCTGAGCCTCAAGGTTCCTTGC-CTTCTCTGAGAAGTGATCTCTTCCCGCTGTCTACGCACACGGAGTGTTCAGGACTGT-TCCATGTGGCTACAACCCTCTTCCCAGTCAAGATGCAGGGACCAAGATCAGCAGGA-GACCATCCCTGGTCCAATGGTGACAACAGTAAGAGCAGTTAACAGTTATGTGCCAGG-TATTATGCTAAGCACTACATTAATGTATTTAATCTTGGCGGGGTGTGGTGGCTCACACC-TGTAATCCCAGCACTTTGGGAGGCCAGGGGGGGGCAGATCACTTGAGGTCAGGAGTT-CAAGACCAGCCTAGCCAACACAGTGAAACCCCCATCTCTACTAAAAATACAAAAATTAG-CCAAGCGTGGTGGCATATGCCTGTAATCCCAGCCACTTGGGAGACTGACGCAGGAGA-ATCACTTAACCCAGGAGGTGGAGTCCAGCACCCAGCCGAGACTCACTTGTTTTTATT-TATTTATTTATTTTTTTTTTTTTTTTTTGAGACGGAATCTTGCTCTGTCACC-CAGGCTGGAGTGCAGTGGCGCGATCTCAGCTCACCACAAGCTCCGCCTCCCGGGCT-CCCCAGCTAATTTTTGTATTTTTAGTAGAGACGGGGTTTCACCGTGTTAGCCAGGATG-GTCTTATCTCCTGACTTCGTGATCCGCCCGCCTCGGCCTCCCAAAATGCTGGGATTA-TCTGTCGCCAGGCTGGAGTGCAGTGGTGCAGTCTTGGCTCACTGCAACCTCCGCCT-TCCGGGTTTAAGCGATTCTCTTGCCTCAGCCTCCTGAGTAGCTGGGATTGGAATGA-GACCACCACTTCTCCTGTTGTCCTTCCCAGCTTCTCCCCCACCTCCCCTTTTCCCTAGT-TTATAAGACAGGAAAAAAAGGGAGAAAGCAAAACGCTGGAAAAAAACAGAAGTACGA-TAAATAGCTAGÁTGACCTTGGCGCCACCATCTGGTCCTGGTGGTTAAAATAATAATA-ATAATATTAATCCCTGACCAAAACTACTGGTGTTATCTGTAAATTCCAGACATTGTAT-GAGAÄAGCACTGTAAAACGTTTTGTTCTGTTAGCTGATGTCTGTAGCCCCCAGT-CACGITCCTCACGCTTACTTGATCTATCGTGGCCCTTTCACGTGGACCCCTTAGCGTT-GTAAGCCCTTAAAAGTGCTAGGAATTTCTTTTTCGGGGAGCTCGGCTCTTAAGACGCT-GATGCTCCCGGCCGAATAAAAACCTCTTCCTTCTTTAATCCGGTGTCTGAGQAGTTTT-TTTGTATTTTTTAGTAGACAGGGGGTTTCACCATGTTGGTCAGGCTGGACTTGAACC-TCTGACCTCATGATCCACCCCACCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGT-GAGCCACCGCCCGGCCGAGACTCACTATT.TTATAAGAGGAGAGAGCAAAGCCAG-GAACAGTGGCTCATGCCTCTAACTGCAGCAATTTGGGAGGCTGAGGCAGGTGGAT-CATTTGAAGTCAGGAGTTTGAGACCAGCCTGGCCAGCATGGTGAAACCTCATCTCTAC-,TAAAAATACAAAAATTAGCCAGGAGTGGTGGCATACACTTATAATCCCAGCTACTTGG-GAAGCTAAAGCGGAGGATGGCTTGAACCTGGGAGGCGGAGGTTGCAGTGAGC-CGAGGTCAAGCCACTGCACTCCAGCCTGAGTGATGGAGCAAGACTCTGCCTG-GAAAAAAAAAAAATAGAGGAGAGAGCAGAGCACACAGAGACACAGAGAGACACAGAGACAGA-GAGGGAGAGAGAGGGTGACTGCTTTGATTCAGGCAAGACTTCTCAGTCCCAGA-ATGAACCCACTGTTGTGCCAAGACTCAGTCATGTCCAGGTGTATGACTCGAGATTGCT-GAAGGAATGCCCGGGGCAGGGCACAGGCACAGGTTATTGGAGAAGGAGCAGA-

10

15

20

25

30

35



-

P 687 DK03

70

TATCCTAAAGACTACATTTCCCAGCATCCCATTGCAATGAGGCTCCTGGCCAGTGG-GAGCAGGCAGAGTGATGTATGGAACTCCCAGGTTCTGCCTGAAACAGGAAAGGGCAC-TTTCTCTTCTTCTCTCCTGGCTGGAGGGCAGACTTGGTGACAGCCATCTAG-TGGGTCCTGACTCCAGTGAGGTGCCTACAGTCCTGGGCTGCAAACTCTTGGACTTC-TACTCAAAAGAGGAGAAAACTTCGATCTCATCTAAGCCACTATATTTGGGGGGCTCT-TTGCTACAGCTCCTGGATTCATGTAGCAAACATACCCCGGTTTCCTCCTGTATTACT-TACCATGCTCTGCGGCTGCTCTGGGGCCGGGGCCGGGGGTGGA-GATGGGGGACAGCTCTGGCTCCGGCCCCCGGGCCCTGGCCCCCATGACGATG-GAAGAGGCGGCTGATGATCTGCTGGTACTGTTTCTTGTGGGTAGGGGCCAGGGCCA-CAGCAGGGCCTGCTCCATGGAGCCCCTGCGTTTGAGGGGCCGGGGAATTTCCGC-CAACACCCGTGCCACCTCCAGCTCGGGCACCGACTGTGCCTCCGGTGGCAGTG-CTGGCTGCAGCCTCGTGGGGCCTGAGAGGCCTTGCTACAGGGCCTTCATCCACATCG-CCAGCCTCCAGCACTGGTGTCAGCAGCCCCTCTATCTCCGGCTCAGGCTCCAGCTCG-GTGGGGGGTTTGGGGGGTCCTAGCCGGAACAAGAGCCCATCAGAGGACAGGTCCC-CAGGAGACACCCAACACTCCCTCTCCACAACTTCCAGGGCATACAACCAGCACATGAT-TTTCTGTGTGACCTCAGGGAAGTTCCTTGCCCTCTCTGGGCTACACTTTCCTTGGGCT-GTGAATAATATACAATTATGATGCCTCCCATTTATTGAGCAGTTAGTATGTGCCTGGCG-CTTTACATGCCTACCTTATTGTAATCTCACCACTGCTTTGTGAGGTAGATACACTGC-CATCTCCACATTACCGAAAGGGAATCTGGGCCTCAGAGAGGACAAGTCAGTTGCC-CAAAGCCATGCAGTTGGGACTTGAACTCAGTTCTGGCTGACTCTAGAATCTACTTC-TACCAACCGTGATAGATGTGATTTTCTGAGATCCTGAGAGTTTCCTCTCTAACATCT-CAGGCAGAAAACTCCAGCAGGAAGTAGAATCCTGGTGTTTAATGATTTCTTCTCTGTCT-TACTCATTCTGACAGTAAAGCAGGTGGAAATAAAAATATGCATTATTGGCT-GATCTCTTGAGATCAGGAGTTTGAGACCAGCCTGGCCAACATGGTAAAACCCTGTCTC-TACTAAAAATA-CAAAAAAAAAAAAAAAAAAAAATTAGCTGGGCGTGGTGGCACATGCCTGTAATC-CCAGCTACTCGGAAGGCTGAGGCACAGGAATCGCTTGAACCCAGGAGGCGGAGGTT-GCAGTGAGCCGAGATTGCACCACTGCACCACTCCAGCCTGGGCAAAAGAGT-·CACACACGGCTGAGCATGGTGGCTCATGCCTGTAATCCCAGCACTTTGGGAGGCT-

GAGGTGGGTGGATCACCTGAGGTCAGGGGTTCGAGACCAGCCTGGCCAACATGG-CAAAACCTCATCTCTACTAAAAACACAAAAAATTAGTTGGGTGTGGTGGTGCATGCCT-GTAACCCCAGCTACTTGGGAAGCTGAGGTAGGAGAATCGCTTGAACCTGGGAGGTG-TAGGATGCAGTGAGCTGAACCTCACCACTGCATTCCAGCCTGGGCAAGAAGAGT-



5

10

15

20

25

30

35

71

GAAACTCCATCTTGGCTGGGCACGGTGGTTCACGCCTGTAATCCCAGCACTTTGG-GAGGCCGAGGTGGGCAGATCATGAGGTCAGGAGATCGAGACCATCCTGGCTAACAT-GATGAAACCCCGTCTCTACTAAAAATACAAAAATTAGCTGGGGGTGGTGGTGGTGGCGC CTGTAGTCCCAGCCACTCGGGAGGCTGAGGCAGGAGAATGGCGTGAACCCGGGAGG-CAAAACACACACACATACACATTATTTCATTGAATCCCCGTCACAATTCTATAGGGTA-GATATTATTAATCTCTCTCACAGACGGGAAACAGAGTTTCGGACAAGTAATTTATCTT-CAGTCACACAGCAAGTTAGCAGTGAAGAGAGACTCCAGCCCATCTGCTTAACTCACT-GACTGGGTCTCACTCTGTCACCCAGGCTGGAQTGCAGTGGCGCTATCACAGCTCACT-GCAGCCTGGATCTCCCAGGCTTAAATGATCCTCCCACCTCAGCATCCTGAGTAGCTG-GGACTACAGGCGCCCACTACCATGCCCGGCAGATTTTTTGTACTTTTATTTTTAG-TAAAGTCTATTTTAGTTTCACTATGTTGCCCAGGCTCGTCTTGAACTCCAGAGCTCAAG-CAATCCTGTCTGCATTAGCCCACCAAACTGCTAGGATTACAAGGGTGAGCCACGGTG-TATTTTGAGACAGAGTCTCACCTGTCACCTGTGCTGQAGTGCAGTGGCATGATCTT-GGCTCACTGCCACCTCCGCCTCCTTGGCTCAAGCTGAGTAGCTAGGACTACAGTGGT-CATCATGTTGTCCAGGCTGGTCTTGAACTCCTGACCTCAAGTGATCTGCCCACCTCGG-CCTCCCAAAGTGCTGGGATTACAGGTGTGAGCAACTGCACCTGGCCCATCAGGTGCT-GTTTTAAAGGCTTTATATGAATTTAATAACATATGTCAATAGGATCGATTCTATCATTAT-TTGCCTTTTTTTTTTTTTTTTGAGGCAGAGTCTCCCCGTCACCCAGGATGGACT-GCAGTGGCGCAATCTCGGCTCACTGCAACCTCCCGGGTCCAAGTGATTCTC-ATTITI'GTATTTTAGTAGAGATGGGGTTTCATATTGGCCAGGCTGGTCTCGAACTTCT-GACTITGTGATCCGCCCGCCTCGGCCTCCCAAAGTGCTGGGATTACAGGCATGAGC-CACCGTGCCCGGCCCATTATTTCCCTTTTACACTCAAGAAAATTGAGGCCCAGTGAG-GTTAAGTGACTTGCCCAAGGTCACACAGCGTGGAACCAGGCAGTCTGGCTTCAGG-GTCCACACTTAACCTTTGAGCTATCCCTGGCTCCTACCCAAACTCCCAAACTCACCT-GGCCTAGCTCTCTGCAGGGACAGTGCTTGTAAAGAGGCATTTGGCTGTGATCTCCC-CACCTCCCAGGGCTGGTCTGGTCCCCTGCCATTTGTCCTCCCTTCACCCAGTCCTC-TAGGGCCCTCATTGCTGACTCACCTTCGTTCACAGGGGCCATGTCTGTTGGGGATGC-TGGGGGGCTGGGGTAGGGGTTTGGGGTCTGGGGGCTGTGGGGGCAGCTGG-GGCTGTGGTTGTGATTGTGGCTGGGGCTGTGGTTGTGGGGCTGCAGCTTAGG-CGGGGGTGCTCGGGTGAAGAGGGGGGGGCCCAGGGAGCATGGCGCGGCTGGCCC-.CGTGCTCCCAGAAGGCGTTCTGCAGCTTGAAGATCATGCTGAGGGGGATGGGACGC-GACGGCTGCCAGCTGCGAGGCAAAGTGCCCGACGCCCCGCGGAGCCCAGCGAG-

10


15

20

25

30

35



P 687 DK03

72

CGCCGGTAGCTGCCCGCGTCTGAACGCCGGTCGCCAGAGGAGAGACCTTGTA-ATTGCGCGGCAGGGTGGCGCTAGTGAGGTTGTCCTGGGGAAGAGGGAAGGGA GAAGGGGATCGGGTGAGAGAGGGGAAGGTGGAGGGAAAGACAAAGACGA-GAAGGGAGAGGGGAGGGAAGCCCTGGGAGTGAGGGAGAAGAAGGGTGAG-GAAGGAGCAGAAACCCAGCACAGTGAAGGGAGAGCGTGGGAACGGGCGCCGAGAC-CCAGATCGCAGCCCGAGGGGGAGACTGGCCTTGACCCGGCTCCCCCACCCCACTC-CTCGACCTTCCCCAGCCTCTCCCCCAGGCGTCGCCTCCTCACCTTGCCGGTGCCC-CCCAGTCCATCCAGGCTGCTCCCCCCCAAGGCAACAGCTGCAGGCTCGGCGAGG-CAGGCCTTGCGAAGACGTCCAGGCCTGCGGGGGGGGAATCATTAGGGTCTGTGGGG-CTGCCTCTCCGGGTCCTCCATTCCCGGGCCTCCACCACTCACGTTCATAGC-TCGCTGTCTGCGAAGGCTTCTTCTCGTACGCCACGTCCAGGTCAGACTCGTTCCAGG-CTTTCGGAGGCCGCCGGCGCAGCGTCAGGTCGTCTGGGGAGAAGTTTCCAGGGAG-GATGAGACGGGAGGGGTGGCGAGCCCCGGATCCTGCCCGCTTTGACCCCGCGAGT-ATGCGCTGCCGCGGAGCCTAGCAGGGAGGCTCCCGAAGGCGGACGCTGGCG-CGTCGTAGGCTGTGGCAGGGGGGGGGGGGGGGGGGGAGGAGGGC-GAAGTCGAAAGGCGTGGGGGGACCCTGCTGGCGGAGCGGGCCTGGCCCGGGCCG-CGGGGAGGCGCACGGCCGAGGGAGCTGCCTGCGCCATCGAAGGCGCGGGGCCG-GGGCGAGGTCGCGGTCCAGGCTGCCGTAGGCGTCCGGCTGCAGGTAGAGCGGG-GTGCGCGGCGACGACGGCCGTCCCTTGGGGGACAGCGGGCTGTAGGGGTGTAGG-GTTGGGGCACTCTCTGATCGTCCGAACGGGGTGTCTGCGCCGTCGGTGGCCGCCT-TCCGGGGGGACCCTCGGCTGCCGAAGGGCTCAGGGGATCGAGCTGGAGCTGTACCG-GGGCGGCTGTGGGGAGGCCAGGGCATTGAGGGATGGATCAAAGGAGACATTAGTG-GAAGGGTTGGTGTGGGGGGGGGGTGTCAAGAGAGATCACTGGAGGTCAACCCA-GAGGAGGCTGACCGGCCATGGAAATTCAGGCACAGAGAGCCCAGGTGAGTAGTGGT-GGGGAGACAGCCCTGAATCAGCACTGTGGCTAGCCCATTACTCTATGTCACCTTTATG-CCACTTAGGTAAACACCTCTTTCCTTCTGAGGGTCCCTTTAGATGTCCACTTCCACTG-TCTTTTCTATCTCGGCTCATTGCAGCCTCAACCTCCCTGGCTTAGTGTGATCCTCCCAC-TTCAGCCTCCCAAGTAGCTGGGATTACAGGTATGCACCACCACACCTGGCTAACTTTT-GTATTTTTAGTAGAGACAGGGTTTCACCATGTTAGCCAGGCTGGTCTTAAACTCCT-GACCTCAAGTGATCCGCCTGTCTCTGAAAGTGTTGAGATTACAGGCGTGAACCAC-CGTGCCCAGCCAGATTTTTAAAAAATCATTTGTAGAGGCTGGTCTCAAACTCTTAGTCT-CAAGCAATTCTCTCACCTCGCCTTCCAAAGTGCTGGGATTCCAGGTCTGAGCCATCG-CGCCTGGCCTGGTCCCCTTTTTTCAAGTTCCCTTGAAGAGCCCACAACCTGCATAAC-TATATGGGGCAATTTTGCCTGAAATCCAGGCCTCTGGTCTGGACTGTGGCGAGAGGC-

5

10

15

20

25

30

35

73

TGGCTTTGGAGATCAAGGTGGGAACCAGGCTTACCCTAGAAGGGGGTCCGGCCTG-CGGGCCAGGAGGCGCGGGAGAGTCTGACCACAGCGACTCCAGCTGCTTGGTCAGTT-CATCCACCTTGGCCGCCGCCGTGTCCAGCTCCATCTGCTTCAGATCCATGTGTTTCAT-GGCCAGCGCTGGGAAGGTGGGAGTGAAGGACCTGGCCTCCTGGCAGGGGC-CGGCCTCAGCACCCCTCGCCGCCTGCCGAGGTCCCGCCCTCGCCAGCCCCGCCCCCC TACTCCAGCTTACACTGGAAGTTCATGTCCAGAAAGTCCCGCGCGCTCTGGAATGCC-CTGGCTAAGACCCCGCCCTCTAGACCCCGCCCTCAGGGAGTCAGACGCCGTCAG-GAGCGGGACAACGCCTCAACTCAGTTCCTTCCCCTGGAAGCCCTTTACCCTTTCACC-TCCCCAGCTGGGAAATGCCAACTCCTCCAAAGCCAAGTCCATGCGCCACGGA-TTTTTTTTTTTTTGTGTATGTGTGAGACAGAGTCTCGCTCTGTCGCCCAGGCGG GAGTGCAATGACGCGATCTTGGCTCACTGCAACCTCCGCCTCCCGGGTTCAAGCAA-ATCTTCTGCCTAGCTGGGACTACAAGCGCGCGCCATTATGCCCGGCTAATTTTTG-TAGTTCTGGGATTACAGGAGTGAGTCTCCGCGCCCGGCCGTGTCCATCTCTTTATCT-CAGTCCTAAGACCTGAATCACTCCTTGAACAATTATCTATTGATCACCTACAATGTGC-CGGTAAACATAGGATGGAATAACTATGAATTACTGAATGTTTACTAGGGACCAGGACG-CACTGTGCTAGATCCTGTTTTTGTTTGTTTTTGAGATGGTGTCTCGCATTTTCGCC-CAGGCTGGAGTGCAGTGGCGCGATCTCGGCTCACTGCAAGCTCCGCCTCCAGGGTT-CATGCCAGTCTCCTGTCTCAGCCTCCCGAGTAGCTGGGACTACAGGCGCCTGCCAC-CATGCCTGGCTAAATTTTTGTATTTTAGTAGAGACGGGGTTTCACCGTGTCAGCCAG-GATGGTCTCGATCTCCTGACCGCGTGATCCATCTGCCTCGGCCTCCCAAAGTGCTGG-GATTACAGGCGTGAGCCACCGCGCCCGGCCCTTGTTTTTGTTTTTTAATAATAATTCT-GCTGTCTGCTGTGTACTAGAACCCATGCCTACTGCTTGGGGTATAATGTAGTAAATG-TAGTAAAAACAATATCCGCCGGGCGCGGTGGCTCACGCCTGTAATTCCAGCACTTTG-GGAGGCCAAGGAGGGGGATCACGAGGTCAGGAGAGCGAGACCATCCTGGCTAA-CATGGTGAAACCCCGTCTCTACTAAAAATACCAAAAATTAGCCAGGCGTGGTGATG-GACGCCTGTAGTCCCAGCTACTCGGGAGGCTGAGGCAGGAGAACGGCGTGAACCCG-GGAGGTGGAGCTTGAACTGAGCGGAGATCGCGCCACTGCACTCCAGCCTGGGCGA-CAATAACCAGCCAGGCGCGGTGGTTCACTCCTGTAACCCGAGCACTTTGGGAGGC-CGAGGTGGATGGATCGCTTGAAGCCAGGAGACCAGCCTGGCCAATATGGTGAAACC-CCGTCTCTACAAAAAAATACAAAAGTTAGCTGGGCATGGGCATGTGCCTGTAATCC-CAGCTACTCAGGAGGCTGAGGCACAAGGCTCACTTGAACCTGGGAGGCACAGGTTG-CAGTGAGCATAGATTGTGTCACTGCACTGCAGCTTGGGTGACAGAGCGAGGCTCTAT-TTAAAAAAAAAAAATTAATTGAGGGGCCACTCCCTTCTAGAGTGGTGAGAAATGC-CGTGCACCGAAAGCTTCATTTGATGGTCAAAACCACCCTAGCAGGCAAGAAAGCAT-GGCTCAGAAACATATGTTCAAGGTCACCCTGCAAGAAGTCGGTAGTAATCGGTTTCA-CACCCGCATCTAACTTATTCTGGGTCATCTCTACCAGATTAGAGGGGTCCTAGAGG-

10


15

20

25

30

35



P 687 DX03

74

GAAGCGACTGCTCAGCTTCCCTAGGGTCCCCATTCAGTGGAGGTCTGGCTCT-CACTGACCCATTGTTAGCAAGAGGAACAGGGAGGTGGCCAGGGGTGGAGGGGCAGC-TGTGGTCACTGGCCCAGTGGGAGGGAGCTAGGCCACTAGGAACCGGTCAGGCCAG-CACCATCCCTATCCCCATGCTAGCCACCACCACCACCAGCTCTGCCACCTCCCTGCT-GCATCGACCACTTAGCTCTGGCAGTATAGGCAGCAGGGCAGGCTGGGGCATGCTGA-TACCCGCCTCTGTCTGGGAAGTCGAAGGAACAGAACCTGTTCAGGCTGGCGGCTCAT-TTGGATGAACAGGGAGTGTGTGACCTTGGGCGTTGAGTCCTCTCCACTCCCTGGGCC-GGTCTCGCTCTGTAACCCAGGCTACAATTGTGACTCACTACAGCCTCTTGACCTCC-CAGCTCAAGTGGTCCTCCCACCTCAGCCTCCTGAGTAGCTGAGACTATAGGTATAGCC-GACGGAGTCTTGCTCTGTCGCCCAGGCTGGAGTTCAGTGGCGGGATCTCGGCTCAC-TGCAAGCTCCGCCTCCCGGGTTCACGCCATTCTCCCGCCTCAGCCTCCCAAGTAGCT-GGGACTACAGGCGCCGCCACTACGCCCGGCTAATTTTTGTATTTTAGTAGAGACGG-TCGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCGCGCCCCGGCCACCCAG-CTAATTTTTAAAAACATTTTGTACACTTTGGGAGGCTAAGGCGGGAGGATCACGAG-GTCAGGAGCTCGAGACCATCCTGGCTAACACAGGTGAAACCCTGTCTCTACTAAAAA-ATACAAAAAAATTAGCTGGGCGTGGTGGCGGGCGCCTGTAGTCCCAGCTACTCGG-GAGGCTGAGGCAGGAGAATGGTGTGAACCAGGGAGCCGAGCTTTCAGTGAGCCGA-GATCGCGCCACTGCACTCCAGCCTCGGAGACAGAGCGAGACTCCGTCC-CAAAAAAAAAAAAAAAATTTGTAGAGACAGATCAAGTCTCACTTTGTTGCTCAGG-CTGGTTTTGAACTCCTGGGCTCAAGCAATCCTCCCGCCTCAGCCTCCCAAAGTGCT-GAGATTACAGGCATGAGCCACCACACCTGGCCAAATCAGCTATTCTGAAAGGCCCCTT-TAATCTCTATGAGCCCCAGACTTTCAAACTGTAAGGACCTTAGGACTGTAACTAAAGT-TCTACAGAGCCTAAACCCCTCAGCTAAAGAGCCTATTGTTGGAAAGTTCTGAGTCCAA-GATTCTATCTTTGGAACATTCTAGAATTCTCCAATTTGTCTAACCCAGAATTCTGAGTCT-GTATAGTGCAGCTGGTAAAAGCATGAGTAAGAAGTCAGACTTCAAAAATTCAAATCT-GAGGGCCGGGCATGGTAGCTTCTGCCTGTAATCCTTGCACTTTGGGAGGCCGAGGG-GGGAGGATCACTTGAGGCCAGGAGTTCAAGACCAACATGGCCAACACAATGAGACCC-CATTTCTTAAAAAAAATTAAAATAAAATCATCAAATCTGGCAGCACCACCGTCCAACCC-TGACCACAGTACCTCAGTCTCGTAATCCGTAAAATGGGGATGAAAGTTCACCTCATAG-GACTACTGTAAGAATCCACCTGGTCAGAAGGTGCAGGAAGAATTCAGAGCTCTGAGA-ATTGAGGCCTCAGGAAGAAGAGACTACAGGAATAAAAACTCGGGCATTTAGAATTTCA-GAGATACACAAACAATACTTTGTTAACTGTTAAAATAGATAAATGAGCAAGTCTGTG-TCTCGCGCCTGTGGTTAGGCTGGTCTCGAACTCCTAGCCTCATGGGATCCTCCCGG-CTCGATCTCCCAAAGTATTGGGATTACAGGCGTGAGCACGGCGCCATGATCCCCAA-



10

15

20

25

30

35

P 687 DK03

75

ATTTCCAAGATTCTCAGATTCCATACTGACATTCTCTGGCTCTCAGGAAATGCCAACCC. CGGTCACGCCCGGACCCCCGCCAGGAGGGCGGACTGCGCCTGAGCTCAGGCCCGG-GGAATGCGCAGCGGGCCCGGGCAGGTGCTGTACATCCCGGGGCAAGGGAGCTGGG-CCGGGCGGGTACAAGGGCGGGGGCGCGGGGGGGGGGGGCGTGTGTCTCTCC-CAGGCCTCTGCCCTGACCTCTGCCTCCGAGTCCTCTCCCATGTGCTCCCCTCTAGC-TCTAGCTCCGAGCTCTCCCGCGGGCTCTGGGCCAGCCGCAGGTACTCTCCCCTGGG-CAGGTTCTTTAGGGCTAAGGATCCTGTGGACTTCCTGGAGGAGTCATCTTCAGTAG-GAACCGGGTCAGAGAGCCAGACTGAGCTGGGAACACCCAGGCTGGACTCCTACAGC-CCTGTCGGGTCACACTGAATCTGGAGAGGCTCCACTGTCTCTGGGACTCGGTTTCC-TCCTTTGTGGACGTCTATGGAATGGGCTAGGGCCTTTCTTGCTCTAAGCCTCTACTTG-GGCTTGTTATTTAGCTTCTCTGTGCCTGTTTCCTCATGTGGACCATGGGAAGAATTA-ATACCTTCGCCTCAAAGGGGTATGAGGATTGAGTGACATAATTTATAAGCCGTGATTA-GAACAATGCAGTGCGCGAAATAAAGTTCACACATACAGGATTCATAATTACCAGAT-GTCCTTGGCTGTTCATTATAATAACACAGGGTCTGGCAACAGAGTGAGGGGTCCAGAC-TCAATGTAATTTTTTTTCCCCTAAAAGGGCCCTTTCAACTCTTTCTGAGATCATACAAG-CCCTGAGTTTTGACACCCAGGGTCTCAACTTCCTGAGCCCTTGCCTCTCAGAGTCC-TAAATTTCCCCTGTACATTCCTGAGTCTGGCCAGTGATCACCCTCAGTCACTTAGG-CAGGGTGTGGGCAATATCCACTCTCCAGCCTCCGTTTCTCCACTCGTAATGAG-GAGTCCTTCCCTGGGGTCAGCAAACCTTATTCAAAGGGAGACCTCTCAGTCACCCAA-TACACCCAGAGCCCTGTTTTGGCAACCACGGTTATTATTTTTAATTTCATTTCAGGT-TATCATCAAATGCCCTTCAAGCCCAGACATTGGGAAACACTCCTCTCTCATCAGATGC-TCGCCTCCCCATTCTGTTTTTAATCCCCCTTCTTAGGACGCATGGGGGTTGAGA-GACAGACAGACCTCCAGAATTAGCCTCTGTCCCTCCTTATCTCCCACAATACCC-CAGGTCAGACAGATGGGCGTGGAGGTGACATTTCTCACCTCAGGGTCAGGGCAAG-CGTCCCCAGAGAGCTGCAGAAGAAGGAGGAGGCAGAATCCTGACCCTACAAACTC-TACTGCCTGTGTGAGCTCCAAGCCTCAGTTTACCCCTTCCTCTCCGTGTAATGGTTAA-ATGCCCGGCTATGCAAACCTCCCAGAATCCAATAGCCGCTTTCCGGAATTCTGCCCT-GGGTTCTAGAACTACCTCTGCAAACCCAGCTGTTTCCCACCCCATAAGGCAATAGGG-GAGCCCACCTCCGCCAGGGGGGGGCCCTAGGGCGGATGTCCCTTCTCTGGTTAGG-CAGGTCTGACGCCCAGGTTAATGACATGTTGGGTTCGCTCAGCGGCACAGAGGAG-GTTGGAGATCTGCCTCGGTGTTTTCTCTCCTACCCCGCCCCCATCCCCGAGC-CGAAAAGTCGGGGAGAGCCGGGACACAGCCTCCGGAGGGACCCCGGGTACCT-GTCCTGCTCCACTTCAGGAACCCAGGCTCCACTATCCCTGCCCCACCCTTAATTCTGC-

10

15

20

25

30

35

P 687 DK03

76

TCAGAGACCTAGAAGATCGGTCGAGACAGCAGCTTGAGGCTGGCAGGGTGGTCACC-CATTCCACCTTGAGCCCCACCAGTCTGAGCCTCTCATTTCTGACCAAGACTCGGGGAT-TCGAACCCCTATACTACCCAAAGACTCGGCTTCCTAGAGCCCCCCAGTTCGAGGGAC-TCAGGAATTCCAGCTCCAACGTCTCCCCGGGATGAAGGGGTAGAATCCCTCCATTC-CAAGAATTCAGGCATCCGAACCCGCTTTCCTTCCCTCCAGTAAAACAGGCAACGGAGT-TTCCTTCTAAGGATCCAGGTGTCGGCGCGCCCCAAATTCCGCCCTGGGACCTGG. CGTCCGAGTCCCCTCCCAATCCTCCCAGGGACGCGGGTGTTGGGCTTTTTCAGGGCC-TCTGGTCCCAGGAGGGTGAAACTCACGGATCCGGGCAGATCCTGGCACCTGGGGG-CTTCCTCCAGCTCGGGCTCCGGCTTGGGGAGCGGAGAACGGGGCGGGGCAGGAGC-GAGGGGGAGCCAAGGTCGCCTCGAGCACCTTGGGACTTGTAGTCCCGGAGGGACAG-GAAGGCCGAGGCCCAGAAGCCGAGAGCCAGGCCAGGGAGATACAGAAGAGC-CGAGACGCCTGCCTGTGGCTGGAGACTGACTCCTGAGCCCTTGCCCCACCCCT-TCAGGCGCACTATCCCCTTTCCTGATCAGTATCCCCCAGGGTCTCTGAGCCCGAATC-TCCCCGTCGATAAAAAGCGCGGGTTGGATCTTCAAAGGATGTCCCAGCAAGAGTT-CAAAATCTTAGTTTGGACTACAACCCCCAGCAGCCTCCGCGACCGCCCTCGGGCGAC TCTTTGCCTCGGGTCCTGTGGGAATTGTAGTCCTGGAGCCCGCAGGGCTGCACCC-CGGTGTCTCTCGCCCACGCGAAGGAAACCGTCTGGAGATCCTGGATAGGGGAAA-CATTTCCCCTTCCCCTTGACCCTCCCTCCGCTCTGGAAAGCCTCTCCCACCTGGGGA-GAAGTGGCGCTGACACACTGGCCAGGAATGCAGTCGGGTCACCCTGTCTAGCCÁC-CGTCTCGCGGCTCCAACCGCGCCCAACGCGGGGCGCCCCAGTGGGAAGG-GAAGTGGGTGCCCCCAAATCTGTGTCCACGTGCCGCTGTTTACACGCTCCCTGG-GGCAGGGAGGAGTCGCCGATCAGGTCCCTTCCTGAAAGTCATCGAGGTTTCCCACG-CATGAGACTAAACCCCCGAGGGCATCTACAAGTCCCATTTGATCCACAAACGCTACAC-CGTGCCCAGCACCACTCCACGCGTGTGGGGCTCCTGGGTCCGAGGCTCCGCCC-TCGAGAACCACAAGCTCCTCCCCCTATGTTTCCCGCTCCCCGGAGTCCAGAAGCCC-CGCCCCTGGCTGGAACTTCACGCCCTCCGGACGGATTGCCCCTATTTCTCCATTTTCC-CGCTTCTCCCAGTCAAGTTCTGAACTTGTGAGGCATCTGGGCCTCCCCAGAAGACATT-TAACACAGAAAGCACAGCCCTACTAACTAGTATTCTTACCTGTCTCTTCAAGAATTTCA-GACCAATCGACCGTCCTGTCTCTTTAAGGCTTAGGAAGAGCAGTGTGGCTGCCCCTT-GACCCGACGGGCCTCTGACTCCAGCAATACAGCGAATCAGCGGCTTTCGGGAATA-CCAGTTTTCCTGCAGATCGGGAGTCGAGCAATGCCTACCCCGCGCTCCCGCAC-CAGTTGGGCGCTCCCGGATGATGCCCTACCCCTTTGGATCCACGTGGTCTGCAACCT-GGTGCGAGCAGCCCGGGCTACAGGGTTGCCTGAGGTGTGGGTCCCAGGATGGAG-GAGCCCCAGGCCGGCGGTGAGGGTGCGGGTTGACGGGGTGCGGAGGGTGCGTTG-

10

15

20

25

30


35



P 687 DK03

77

GTGGAAGGAGAAAGGGGCGTCCGAGAGGGTTCGGGCGGAAAAGGAGGCGTACCTG-CAAGCAGGACTTGCGAAGAGCGTGCATTCCCAGTGGGCGAACGGGAATTCGAACG-GAGAGAGGGTTATCTTGTGGGGGGCTACCCGTGGAGAGCAAGGCGCCCCCAGGG-GTTGGATCGGTGAAATTGAGGTCGCCCCTGGGGAACAGGTGGGCAGAAAGGA-GAAACCAGGTTGAGGGGACTGGAGTGCTCACGAGGTTAAGACCAATGGACCGA-TAGGCGCGCCCTGCAAGATTGGACCGGCAAGGAGGTGTCAGTCGACCCCATTTCCCC-TTCTGCTGCAGATGCTGCTCGGTTCTCTTGTCCCCCCAACTTTACCGCGAAGCCCC-CAGCCTCAGAGTCCCCTCGTTTCTCCTTGGAGGCGCTGACGGGTCCAGATACGGAGC TGTGGCTTATTCAGGCCCCTGCAGACTTTGCCCCAGAATGGTGAGTGGTCTTGTT-GACGGAAAAGAGGGTCCCGGTCCAGACCCCAAGAGCGGGTTCTTGAATTTGTCACAG-TACTCCTTTACAGAGTAGAGTGTCCTCAGAAAGCAGGGGGAGAAACCCACAGCCCT-TTGTTAGTATTTCTACTTATAAGAAACTATAAGGAACTATAGTTAAACTTGGAGTGTG-CAGATAAGCTCACTAAAGGTAGGGGCTATTGGTGTTATCCACGACCATTAATCCTG-CAACCTAAGCTTGCTCATTTATGTTATATTTAAGTAATGGGGGCTGCATTCTTAGGA-CATTTGGACATTCTGCAGGCTTGGTGGAACATGTTCTGTATGGCCATAAATATTCTGTA-ATTATAATTGGTGGTCAGCCTGGGATGTGGTTATTTTCAGGCCATAAGCATGAACCTT-GTAAGTGCCTAGCTACTCACTTTAAGATGGAGTCACTCTAGTCATGTTTTATTAAAAAC-CAGAGGCCAGCCAGCGCAGTGGCTGGTGCCTGTAATCCCATCCTTTGGGAGGC CGAGGCGAGCAGATCACTTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAACATAGT-GAAATTGTCTCTACTAAAAATACAAAAATTGGCTGGGCGTGGTGGCAGGTGCCTGTA-ATCCCAGCTACTTGAGAGGCTGAGGCAGGAGATCGCTTGAACCCAGGAGGTGGA-CATTGCAGTGAGCCGAGATCATGCCACTGCACTCCAGCCTAGGCAACAGAGCAAGAC-TCTCTCAAAAAAAAAAAAAAAAATCAAAAAACCTTCCCTCTCTGTTCCACTTAAG-CCTCTGCCCTCCTGTTTCTCTCTGTAGCTTCAATGGGCGGCATGTGCCTCTCTGG-CTCCCAGATCGTCAAGGGCAAATTGGCAGGCAAGCGGCACCGCTATCGAGTCCTCAG-CAGCTGTCCCCAAGCTGGAGAAGCGACCCTGCTGGCCCCCTCAACGGAGGCAGGAG GTGGACTCACCTGTGCCTCAGCCCCCAGGGCACCCTAAGGATCCTTGAGGGTCCC-CAGCAATCCCTGTCAGGGAGCCCTCTGCAGCCATCCCAGCAAGTCCCCCACCACA-GATCCCTCCTGGCCTGAGGCCTCGGTTCTGTGCCTTTGGGGGCAACCCACCAGTCA-CAGGGCCTAGGTCAGCCTTGGCCCCCAACCTGCTCACCTCAGGGAAGAAGAAAAG-GAGATGCAGGTGACAGAGGCCCCAGTCACTCAGGAGGCAGTGAATGGGCACGGGGC CCTGGAGGTGGACATGGCTTTGGGGTCGCCAGAAATGGATGTGCGGAAGAAGAA-GAAGAAAAAAATCAGCAGCTGAAAGAACCAGAGGCAGCAGGGCCTGTGGGGACA-GAGCCCACAGTGGAGACACTGGAGCCTCTGGGAGTGCTGTTCCCGTCCACCACCAA-GAAGAGGAAGAAGCCCAAAGGGAAAGAAACCTTCGAGCCAGAAGACAAGACAGT-GAAGCAGGAACAGATTAACACTGAGCCTCTAGAAGACACAGTCCTGTCCCCGAC-CAAAAAGAGAAAGAGGCAAAAGGGGACGGAAGGGATGGAGCCAGAGGAGGGGGT-GACAGTTGAGTCTCAGCCACAGGTGAAGGTGGAGCCACTGGAGGAAGCCATCCCTCT- 5 .



P'687 DK03

78

# Example 7

15

20

10

The cases and controls in example 6 had been individually matched with respect to age, menopausal status and hormone treatment. Therefore, it was possible to make a paired analysis. This generally reduces the possibility of bias and confounding, but often produces less significant results. When the "high-risk" group was analysed, i.e. RAli1<sup>AA</sup> ASE-1e3<sup>GG</sup> ERCC1<sup>AA</sup>, versus all other genotypes, we found a rate ratio (RR) = 1.64, Confidence Interval (CI) = 1.17-2.29, and with a level of significance p = 0.004. Thus, the "high-risk" genotype was clearly overrepresented among the breast cancers.

# 25 Example 8

In the data of example 7, the "high-risk" group was further analysed, i.e. RAli1<sup>AA</sup> ASE-1e3<sup>GG</sup> ERCC1<sup>AA</sup>, versus all other genotypes, among those pairs that were less than 55 years of age. This increased the difference dramatically, indicating that the high-risk genotype predisposes to early breast cancer (rate ratio (RR) = 9.5, Confidence Interval (CI) = 2.21-40.79, and with a level of significance (p) = 0.003). In older age brackets, the RR was still above 1, but not significantly so. Thus, the combination of the three SNPs allows for the definition of a high-risk group for early breast cancer.

35

10

15



P 687 DK03

79

## Example 9

Blood samples were collected from a large number of Danish citizens and frozen (Example 6). The persons were also interviewed about a number of issues including smoking habits. After a number of years those persons, who got lung cancer in the intervening period, were identified, as well as a set of matched controls. DNAs were purified from the blood samples and a number of polymorphisms, namely XPDe10, XPDe23, RAli1, ASE1e1 and ERCC1e4, in and around the region were typed. The three latter polymorphisms were combined into a "high-risk" group that was homozygous for the high-risk alleles of all three polymorphisms: RAII1AA ASE1e1GO ERCC1e4<sup>A</sup>. All other genotypes at the three loci were combined into a low-risk group (Example 6). XPDe10, and XPDe23 were not combined with other markers. The results are shown in Table 15. It is clear that the "high-risk" genotype is associated with lung cancer in the youngest age group. XPDe23 shows signs of being associated at all age groups, while XPD=10 did not appear to relate to the disease. Therefore we recalculated the results for the youngest age group without XPDe10. Table 16 shows the results. Calculated this way both polymorphisms related to the risk of lung cancer.



Table 15. The risk of lung cancer in three different age groups in association with the high-risk genotype, XPDa10, and XPDe23, mutually adjusted for each other and for the duration of smoking.

High-risk genot	уре			
Age at diagno-	High-risk	Rate Ratio	Confidence	P-value
sis .	genotype	(RR)	Interval (CI)	•
50 – 55	No	1		
	Yes ·	4.43	(1.45 – 13.56)	0.009
56 – 60	No	1		
	Yes	0.73	(0.30 - 1.83)	0.51
61 – 70	No	1		
	Yes	0.93		0.82
XPDe10			-	
Age at diagno-	Genotype	Rate Ratio	Confidence	P-value (trend)
sis		(RR)	Interval (CI)	
50 – 55	GG	1	<b>W</b>	0.99
	AG	2.78	(0.57 - 13.7)	_
	·AA	1.2	(0.14 - 10.4)	·
56 – 60	GG	1	•	0.17
	AG	0.46	(0.18 – 1.20)	_
	AA	0.41	(0.09 - 1.93)	
61 – 70	GG	1		0.40
	AG	0.91	(0.46 - 1.80)	
	'AA	0.64	(0.25 – 1.64)	
XPDe23				· · · · · · · · · · · · · · · · · · ·
Age at diagno-	Genotype	Rate Ratio	· Confidence	P-value (trend)
sis		(RR)	Interval (CI)	,
50 – 55	AA	1	· · · · · · · · · · · · · · · · · · ·	0.25
	AC	1.69	(0.34 - 8.41)	•
	CC	3.62	(0.39 - 33.6)	
56 <b>–</b> 60	AA	1	•	0.11
	AC .	1.90	(0.73 - 4.92)	
	cc ·	3.40	(0.71 – 16.3)	
61 <b>–</b> 70	AA	1 .	•	0.08



81

AC	1.86	(0.95 – 3.63)	
ÇC	2.23	(0.79 – 6.31)	

Table 16. Risk of lung cancer among those 50 – 55 years in association with the high-risk genotype and XPDe23, mutually adjusted for each other and for the duration of smoking.

Polymorphism	Rate Ratio (RR)	•	· P-value
High-risk group <sup>1</sup>			<del></del>
No	. 1		· <del>(1)</del>
Yes	4.27	(1.42 – 12.89)	0.01
XPD e 23		· ·	
AA	1		0.01 <sup>2</sup>
AC	3.20	(1.13 - 9.02)	
CC	5.02	(1.32 - 19.1)	

RAII1<sup>AA</sup> ASE1e1<sup>GG</sup> ERCC1e4<sup>AA</sup>

2 Trend test

### Example 10

10

15


20

5

In some of the samples of example 6 we typed a 4 bp deletion (dbSNP#3916791) located in the common portion of the sequences <u>S1</u>, <u>S2</u> and <u>S3</u> contiguous with sequence SEQ ID NO:1. Specifically, the polymorphism is contained in the sequence GCGCCTGCCAAGATTGTCTGAGTATTGATCGAACCC, where the bases represented with boldface, italicised letters are present in some human chromosome 19 but not all. The deletion was typed by (1) Performing a PCR on the persons DNA with the primers 5'-6-FAM-TGAGACGAGGTGGAGG-3' and 5'-CAATCAAAAAGAAAACATGG-3'. The fluoroscein-containing (6-FAM) primer was obtained from TIB-MOLBIOL (Berlin, Germany), while the other primer was obtained from DNA-Technology (Aarhus, Denmark). The reaction mix contained 0.84 U Taq polymerase (Roche), 1.7 nmole of each dNTP, 5 pmole of each primer, 1X PCR buffer (Roche), 1 M betain and approximately 20 ng DNA in a total volume of 9 ul. We used a temperature program containing 4 min denaturation at 94 C, followed by 30 cycles of 96 C for 1 min, 55C for 30 sec, and 72 C for 45 sec; (2) We

10

15



P 687 DK03

82

then mixed a sample containing 1 ul PCR product, 0.5 ul GeneScan-500 ROX size marker (Applied Biosystems) and 19 ul formamide; and (3) loaded the sample onto a single lane of Sequagel-6 matrix on a model 3100 Genetic Analyzer (ABI Prism, Applied Biosystems) using fluorescence detection. The persons who were homozygote for the complete fragment gave a length of 167 bp relative to the size markers, the persons who were homozygote for the 4 bp deletion gave a length of 163 bp. and the heterozygotes showed both lengths in roughly equimolar amounts. Because it has repeatedly been observed that the underlying risk-genotype seems recessive (Examples 2, 6, 7, 8), we pooled the homozygous low risk genotypes (163/163) and the heterogotes (163/167).

Table 17 shows the observed genotype frequencies among the cases and controls, the Odds Ratios for the genotypes, the confidence intervals, and the p-values for the Odds Ratios. Clearly, homozygosity for the 167 bp fragment was associated with increased risk of breast cancer.

Table 17. Risk of breast cancer in association with genotypes of the 4bp deletion in <u>S1</u>.

Genotype	Number of cases	Number of controls	Odds Ratio (OR)	Confidence P-value Interval (CI)
163/163 +	92	129	1	•
163/167				
167/167	60	44	1.91	(1.19 – 3.07) 0.007

20

25

30

## Example 11

The blood samples described in Example 9 were analysed for the 4 bp deletion described in Example 10, and the results were combined with previous results for the polymorphism XPDe23. As a preliminary investigation showed the effects of the genotypes to be largely additive, we grouped the persons according to the number of "risk" alleles they were carrying, using the XPDe23AA 4bp183163 as the lowest risk. and thus placing those persons in group 0, and furthermore using them as reference for the calculation of the Odds Ratios. Table 18 shows the number of cases and controls in the different groups, the Odds Ratios for the different groups, the confi-



83

dence intervals for the Odds Ratios and the p-values for the Odds ratios (calculated by the two-sided Fisher's exact test). Clearly, the risk of lung cancer increased dramatically with the number of risk-alleles.

5 Table 18. Risk of lung cancer according to the number of "risk"-alleles in the polymorphisms 4bp and XPDe23.

Number of "risk"-alleles	Number of cases	Number of controls	Odds Ratio (OR)	Confidence Interval (CI)	P-value
0,	3 ·	12	1	<del></del>	
1 <sup>2</sup>	57	73	3.12	(0.84 - 11.6)	0.10
2 <sup>3</sup>	123	129	3.81	(1.05 - 13.8)	0.034
34	49	35	5.6	(1.47 - 21.3)	0.01
45	4	1 .	16	(1.27 – 200)	0.03

- XPDe23<sup>AA</sup> 4bp<sup>163/163</sup> 1
- 2 XPDe23<sup>AC</sup> 4bp<sup>163/163</sup>, and XPDe23<sup>AA</sup> 4bp<sup>163/167</sup>
- XPDe23<sup>CC</sup> 4bp<sup>163/163</sup>, XPDe23<sup>AC</sup> 4bp<sup>163/167</sup>, and XPDe23<sup>AA</sup> 4bp<sup>167/167</sup> 3
- XPDe23<sup>CC</sup> 4bp<sup>163/167</sup> and XPDe23<sup>AC</sup> 4bp<sup>167/167</sup>
- XPDe23<sup>CC</sup> 4bp<sup>167/167</sup>

#### 15 Example 12

10

20

25

The data of Examples 9 and 11 were combined and relative risks for lung cancer for the high-risk haplotype, the 4 bp deletion, and XPDe23 mutual adjusted for each other were calculated in 3 age-groups. The use of adjusted relative risks ensures that the effect of each marker is peculiar to it, and cannot be attributed any of the other markers in question. Tables 19, 20, and 21 show the result. After the adjustment it is apparent that all three markers have an effect independent of the others. Moreover, the adjusted effect of the high-risk haplotype is strongest among the youngest persons, while the adjusted effect of the 4 bp deletion is strongest in the oldest age group. XPDe23 exerts its adjusted effect at all ages, but possibly strongest in the youngest age group.



84

Table 19. Relative risks and 95 percent conficence intervals for lung cancer in different age groups as a reflection of presence or absence of the high-risk haplotype in homozygous form, adjusted for the 4bp deletion and XPDe23.

Age at diagnosis (YR)	Homozygous <sup>a</sup>	RR .	95 % CI
50 – 55	No	1.00	
	Yes	4.26	1.38 - 13.17
<b>56 – 60</b>	No	1.00	
	Yes	1.07	0.36 - 2.98
61 – 70	No	1.00	,
•	Yes	0.82	0.44 - 1.53

a) Homozygous carriers of high-risk haplotype are defined as ERCC1 exon4 ASE-

5 lexonl<sup>GG</sup>, RAI intron<sup>AA</sup>

Table 20. Relative risks and 95 percent confidence intervals and p-values for trend for lung cancer in different age groups as a reflection of alleles at the 4 bp deletion site, adjusted for XPDe23 and the high-risk haplotype.

Age at diagnosis (Yr)	Allele	RR	95 % CI	P(trend)
50 - 55	163/163	1.00		0.31
	163/167	1.35	0.36 - 5.02	•
	167/167	0.35	0.11 - 2.87	
56-60	163/163	1.00	· · · · · · · · · · · · · · · · · · ·	
	163/167 <sup>-</sup>	1.76	0.58 - 5.38	0.75
	167/167	1.04	0.26 - 4.14	•
61-70	163/163	1.00	····	0.02
	163/167	0.67	0.36 - 1.22	
	167/167	0.36	0.16 - 0.82	



Table 21. Relative risks and 95 percent confidence intervals for lung cancer in Different age groups as a reflection of alleles at the XPDe23 site, adjusted for the high-risk haplotype and the 4 bp deletion.

Age at diagnosis (Yr)	Allele	RR	95 % CI
50 – 55	AA	1.00	
	AC	3.13	0.95 - 10.33
	CC	7.86	1.78 <b>–</b> 34-64
56-60	AA	1.00	
	AC	1.33	0.60 - 2.95
	CC	1.95	0.63 - 6.06
61-70	AA	1.00	
	AC	1.81	1.07 - 3.07
	CC	2.54	1.16 - 5.56

10

P 687 DK03

86

# Example 13

The data of Example 9 concerning the high-risk haplotype were stratified according to age and gender and adjusted for smoking. The results are shown in table 22. It is obvious that most of the effect of the high-risk haplotype on risk of lung cancer is exerted on the young women, while the effect on men at best is very moderate.

Table 22. Sex and age group specific estimates of the lung cancer rate ratios (RR) in association with the high-risk haptotype, adjusted for duration of smoking.

Age	Homozygous	Female		Male	
group	for haplotype <sup>a</sup>	RR (95% CI)	P	RR (95 % CI)	p
50-55					-
	No	1.0		1.0	0.75
	Yes	7.02 (1.88-26.18) - 0.	.004	0.80 (0.20-3.18)	
56-60	No	1.0		1.0	0.37
	Yes	1.03 (0.29-3.71) 0.	.97	0.69 (0.30-1.58)	
61-70	·No	1.0 0.	.76	1.0	0.94
	Yes	0.89 (0.40-0.76)		1.03 (0.48-2.22)	

a) Homozygous carriers of high-risk haplotype are defined as *ERCC1* exon4<sup>AA</sup>.

ASE-1 exon1<sup>GG</sup>, RAI intron<sup>AA</sup>

15

20

25

P 687 DK03

87

#### Claims:

- 1. 'A method for estimating the cancer risk of an individual comprising
- providing a sample from said individual.
  - assessing in the genetic material in said sample a sequence polymorphism
- in a region corresponding to SEQ ID NO: 1, or a part thereof, or
  - in a region complementary to SEQ ID NO: 1, or a part thereof, or
  - in a transcription product from a sequence in a region corresponding to SEQ
     ID NO: 1, or a part thereof, or
  - or translation product from a sequence in a region corresponding to SEQ ID
     NO: 1, or a part thereof,
  - obtaining a sequence polymorphism response,
  - estimating the cancer risk of said individual based on the sequence polymorphism response.
  - The method according to claim 1, wherein the cell sample is a blood sample, a
    tissue sample, a sample of secretion, semen, ovum, a washing of a body surface, such as a buccal swap, a clipping of a body surface, including hairs and
    nails.
  - The method according to any of the preceding claims, wherein the cell is selected from white blood cells and tumor tissue.
- The method according to any of the preceding claims, wherein the sequence
   polymorphism comprises at least one mutation base change.
  - 5. The method according to any of the preceding claims, wherein the sequence polymorphism comprises at least two base changes.

15

35

P 687 DK03

- The method according to any of the preceding claims, wherein the sequence polymorphism comprises at least one single nucleotide polymorphism.
- The method according to any of the preceding claims, wherein the sequence polymorphism comprises at least two single nucleotide polymorphisms.
  - 8. The method according to any of the preceding claims, wherein the sequence polymorphism comprises at least one tandem repeat polymorphism.
- The method according to any of the preceding claims, wherein the sequence polymorphism comprises at least two tendem repeat polymorphisms.
  - 10. The method according to any of the preceding claims, wherein the cancer is selected from skin carcinoma including malignant melanoma, breast cancer, lung cancer, colon cancer and other cancers in the gastro-intestinal tract, prostate cancer, lymphoma, leukemia, pancreas cancer, head and neck cancer, ovary cancer and other gynecological cancers.
- 11. The method according to any of the preceding claims, wherein the cancer is selected from skin cancer, lung cancer, colon cancer and breast cancer.
  - 12. The method according to any of the preceding claims, wherein the cancer is selected from skin cancer and breast cancer.
- 25 13. The method according to any of the preceding claims 10-12, wherein the skin cancer is basal cell carcinoma.
- 14. The method according to any of the preceding claims, wherein the assessment is conducted by means of at least one nucleic acid primer or probe, such as a primer or probe of DNA, RNA or a nucleic acid analogue such as peptide nucleic acid (PNA) or locked nucleic acid (LNA).
  - 15. The method according to claim 14, wherein the nucleotide primer or probe is capable of hybridising to a subsequence of the region corresponding to SEQ ID NO: 1, or a part thereof, or a region complementary to SEQ ID NO:1.

20

25

P 687 DK03

- 16. The method according to claim 14, wherein the primer or probe has a length of at least 9 nucleotide or peptide monomers.
- 5 17. The method according to any of the preceding claims 14-16, wherein at least one primer or probe is capable of hybridising to a subsequence selected from the group of subsequences
  - 1. GCTCTGAAAC TTACTAGCCC(A/G)GTATTTATGG AGAGGCATTT
- 10 2. GTGGTCAAAT TCTCATTCAT CGTGG (T/C) CCAGGCAAGC ACACTTCCTC
  - 3. ACCCTGAGGT GAGCACCTGT TCCTT(C/T) TCCTTGCCCT TAGCCCA-**GAG GTAGA**
  - 4. GGGCAGGGGT TTGTGCCTCC AATGA (G/A) CACAAGCTCC CCCTGCCCCC CAACT
  - 5. CCTGGCGGTG GCCGTCACCA GCTTT (T/C) GGGGGTGTTT **GGGAAGCTGG**
  - 6. CTCCAGCCCC ACTGTTCCCT (A/G) GGCCCTATTG GTCCCCCTGG
  - 7. ACAAGGAGGA GGCAGAAGTG AGGTT (G/C) AAACCCACTG CCCAATC-TTA
  - 8. CCAACACGGT GAAACCCCGT CTGTA(T/C)TAAAAATACA AAAATTAGCC
  - 9. AATCCAGGAC CCCATAATCT TCCGT (C/T) ATCTAAAACA ATA-**ATGGTGA**
  - 10. CCCAAGGGGG CGAGGGGAGG GTGAA (A/G)GGGTGGGACG **GGGGCAGCCG**
  - 11. GAAGTGAGAA GGGGGCTGGG GGTCG (G/-) CGCTCGCTAG CGGGCGCGGG
  - 12. CGCACGCGCA GTATCCCGAT TGGCT (C/G)TGCCCTAGCG GATT-GACGGG
- 13. AACTCCTGGG TTCGATCAAT ACTCA (GACA/-) ATCTTGGCAG 30 **GCGCAGGAGG** 
  - 14. GCTGGGATTA CAGGCTTGAG CCACC (A/G) CGCCCGGCCT **GCAAAGCCAT**
  - 15. TTTTGTATCT TTAGTAGAGA CAGG (T/G) TTTCTCCATG TTGGTCAGGC

10

15

20

25

30

35

P 687 DK03

90

16. GCCTCAGCCT CCCGAGTAGC TGAGACT (C/A) CAGGTGCCCG CCAC-CACGCC 17. TGAAATTGTA GGTTGAGAGG CCAGGCG (C/T) GGTGCTCACG CCTGTAATTT 18. GTTTATAAAC ATTAAACCAG (T/A) GCTGTGTGAA GGCACTTAAT 19. CCGTCTCTAT TAAAAATATA AAA (A/C) AATTTAGCCG GGTGTAGCGG 20. GGGAGGCTCG AGGCGGGC (A/G) GATTGCATGA GCTCAGGATT 21. TCCCAAGTTT CAGGGCCCAA (T/G) ATTCTCAAAT CACAGGATTC 22. TGCAGTGAGC TGAGATCGC (A/G) CCACTGCACT CCAGCCTGGG 23. TCTTAGGACG CATGGGGGT (T/G) GAGAGAACGG GGAGATAGAC 24. CTGGGTTCTA GAACTACC (C/T) ATGCAAACCC AGCTGTTTCC 25. ATTCTGCCCT GGGTTCTAGA ACTACCT (C/A) TGCAAACCCA **GCTGTTTCCC** 26. GCTGTTTCCC ACCCCATAAG GCA (A/G) TAGGGGAGCC CACCTCCGCC 27. GACCTAGAAG ATCGGTCGAG A (C/T) AGCAGCTTGA GGCTGGCAGG 28. CTGGCCAGGA ATGCAGTCGG GTCAC (C/T) CTGTCTAGCC **ACCGTCTCGC** 29. GGGAGGAGTC GCCGATCAGG (C/T) CCCTTCCTGA AAGTCATCGA 30. GCAGCCCGGG CTACAGGGTT (A/G) CCTGAGGTGT GGGTCCCAGG 31. TAGAAATACT AACAAAGGGC (T/C) GTGGGTTTCT CCCCCTGCTT 32. ACAGGAGAGG GAAGGTTTTTG (A/I) TTTTTTTTT GTTTTTTTT 33. GAAGAGGAAG AAGCCCAAAG GGA (A/C) AGAAACCTTC GAGCCA-GAAG 34. GCGCCTCAAC AGCCAGAAGG AGCG (A/G) AGCCTCAGGC CCAGG-CAGCT 35. TTGAGACTCT CTGTTTGAT (A/G) CTTCACTCAG AAGGTGCTTC 36. AGGCCAGGCT CCTGCTGGCT G (C/G) GCTGGTGCAG TCTCTGGGGA 37. CCCCTATACC CTCAAGCAT (C/T) TATCCATTGA GTTACAAACA 38. ACCATCCCC GCCTTCCGTT (A/C) GTCCGGCCCC CGAGGCTAGC

or to a sequence complementary to any of the subsequences.

18. The method according to claim 17, wherein at least one nucleotide probe is selected from the group consisting of

91

1. TGAAATTGTA GGYTGAGAGG CCAGGCG (C/T) GGTGCTCACG **CCTGTAATTT** 2. GTTTATAAAC ATTAAACCAG (T/A) GCTGTGTGAA GGCACTTAAT 5 .3. CCGTCTCTAT TAAAAATATA AAA (A/C) AATTT'AGCCG GGTGTAGCGG 4. GGGAGGCTCG AGGCGGGC (A/G) GATTGCATGA GCTCAGGATT 5. TCCCAAGTTT CAGGGCCCAA (T/G) ATTCTCAAAT CACAGGATTC 6. TGCAGTGAGC TGAGATCGC (A/G) CCACTGCACT CCAGCCTGGG 7. TCTTAGGACG CATGGGGGT (T/G) GAGAGAACGG GGAGATAGAC 8. CTGGGTTCTA GAACTACC (C/T) ATGCAAACCC AGCTGTTTCC 10 9. ATTCTGCCCT GGGTTCTAGA ACTACCT (C/A) TGCAAACCCA **GCTGTFTCCC** 10. GCTGTTTCCC ACCCCATAAG GCA (A/G) TAGGGGAGCC CACCTCCGCC 15 11. GACCTAGAAG ATCGGTCGAG A (C/T) AGCAGCTTGA GGCTGGCAGG 12. CTGGCCAGGA ATGCAGTCGG GTCAC (C/T) CTGTCTAGCC **ACCGTCTCGC** 13. GGGAGGAGTC GCCGATCAGG (C/T) CCCTTCCTGA AAGTCATCGA 14. GCAGCCCGGG CTACAGGGTT (A/G) CCTGAGGTGT GGGTCCCAGG 20 15. TAGAAATACT AACAAAGGGC (T/C) GTGGGTTTCT CCCCCTGCTT 16. ACAGGAGAGG GAAGGTTTTTG (A/T) TTTTTTTTT GTTTTTTTT 17. GAAGAGGAAG AAGCCCAAAG GGA (A/C) AGAAACCTTC GAGCCA-GAAG 18. GCGCCTCAAC AGCCAGAAGG AGCG (A/G) AGCCTCAGGC CCAGG-25 CAGCT

or to a sequence complementary to any of the subsequences.

- 19. The method according to claim 18, wherein at least one nucleotide probe is selected from the group consisting of
   1. GTTTATAAAC ATTAAACCAG (T/A) GCTGTGTGAA GGCACTTAAT
  - 2. CCGTCTCTAT TAAAAATATA AAA (A/C) AATTTAGCCG GGTGTAGCGG 3. GGGAGGCTCG AGGCGGGC (A/G) GATTGCATGA GCTCAGGATT
- 4. TCCCAAGTTT CAGGGCCCAA (T/G) ATTCTCAAAT CACAGGATTC

10

15

20

25

35

4

P 687 DK03

5. TGCAGTGAGC TGAGATCGC (A/G) CCACTGCACT CCAGCCTGGG or to a sequence complementary to any of the subsequences.

- 20. The method according to any of the preceding claims, wherein at least one sequence polymorphism is assessed in a region corresponding to SEQ ID NO: 1 position 1521-37752 (r).
- 21. The method according to any of the preceding claims, wherein at least one sequence polymorphism is assessed in a region corresponding to SEQ ID NO: 1 position 7760-22885 (RAI).
- 22. The method according to any of the preceding claims, wherein at least one sequence polymorphism is assessed in a region corresponding to SEQ ID NO: 1 position 34391-37752.
- 23. The method according to any of the preceding claims, wherein at least two different probes are used, one probe being selected from the probes as defined in any of claims 17-21, and the other probe being capable of hybridising to a sequence different from SEQ ID NO: 1, or a part thereof, or to a sequence complementary to a region different from SEQ ID NO: 1, or a part thereof,.
- 24. The method according to claim 1, wherein the translational product from a sequence in a region corresponding to SEQ ID NO: 1, or a part thereof, is an anti-body, such as a monoclonal or polyclonal antibody.
- 25. A method for estimating the cancer prognosis of an individual comprising
  - providing a sample from said individual,
- assessing in the genetic material in said sample a sequence polymorphism
  - in a region corresponding to SEQ ID NO: 1, or a part thereof, or
  - in a region complementary to SEQ ID NO: 1, or a part thereof, or
  - in a transcription product from a sequence in a region corresponding to SEQ ID NO: 1, or a part thereof, or

15

20

25

30

#### P 687 DK03

- or translation product from a sequence in a region corresponding to SEQ
   ID NO: 1, or a part thereof,
- obtaining a sequence polymorphism response,
- estimating the cancer prognosis of said individual based on the sequence polymorphism response.
  - 26. The method according to claim 25, wherein the method has any of the features as defined in any of the claims 2-24.
  - 27. A method for estimating a treatment response of an individual suffering from cancer to a cancer treatment, comprising
    - providing a sample from said individual,
    - assessing in the genetic material in said sample a sequence polymorphism
      - in a region corresponding to SEQ ID NO: 1, or a part thereof, or
      - in a region complementary to SEQ ID NO: 1, or a part thereof, or
      - in a transcription product from a sequence in a region corresponding to SEQ ID NO: 1, or a part thereof, or
      - or translation product from a sequence in a region corresponding to SEQ
         iD NO: 1, or a part thereof,
      - obtaining a sequence polymorphism response,
      - estimating the individual's response to the cancer treatment based on the sequence polymorphism response.
  - 28. The method according to claim 27, wherein the method has any of the features as defined in any of the claims 2-24.
    - 29. A primer or probe for use in a method as defined in any of the claims above, said primer or probe being selected from
- 35 TGGCTAACACGGTGAAACC(SEQ ID NO:7)

94

GGAATCCAAAGATTCTATGATGG(SEQ ID NO:8) GGGAGGCGGAGCTTGCAGTGA (SEQ ID NO:9) CTGAGATCGCACCACTGCAC (SEQ ID NO:10) GGTTTTCTGCTCTGCACACG (SEQ ID NO:11) 5 CCTTTCTCCTTCCACCAACG (SEQ ID NO:12) CGGGCTACAGGGTTACCTGAG (SEQ ID NO:13) TCTGCAACCTGGTGCGAGCAGC (SEQ ID NO:14) CCTACCACCATCATCACATCC (SEQ ID NO:15) GCCTTGCCAAAAATCATAACC (SEQ ID NO:16) 10 CCTCTCCCCAATTAAGTGCCTTCACACAGC (\$EQ ID NO:17) AGCCAGGGAGGTTGAGGCT (SEQ ID NO:18) AGACAGCCCTGAATCAGCAC (SEQ ID NO:19) GCAATGAGCCGAGATAGAA (SEQ ID NO:20) TGGCTAGCCCATTACTCTA (SEQ ID NO:21)

15

35

30. A primer or probe for use in a method as defined in any of the claims above as the other probe

GCCCGTCCCAGGTA (SEQ ID NO:21) 20 AGCCCCAAGACCCTTTCACT (SEQ ID NO:22) GTCCCATAGATAGGAGTGAAAG (SEQ ID NO:23) CCCTAGGACACAGGAGCACA (SEQ ID NO:24) TTGTGCTTTCTCTGTGTCCA (SEQ ID NO:25) TATCAGAAAAGGCTGGAGGA (SEQ ID NO:26) 25 GAGTGGCTGGGGAGTAGGA (SEQ ID NO:27) GCCAAGCAGAAGAGACAAA (SEQ ID NO:28) CCTCAGATGTCCTCTGCTCA (SEQ ID NO:29) GCCACAGCCCCAGCAAGTAG (SEQ ID NO:30) AGGACCACAGGACACGCAGA (SEQ ID NO:31) 30 CATAGAACAGTCCAGAACAC (SEQ ID NO:32) TTAGCTTGGCACGGCTGTCCAAGGA (SEQ ID NO:33) ACAGAATTCGCCCCGGCCTGGTACAC (SEQ ID NO:34) TTGAAACTGGAACTCTGAGAAGG (SEQ ID NO:35) TGGTGGATGGTGTGAAGCA (SEQ ID NO:38)

CCTTTCTCCAACTTCTTCTCCATTTCCACC (SEQ ID NO:37)

# . P 687 DK03

-	GGGGATCATGTCGTCAATGGACT (SEQ ID NO:38)
	ATGCCCTGTAGGTTCAATGG (SEQ ID NO:39)
	TGGAGGTCTTTAGGGGCTTG (SEQ ID NO:40)
	GGCTGGTCCCCGTCTTCTCCTTCC (SEQ ID NO:41)
5 ·	TCTCTGTTGCCACTTCAGCCTC (SEQ ID NO:42)
	GTCCTGCCCTCAGCAAAGAGAA (SEQ ID NO:43)
	TTCTCCTGCGATTAAAGGCTGT (SEQ ID NO:44)
	ATCCTGTCCCTACTGGCCATTC (SEQ ID NO:45)
	TGTGGACGTGACAGTGAGAAAT (SEQ ID NO:46)
10	TGGAGTGCTATGGCACGATCTCT (SEQ ID NO:47)
•	CCATGGGCATCAAATTCCTGGGA (SEQ ID NO:48)
	CACACCTGGCTCATTTTGTAT (SEQ ID NO:49)
	TCATCCAGGTTGTAGATGCCA (SEQ ID NO:50)
	AGGCTCAACAAGGAAAAATGC (SEQ ID NO:51)
15	GCTAGACAGTCAAGGAGGGACG (SEQ ID NO:52)
	AAAGGGTGGGTGTGGGAGACATTGG (SEQ ID NO:53)
	AAACCAACCTAGGCACCCCAAA (SEQ ID NO:54)
	CAGTGTCCAAAGAGCACC (SEQ ID NO:55)
	CTACCCCTTTAGCGACC (SEQ ID NO:56)
20	TCCTGCCCCAGAGCGTCACC (SEQ ID NO:57)
	GTACGGTCCACATAATTTTGGAGGA (SEQ ID NO:58)
	CGACGAACTTCTCTGAAGCGAA (SEQ ID NO:59)
	AGCGACACGGGCATCTGG (SEQ ID NO:60)
	ATGAGCGTCCACCTCCTGAACC (SEQ ID NO:61)
25	AGGCAGCATCGTCATCCCC (SEQ ID NO:62)
	TGCATAGCTAGGTCCTGC (SEQ ID NO:63)
	AACTGACRAAACTAGCTCTATGGGGTGGTGCCGCA (SEQ ID NO:64)
	CTGGCTCTGAAACTTACTAGCCC (SEQ ID NO:65)
	GCTGGACTGTCACCGCATG (SEQ ID NO:66)
30	GGAGCAGGGTTGGCGTG (SEQ ID NO:67)
	TGCCCTCCCAGAGGTAAGGCCT (SEQ ID NO:68)
	CCCTCCCGGAGGTAAGGCCTC (SEQ ID NO:69)
	GATCAAAGAGACAGACGAGC (SEQ ID NO:70)
	GAAGCCCAGGAAATGC (SEQ ID NO:71)
35	GGACGCCACCTGGCCAACC (SEQ ID NO:72)

10

P 687 DK03

86

## CGTGCTGCCCAACGAAGTG (SEQ ID NO:73)

- 31. The primer or probe according to any of claims 28 or 29, wherein the probe is operably linked to at least one label, such as operably linked to two different labels.
- 32. The probe according to claim 30, wherein the label is selected from TEX, TET, TAM, ROX, R6G, ORG, HEX, FLU, FAM, DABSYL, Cy7, Cy5, Cy3, BOFL, BOF, BO-X, BO-TRX, BO-TMR, JOE, 6JOE, VIC, 6FAM, LCRed640, LCRed705, TAMRA, Blotin, Digoxigenin, DuO-family, Daq-family.
- 33. The primer or probe according to any of claims 28-31, wherein the primer or probe is operably linked to a surface.
- 34. The primer or probe according to claim 32, wherein the surface is the surface of microbeads or a DNA chip.
  - 35. An antibody directed to an epitope of a RAI gene product.
- 36. A kit for use in a method as defined in any of the claims above, comprising at least one primer or probe, sald probe being as defined in any of claims 29-35, and optionally further amplifying means for nucleic acid amplification.




1/4



Fig. 1

# Subregion of chromosome 19q






2/4

Modrager PVS

Fig. 2








3/4

Modfaget PVS

Fig. 3

p-values for association of different sequence variations with risk of basal cell carcinoma among psoriatic Danes





Modiaget PVS

4/4

# Fig. 4

XPD-translation start← → Start sequence S1
CCCTTCTCACTTCAT GGCGCCGGCCGGACTGTGCAGCGGGGTCGACCCGCCTCCTCA

\*
XPD-TATA BOX

← → Start sequence <u>S2</u>

TA CGAGACCATTGGCTAACCTGCCCGTCAATCCGCTAGGGCAGAGCCAATCGGGATAC

TGCGCGTGCGCACGGAAAAGCGAGGGCGGCGGCTGACTCTCGGGTGAGGCGGTGCGGGAG

Start sequence <u>S3</u>

GCGTCACTGAGGATCGTCGAGGGCC AATCAAAAAGAAAACATGGAAGGGAAAGAGCC

4bp deletion

GAGAGACTCGATCTCATTCACTAGAATTTGGTCCTCCTGCGCCTGCCAAGAT*TGTC*TGA

End of S sequences → Start of region r
GTATTGATCGAACCCAGGAGTTCGAGATCAGCTTGAGCAAGATAGCG
. A

S1 is the sequence from \* to  $\Delta$ 

S2 is the sequence from = to  $\triangle$ 

S3 is the sequence from  $\bullet$  to  $\triangle$ 

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

# IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.